



SCREENSHOTS FOR Lab-4: Applied Statistical Modeling & Interactive Web Dashboard


1)




2)




3)



4)



5)




6)

The screenshot displays a web application interface for analyzing medical insurance data. On the left, there are filters for BMI range (15.96 to 35.97), Region (northwest, southeast), and Smoker status (yes, no). The main area shows a "Summary statistics table" and a "Preview filtered raw data" table. The summary statistics table provides statistical measures for age, bmi, children, and charges. The preview table shows individual records with columns for age, sex, bmi, children, smoker, region, and charges.


	count	mean	std	min	25%	50%	75%	max	IQR	skewness	kurtosis
age	208.00	23.96	4.56	18.00	19.00	24.00	28.00	32.00	9.00	0.26	-1.27
bmi	208.00	28.78	4.45	17.39	25.74	29.32	32.27	35.86	6.53	-0.50	-0.52
children	208.00	0.88	1.07	0.00	0.00	0.50	2.00	4.00	2.00	0.97	-0.10
charges	208.00	8738.26	10118.93	1121.87	2260.55	3665.32	16482.62	38746.36	14222.07	1.53	1.21

	age	sex	bmi	children	smoker	region	charges
565	19	female	30.495	0	no	northwest	2,128.4311
576	22	male	26.84	0	no	southeast	1,664.9996
581	19	male	30.59	0	no	northwest	1,639.5631
583	32	female	23.65	1	no	southeast	17,626.2395
592	20	male	31.13	2	no	southeast	2,566.4707
604	19	female	28.31	0	yes	northwest	17,468.9839
614	20	female	33	0	no	southeast	1,880.07
618	19	female	33.11	0	yes	southeast	34,439.8559
625	29	female	26.03	0	no	northwest	3,736.4647


7)




8)




9)




10)



11)



12)



13)

