


DIGITAL SCCI ENGINEERING / ARTIFICIAL SIGNALS / MONITORING AND COMPANION

Dedicated raw current/voltage ADC and wired processed-feature companion. Endpoint charge ADCs remain separate.

















root_2

File: root_2.kicad_sch

inputs

File: inputs.kicad_sch

handoff

File: handoff.kicad_sch

adc

File: adc.kicad_sch

health

File: health.kicad_sch

reference

File: reference.kicad_sch

companion

File: companion.kicad_sch

Native design: target firmware and PCB verification follow

Project SCCI RH

Sheet: /

File: monitoring_transport.kicad_sch


Title: Project SCCI RH S4 / Existing package and host endpoints


Size: A2	Date: 2026-10-14	**Rev: 0.1**
KiCad E.D.A. 10.0.6		Id: 1/8

DIGITAL SCCI ENGINEERING / ARTIFICIAL SIGNALS / MONITORING AND COMPANION

Dedicated raw current/voltage ADC and wired processed-feature companion. Endpoint charge ADCs remain separate.







All labels are native electrical connections. Digital artificial-load interface; no clinical, chronic or body-radio qualification.

Hardware permissions and terminal guards remain independent of transport. Loss of data rejects the observation.

Native design: target firmware and PCB verification follow

Project SCCI RH


Sheet: /root_2/
File: root_2.kicad_sch

Title: Project SCCI RH S4 / Existing package and host endpoints / 2

Size: A2	Date: 2026-10-14	**Rev: 0.1**
KiCad E.D.A. 10.0.6		Id: 2/8

DIGITAL SCCI ENGINEERING / ARTIFICIAL SIGNALS / MONITORING AND COMPANION

Dedicated raw current/voltage ADC and wired processed-feature companion. Endpoint charge ADCs remain separate.















All labels are native electrical connections. Digital artificial-load interface: no clinical, chronic or body-radio qualification.

Hardware permissions and terminal guards remain independent of transport. Loss of data rejects the observation.

Native design: target firmware and PCB verification follow

Project SCCI RH


Sheet: /adc/
File: adc.kicad_sch


Title: Project SCCI RH S4 / Dedicated eight-channel raw conversion


Size: A2	Date: 2026-10-14	**Rev: 0.1**
KiCad E.D.A. 10.0.6		Id: 3/8

DIGITAL SCCI ENGINEERING / ARTIFICIAL SIGNALS / MONITORING AND COMPANION

Dedicated raw current/voltage ADC and wired processed-feature companion. Endpoint charge ADCs remain separate.






















All labels are native electrical connections. Digital artificial-load interface: no clinical, chronic or body-radio qualification.

Hardware permissions and terminal guards remain independent of transport. Loss of data rejects the observation.

Native design: target firmware and PCB verification follow

Project SCCI RH

Sheet: /reference/
File: reference.kicad_sch

Title: Project SCCI RH S4 / Independent ADC reference and bypass

Size: A2	Date: 2026-10-14	**Rev: 0.1**
KiCad E.D.A. 10.0.6		Id: 4/8

DIGITAL SCCI ENGINEERING / ARTIFICIAL SIGNALS / MONITORING AND COMPANION

Dedicated raw current/voltage ADC and wired processed-feature companion. Endpoint charge ADCs remain separate.



































All labels are native electrical connections. Digital artificial-load interface; no clinical, chronic or body-radio qualification.

Hardware permissions and terminal guards remain independent of transport. Loss of data rejects the observation.

Native design; target firmware and PCB verification follow

Project SCCI RH

Sheet: /inputs/
File: inputs.kicad_sch


Title: Project SCCI RH S4 / Raw current and scaled voltage filtering

Size: A2	Date: 2026-10-14	**Rev: 0.1**
KiCad E.D.A. 10.0.6		Id: 5/8

DIGITAL SCCI ENGINEERING / ARTIFICIAL SIGNALS / MONITORING AND COMPANION

Dedicated raw current/voltage ADC and wired processed-feature companion. Endpoint charge ADCs remain separate.









All labels are native electrical connections. Digital artificial-load interface: no clinical, chronic or body-radio qualification.

Hardware permissions and terminal guards remain independent of transport. Loss of data rejects the observation.

Native design: target firmware and PCB verification follow

Project SCCI RH


Sheet: /health/
File: health.kicad_sch


Title: Project SCCI RH S4 / Divided power observations


Size: A2	Date: 2026-10-14	**Rev: 0.1**
KiCad E.D.A. 10.0.6		Id: 6/8

DIGITAL SCCI ENGINEERING / ARTIFICIAL SIGNALS / MONITORING AND COMPANION

Dedicated raw current/voltage ADC and wired processed-feature companion. Endpoint charge ADCs remain separate.




























All labels are native electrical connections. Digital artificial-load interface: no clinical, chronic or body-radio qualification.

Hardware permissions and terminal guards remain independent of transport. Loss of data rejects the observation.

Native design: target firmware and PCB verification follow

Project SCCI RH


Sheet: /companion/
File: companion.kicad_sch


Title: Project SCCI RH S4 / Isolated wired processed-feature companion

Size: A2	Date: 2026-10-14	**Rev: 0.1**
KiCad E.D.A. 10.0.6		Id: 7/8

DIGITAL SCCI ENGINEERING / ARTIFICIAL SIGNALS / MONITORING AND COMPANION


Dedicated raw current/voltage ADC and wired processed-feature companion. Endpoint charge ADCs remain separate.











All labels are native electrical connections. Digital artificial-load interface; no clinical, chronic or body-radio qualification.

Hardware permissions and terminal guards remain independent of transport. Loss of data rejects the observation.

Native design; target firmware and PCB verification follow

Project SCCI RH

Sheet: /handoff/
File: handoff.kicad_sch

Title: Project SCCI RH S4 / Charge ADC and health host handoff

Size: A2	Date: 2026-10-14	**Rev: 0.1**
KiCad E.D.A. 10.0.6		Id: 8/8