


Aim : To Perform various GIT operations on local and Remote repositories

Theory:

The command `mkdir git` creates a new directory (folder) named "git" in the current working directory. This command is used to make a new directory in a Unix-like operating system. The command `cd git` is used to change the current working directory to the directory named "git." After executing this command, any subsequent commands or file operations will occur within the "git" directory. "cd" stands for "change directory."

The `git config --global user.name` and `git config --global user.email` commands are used to set your global Git username and email address, respectively. They are part of the configuration settings in Git and are associated with the commits you make.



```

MINGW64:/c/Users/15L/git-dvcs
15L@203-11 MINGW64 ~ (master)
$ cd git-dvcs

15L@203-11 MINGW64 ~/git-dvcs (master)
$ git config --global user.name "Anurag"

15L@203-11 MINGW64 ~/git-dvcs (master)
$ git config --global user.email "anuraggaonkar36@gmail.com"

15L@203-11 MINGW64 ~/git-dvcs (master)
$ git config --global --list
user.name=Anurag
user.email=anuraggaonkar36@gmail.com

15L@203-11 MINGW64 ~/git-dvcs (master)
$ cat ~/.gitconfig
[user]
    name = Anurag
    email = anuraggaonkar36@gmail.com
  
```

If you want to check your configuration settings, you can use the `git config --list` command to list all the settings Git can find at that point

`git commit -am "commit message"` stages and commits all changes in tracked files with a commit message in a single command.

```

15L@203-11 MINGW64 ~/git-dvcs/git-project-1 (master)
$ git add .

15L@203-11 MINGW64 ~/git-dvcs/git-project-1 (master)
$ git commit -m "indexhtml_commit"
[master 6479f6f] indexhtml_commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 index.html

15L@203-11 MINGW64 ~/git-dvcs/git-project-1 (master)
$ nano index.html|

```

The command `nano index.html` opens the Nano text editor for the file named "index.html." Nano is a simple command-line text editor that allows you to view and edit files directly in the terminal.

```

MINGW64:/c:/Users/15L/git-dvcs/git-project-1
GNU nano 7.2 index.html Modified
<html>
<head>
<title>Demo porject</title>
</head>
<body>
<h1>Hello World</h1>
</body>
</html>

^G Help      ^O Write Out ^W Where Is  ^K Cut      ^T Execute
^X Exit      ^R Read File ^\ Replace   ^U Paste    ^J Justify

```

The command `touch teststatus` creates an empty file named "teststatus" in the current directory. The touch command is commonly used to update the timestamps of a file or create an empty file if it doesn't exist.

`git checkout -- teststatus`: Discards changes to the file "teststatus" in the working directory. This reverts the file to the state it has in the last commit.

The `git add` command is used to stage changes in the working directory for the next commit in Git. It prepares modifications, additions, or deletions to be included in the upcoming commit.

```

MINGW64:/c/Users/15L/git-dvcs/git-project-1
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   index.html

15L@203-11 MINGW64 ~/git-dvcs/git-project-1 (master)
$ git add teststatus
fatal: pathspec 'teststatus' did not match any files

15L@203-11 MINGW64 ~/git-dvcs/git-project-1 (master)
$ touch teststatus

15L@203-11 MINGW64 ~/git-dvcs/git-project-1 (master)
$ git add teststatus

15L@203-11 MINGW64 ~/git-dvcs/git-project-1 (master)
$ git commit -am "Express commit"
[master 88ee7f2] Express commit
 2 files changed, 8 insertions(+)
 create mode 100644 teststatus

15L@203-11 MINGW64 ~/git-dvcs/git-project-1 (master)
$

```

The git log command is used to display the commit history of a Git repository. It shows a chronological list of commits, including commit hashes, author information, timestamps, and commit messages.


The command git log --oneline displays a simplified and concise one-line representation of the commit history in a Git repository, showing only the commit SHA-1 hash and the commit message.

```

15L@203-11 MINGW64 ~/git-dvcs/git-project-1 (master)
$ git log --oneline
88ee7f2 (HEAD -> master) Express commit
6479f6f indexhtml_commit
15dedb3 first-commit

15L@203-11 MINGW64 ~/git-dvcs/git-project-1 (master)
$

```



```

MINGW64:/c/Users/15L/git-dvcs/git-project-1
15L@203-11 MINGW64 ~/git-dvcs/git-project-1 (master)
$ git log
commit 88ee7f2109ee81d39ea623d84a5278902e1e0ad9 (HEAD -> master)
Author: Anurag <anuraggaonkar36@gmail.com>
Date:   Wed Feb 12 11:25:38 2025 +0530

    Express commit

commit 6479f6f5147ac0d8c9cf3e129eeb54ed62c23c0a
Author: Anurag <anuraggaonkar36@gmail.com>
Date:   Wed Feb 12 11:18:51 2025 +0530

    indexhtml_commit

commit 15dedb30e65137bb43875edba811e29cbb96e697
Author: Anurag <anuraggaonkar36@gmail.com>
Date:   Wed Feb 12 10:59:13 2025 +0530

    first-commit

15L@203-11 MINGW64 ~/git-dvcs/git-project-1 (master)
$

```

The git clone command is used to create a copy of a Git repository. When you run this command, it duplicates the entire repository, including its files, commit history, and branches, and downloads it to your local machine. This is often the initial step when you want to work with a project hosted on a remote Git repository.

The git pull command is used to fetch and integrate changes from a remote repository into the current branch of your local repository. It combines two actions: it fetches the changes from the remote repository, and then it automatically merges those changes into your local branch. This is a convenient way to update your local repository with the latest changes from the remote repository. The git push command is used to upload or push the local changes in your Git repository to a remote repository. It updates the remote repository with the latest changes made in your local branch, making them accessible to others who share the same remote repository.

The git fetch command is used to retrieve changes from a remote repository. It fetches any new branches or changes made in the remote repository since your last interaction. However, it does not automatically merge these changes into your local branches. After using git fetch, you can inspect the changes and decide whether to integrate them using git merge or git rebase.

**CONCLUSION :** Successfully studied various Git operations on local and remote repositories