

SUBQUERIES

```
1 CREATE TABLE Employee (  
2     Emp_ID INT,  
3     Name VARCHAR(50),  
4     Department VARCHAR(50),  
5     Salary INT  
6 );  
7  
8 INSERT INTO Employee VALUES  
9 (101, 'PRATHAM', 'IT', 50000),  
10 (102, 'Shreya', 'HR', 40000),  
11 (103, 'vishwas', 'IT', 60000),  
12 (104, 'hello', 'Sales', 45000),  
13 (105, 'dog', 'HR', 55000);  
14  
15 SELECT * FROM Employee;  
16  
17 SELECT Name, Salary  
18 FROM Employee  
19 WHERE Salary > (  
20     SELECT AVG(Salary)  
21     FROM Employee  
22 );  
23  
24 SELECT Name, Department  
25 FROM Employee  
26 WHERE Department = (  
27     SELECT Department  
28     FROM Employee  
29     WHERE Name = 'Arun'  
30 );  
31
```

Output

Output:

Emp_ID	Name	Department	Salary
101	PRATHAM	IT	50000
102	Shreya	HR	40000
103	vishwas	IT	60000
104	hello	Sales	45000
105	dog	HR	55000

Name	Salary
vishwas	60000
dog	55000