

ReeferReady PMS — System Flow


How a container actually moves through the system, end to end — from gate-in to ready-to-move, and everywhere the app talks to something outside itself.

pms · apps/web + apps/api · v2 workflow · live Supabase backend

- [01 Architecture](#)
- [02 Container lifecycle](#)
- [03 A task's life](#)
- [04 Screens & nav](#)
- [05 Integrations](#)
- [06 What's dormant](#)

01 Architecture at a glance

One browser app, one API, one real database — plus three outside services the API talks to on the app's behalf. The browser never holds a service credential; every secret-bearing call happens server-side.




Where the secrets actually live


Nothing with write access to Supabase, Drive, or Sheets ever reaches the browser. **apps/api** holds a Google service-account key and a Supabase service-role key, both read from gitignored files — the client only ever gets a scoped JWT or, for IMS, an API key issued once and never displayed again.

The two Google integrations (Drive uploads, Sheets lookup) share one service account; Drive access only works because it's a Shared Drive, not a personal folder — a bare service account has no storage quota of its own to own files in.

02 The container lifecycle

The whole app is built around one journey. A container enters at Gate-In, is surveyed, works through whichever Sections its survey flagged, and the app's job ends at Ready to Move — Gate-Out is optional and only reachable after that point.





□ step ○ decision ● start / end state

Checking IMS at Gate-In

A "Check IMS" button looks up the container number against IMS's own sheet — normalized (uppercase, spaces stripped) so formatting quirks on their end don't cause a miss.

Only matches at `Depot = Crystal Yard` are ever offered for pre-fill. The same number found at a different depot (IMS covers the whole JNPT port, not just this yard) is flagged with a note and a toast instead — never silently dropped, never applied.

If two Crystal Yard rows share the same number — a real, observed case in IMS's own data — both are shown so the admin picks by type and size. Nothing here ever writes back to IMS.

What the Survey actually flags

Repair Required and Machine issue found (Reefer only) each reveal an itemized checklist — a simple Yes/No per item, with a "what's wrong" box on Yes. Logo and Color sit alongside them, since logo work can trigger Painting on its own, with no repair needed.

PTI runs on every arrival by default; marking the PTI Check field "Yes" with a video attached is what lets a container skip the PTI section entirely.

Gate date — no longer pickable


Both Gate-In and Gate-Out record their date automatically, the instant the form is confirmed — the same moment already used for the record's own timestamp. There is no field left where an admin can back- or post-date a gate event.

Why Gate-Out can't jump the queue

The "Gate out" button only exists in the branch of the container's footer that renders once `readyAt` is set — there's no code path that offers it earlier. A container that's still mid-section simply has no gate-out control to click.

03 A task's life

Every line in every Section — Primer, Lights, Clean container, Repair: Floor — is the same four-state machine underneath, whatever it's called.



What guards Start

A worker can only run one task at a time — trying to start a second is declined outright with no dialog. Starting a task scheduled for a different day shows a confirm first ("start ahead of schedule?"), since plans genuinely do change.

What Cancel does and doesn't touch

Cancel clears the running clock and reverts the task to Pending — but leaves the worker assigned and leaves any time already banked from an earlier start/stop cycle untouched. Only the current, mistaken run is discarded. Unassigning a worker is a separate action, done from the worker's own side.

Painting's one wrinkle


Painting steps have a real order — Primer, 1st coat, 2nd coat, Logo. A later step stays blocked ("Waiting on 1st coat") until every step ahead of it in the chain is genuinely settled, not just its immediate neighbor.

Repairment's extra step

An All-Rounder task also needs a site picked (Painting site, Washing site, etc.) before Start becomes available — the one Section where "where" matters as much as "who."

04 Screens & navigation

Four screens live in the sidebar; two more are chrome-free, print-oriented pages reached from a button, not from the nav itself.



Live Board

The same open work sliced two ways — by stage (what needs doing) or by crew (who's doing it) — each with a Cards/List toggle, defaulting to List here since this screen was a plain table long before Cards existed.

Yard Board

The container-centric view: everything from "not yet surveyed" through "ready to move," with a type breakdown (Dry / Reefer / ISO Tank / Porta Cabin) and fast-track flags up top.

Worker Roster

Worker records, not logins — painters, technicians and five other trades that Admin creates and assigns, never sign in themselves.

Dashboards

Today's gate activity, containers ready but not yet departed, estimated repair budget exposure, PTI breakdown, section load vs. estimate, idle workers, and this week's top performers — every panel here is something no other screen already shows.

05 Integrations

Five places the app reaches outside itself, each with its own direction and its own auth — none of them share a credential with another.

INTEGRATION	DIRECTION	AUTH	WHAT IT'S FOR
Supabase · Postgres	apps/api → database	service-role key	Workers, containers, sections, tasks, drafts, API keys — the real store behind every v2 screen.
Google Drive	apps/api → Drive	service account	Gate-In / Gate-Out photo and PTI video uploads, into one Shared Drive. Returns a real, permanent link stored on the container.
Sheets — internal export	apps/api → own sheet	service account	A manual, on-demand snapshot of container data (<code>npm run sync-sheet</code>) — not automatic, not live.
Sheets — IMS lookup	apps/api → IMS's sheet	service account, read-only	The "Check IMS" button at Gate-In. Reads only — there is no write path to IMS anywhere in this app.
External yard-summary API	IMS → apps/api	hashed API key	The one door IMS has into this app — a narrow, read-only count of what's in the yard. No per-container detail, no write access.

JWT signed-in admin, every `/api/v2/*` route API key one external, non-human caller

service credential server-side only, never sent to the browser

06 What's dormant

Not everything in the repository is live. Worth knowing before reading too much into it.

The v1 backend

A complete, separately-tested Prisma/SQLite backend (10 fixed stages, 4-role RBAC) still exists and still runs — but the current UI calls it for exactly one thing: login. Every container/task feature it once served now runs on the v2 Supabase schema instead.

README & e2e tests

Both still describe the old v1 product and its deleted screens. Neither has been brought back in step with the v2 rebuild.

Reflects the live codebase, not a fixed spec — screens and flows change as the app does.

apps/web · apps/api · Supabase · Google Drive & Sheets · IMS (read-only)