CREATE TABLE CUSTOMER(CUSTOMER_ID INT PRIMARY KEY,FIRST_NAME VARCHAR(20) NOT NULL, MIDDLE_NAME VARCHAR(20), LAST_NAME VARCHAR(20) NOT NULL,

PLOT_NO INT, STREET VARCHAR(20), CITY VARCHAR(20), PINCODE INT NOT NULL,

DOB DATE NOT NULL, GENDER CHAR(1) CHECK (GENDER = 'M' OR GENDER = 'F' OR GENDER = 'O'), E_WALLET DECIMAL(6,2),

INDEX NAME (FIRST_NAME, MIDDLE_NAME, LAST_NAME),
INDEX ADDRESS (PLOT_NO,STREET,CITY,PINCODE));

INSERT INTO CUSTOMER VALUES(1001, 'NILESH', 'KAILAS', 'MARATHE', 29, 'KW ROAD', 'PUNE', 425405, '2001-12-02', 'M', 10000);

INSERT INTO CUSTOMER VALUES(1253, 'MAHESH', 'PRADEEP', 'JADHAV', 19, 'VEER SAVAKKAR ROAD', 'MUMBAI', 421205, '2001-10-09', 'M', 1000);

INSERT INTO CUSTOMER VALUES(1345, 'SOHAM', 'AVINASH', 'GOKHALE', 23, 'KARMARKAR ROAD', 'PUNE', 414405, '2000-08-02', 'M', 25000);

INSERT INTO CUSTOMER VALUES(2145, 'SAKSHI', 'SAMEER', 'KULKARNI', 06, 'TILAK ROAD', 'BANGALORE', 452405, '1995-08-07', 'F', 5000);

INSERT INTO CUSTOMER VALUES(2634, 'TINA', 'SUMIT', 'KADAM', 08, 'MEETHAGHAR ROAD', 'MADRAS', 425455, '1990-12-06', 'F', 6000);

INSERT INTO CUSTOMER VALUES(3412, 'MANISHA', 'AJAY', 'DUBE', 14, 'AMBEDKAR ROAD', 'MUMBAI', 428965, '1996-07-02', 'F', 1200);

INSERT INTO CUSTOMER VALUES(3519, 'DIPAK', 'SUSHANT', 'KAMBLE', 15, 'LBS ROAD', 'DELHI', 420015, '2000-10-31', 'M', 2000);

INSERT INTO CUSTOMER VALUES(4571, 'CHETAN', 'PANKAJ', 'NIKAM', 06, 'JP ROAD', 'PUNE', 400405, '1980-01-03', 'M', 600);

INSERT INTO CUSTOMER VALUES(4618, 'RESHMA', 'PUNEET', 'PATHAK', 12, 'STP ROAD', 'SHIRPUR', 400051, '1995-08-16', 'F', 8000);

INSERT INTO CUSTOMER VALUES(5632, 'SHUBHAM', 'PRAKASH', 'NAIK', 02, 'EW ROAD', 'BANGALORE', 425412, '2001-08-10', 'O', 14000);

INSERT INTO CUSTOMER VALUES(5489, 'VIVEK', 'RAVINDRA', 'DESAI', 05, 'JUHU TARA ROAD', 'PUNE', 425496, '2000-09-05', 'M', 51000);

INSERT INTO CUSTOMER VALUES(6587, 'PRAVIN', 'SURESH', 'SAWANT', 10, 'VP ROAD', 'DELHI', 421405, '1997-02-09', 'M', 1500);

CREATE TABLE PHONE_NO(CUSTOMER_ID INT, PHONE_NO BIGINT PRIMARY KEY, FOREIGN KEY(CUSTOMER_ID) REFERENCES CUSTOMER(CUSTOMER_ID));

```
INSERT INTO PHONE_NO VALUES(1001,9145789630);
INSERT INTO PHONE_NO VALUES(1001,9145776019);
INSERT INTO PHONE_NO VALUES(1253,9255789630);
INSERT INTO PHONE_NO VALUES(1345,8564578963);
INSERT INTO PHONE_NO VALUES(2145,9145789545);
INSERT INTO PHONE_NO VALUES(2634,7845789630);
INSERT INTO PHONE_NO VALUES(3412,7445789630);
INSERT INTO PHONE_NO VALUES(3412,9822054123);
INSERT INTO PHONE_NO VALUES(3519,8546789630);
INSERT INTO PHONE_NO VALUES(4571,8845789630);
INSERT INTO PHONE_NO VALUES(4618,7545989630);
INSERT INTO PHONE_NO VALUES(5632,9121389630);
INSERT INTO PHONE_NO VALUES(5632,9121389630);
INSERT INTO PHONE_NO VALUES(5489,9615789630);
INSERT INTO PHONE_NO VALUES(5489,9615789630);
INSERT INTO PHONE_NO VALUES(5489,987789630);
```

CREATE TABLE E_MAIL(CUSTOMER_ID INT, E_MAIL VARCHAR(30) PRIMARY KEY, FOREIGN KEY(CUSTOMER ID) REFERENCES CUSTOMER(CUSTOMER ID));

```
INSERT INTO E_MAIL VALUES(1001, 'nileshmarathe4@gmail.com');
INSERT INTO E_MAIL VALUES(1001, 'nilesh101@gmail.com');
INSERT INTO E_MAIL VALUES(1253, 'maheshjadhav9@gmail.com');
INSERT INTO E_MAIL VALUES(1345, 'sohamgokhale43@gmail.com');
INSERT INTO E_MAIL VALUES(2145, 'sakshikulkarni87@gmail.com');
```

```
INSERT INTO E_MAIL VALUES(2634, 'tinakadam66@gmail.com');
INSERT INTO E_MAIL VALUES(3412, 'manishadube98@gmail.com');
INSERT INTO E_MAIL VALUES(3519, 'dipakkamble3@gmail.com');
INSERT INTO E_MAIL VALUES(4571, 'chetannikam22@gmail.com');
INSERT INTO E_MAIL VALUES(4618, 'reshmapathak44@gmail.com');
INSERT INTO E_MAIL VALUES(5632, 'shubhamnaik12@gmail.com');
INSERT INTO E_MAIL VALUES(5632, 'shubham1234@gmail.com');
INSERT INTO E_MAIL VALUES(5489, 'vivekdesai33@gmail.com');
INSERT INTO E_MAIL VALUES(6587, 'pravinsawant55@gmail.com');
```

CREATE TABLE ACCOUNT(LOGIN INT PRIMARY KEY, PASSWORD CHAR(10) NOT NULL, CUSTOMER_ID INT, FOREIGN KEY (CUSTOMER_ID) REFERENCES CUSTOMER(CUSTOMER_ID));

```
INSERT INTO ACCOUNT VALUES(2020001, 'ASDF123',1001);
INSERT INTO ACCOUNT VALUES(2450001, 'GFCV230',1253);
INSERT INTO ACCOUNT VALUES(2650001, 'JHGF450',1345);
INSERT INTO ACCOUNT VALUES(2020456, 'FDER458',2145);
INSERT INTO ACCOUNT VALUES(3020001, 'POIH457',2634);
INSERT INTO ACCOUNT VALUES(3150004, 'PSWA589',3412);
INSERT INTO ACCOUNT VALUES(4560007, 'VDAS126',3519);
INSERT INTO ACCOUNT VALUES(4510004, 'TRCV752',4571);
INSERT INTO ACCOUNT VALUES(2783001, 'MNXZ321',4618);
INSERT INTO ACCOUNT VALUES(1234001, 'ZSAQ546',5632);
INSERT INTO ACCOUNT VALUES(4578961, 'CEAZ111',5489);
INSERT INTO ACCOUNT VALUES(2146325, 'VCAA222',6587);
```

CREATE TABLE PRODUCT(PRODUCT_ID VARCHAR(10) PRIMARY KEY, PRODUCT_NAME VARCHAR(20) NOT NULL, PRODUCT_PRICE INT NOT NULL,

MANUFACTURING COMPANY VARCHAR(20), STOCK INT, RATING INT);

```
INSERT INTO PRODUCT VALUES('E12001', 'SMARTPHONE', 10000, 'REALME', 10,9);
INSERT INTO PRODUCT VALUES('E12002', 'LAPTOP', 60000, 'HP', 3, 10);
INSERT INTO PRODUCT VALUES('E12003', 'LAPTOP', 85000, 'DELL', 2,9);
INSERT INTO PRODUCT VALUES('E12004', 'SMARTPHONE', 33000, 'ONEPLUS', 5,9);
INSERT INTO PRODUCT VALUES('E12005', 'EARPHONES', 2000, 'ONEPLUS', 5,8);
INSERT INTO PRODUCT VALUES('E12006', 'CHARGER-IPHONE', 3000, 'APPLE', 3, 10);
INSERT INTO PRODUCT VALUES('E12007', 'TELEVISION', 50000, 'LG', 2,8);
INSERT INTO PRODUCT VALUES('E12008', 'SMARTPHONE', 15000, 'SAMSUNG', 3,9);
INSERT INTO PRODUCT VALUES('E12009', 'HARD-DRIVE', 2000, 'DELL', 4,7);
INSERT INTO PRODUCT VALUES('E12010', 'LAPTOP', 45000, 'LENOVO', 5,6);
```

INSERT INTO PRODUCT VALUES('C12010','SWEATER',5000, 'LEVI',5,7);
INSERT INTO PRODUCT VALUES('C12011','SHIRT',3000, 'LEVI',5,9);
INSERT INTO PRODUCT VALUES('C12012','JEANS',5000, 'PEPE JEANS',7,7);
INSERT INTO PRODUCT VALUES('C12013','TOPS',1000, 'U S POLO',4,9);
INSERT INTO PRODUCT VALUES('C12014','SPORTS WEAR',2000, 'ADIDAS',5,9);
INSERT INTO PRODUCT VALUES('C12015','TOPS',1500, 'ADIDAS',5,6);
INSERT INTO PRODUCT VALUES('C12016','JACKET',5000, 'KRAUS',3,8);
INSERT INTO PRODUCT VALUES('C12017','SWEATER',4000, 'ZODIAC',3,7);
INSERT INTO PRODUCT VALUES('C12018','JEANS',4000, 'KRAUS',6,7);
INSERT INTO PRODUCT VALUES('C12019','JEANS',3000, 'PEPE JEANS',3,8);

```
INSERT INTO PRODUCT VALUES('B00120','RELIGIOUS BOOK',1000,'HARPER COLLIN',5,9);
INSERT INTO PRODUCT VALUES('B00121','AMAR CHITRA KATHA',200,'PENGUIN',8,10);
INSERT INTO PRODUCT VALUES('B00122','SELF-HELP BOOK',700,'PEARSON',2,7);
INSERT INTO PRODUCT VALUES('B00123','MYSTERY NOVEL',500,'MCMILLAN',3,9);
INSERT INTO PRODUCT VALUES('B00124','NON-FICTION',900,'SCHOLASTIC',5,10);
INSERT INTO PRODUCT VALUES('B00125','AUTOBIOGRAPHY',1000,'EGMONT',2,9);
INSERT INTO PRODUCT VALUES('B00126','POEMS',600,'SCHOLASTIC',3,8);
INSERT INTO PRODUCT VALUES('B00127','ENGLISH GUIDE',350,'CENGAGE',3,9);
INSERT INTO PRODUCT VALUES('B00128','DICTIONARY',400,'OXFORD',2,10);
INSERT INTO PRODUCT VALUES('B00129','CHILDRENS BOOK',200,'MCGRAW',5,9);
```

CREATE TABLE BOOKS(PRODUCT_ID VARCHAR(10),ISBN INT, TITLE VARCHAR(20), AUTHOR VARCHAR(20),FOREIGN KEY (PRODUCT_ID) REFERENCES PRODUCT(PRODUCT_ID));

```
INSERT INTO BOOKS VALUES( 'B00120' , 12580000111, 'BIBLE', 'ST THOMAS');
INSERT INTO BOOKS VALUES( 'B00121' , 17002000111, 'GANGA',' PAI');
INSERT INTO BOOKS VALUES( 'B00122' , 10480000111, 'WINNING EACH STEP', 'JAY BATRA');
INSERT INTO BOOKS VALUES( 'B00123' , 12580026122, 'MERGING MIRRORS', 'AGATHA CHRISTIE');
INSERT INTO BOOKS VALUES( 'B00124' , 15567110000, 'ANNE FRANKS DIARY', 'ANNE FRANK');
INSERT INTO BOOKS VALUES( 'B00125' , 12580091121, 'WINGS OF FIRE', 'JAWAHARLAL NEHRU');
INSERT INTO BOOKS VALUES( 'B00126' , 10087900111, 'MY POEM BOOK', 'ENID BLYTON');
INSERT INTO BOOKS VALUES( 'B00127' , 12500912661, 'MERCHANT OF VENICE', 'ARK RAI');
INSERT INTO BOOKS VALUES( 'B00128' , 19500021113, 'HINDI TO ENGLISH', 'GROUP OF AUTHORS');
INSERT INTO BOOKS VALUES( 'B00129' , 10987122235, 'AESOP FABLE', 'ANONYMOUS');
```

```
CREATE TABLE ELECTRONICS(PRODUCT_ID VARCHAR(10), WARRANTY VARCHAR(10), FOREIGN KEY (PRODUCT_ID) REFERENCES PRODUCT(PRODUCT_ID));
```

```
INSERT INTO ELECTRONICS VALUES('E12001','2 YEARS');
INSERT INTO ELECTRONICS VALUES('E12002','2 YEARS');
INSERT INTO ELECTRONICS VALUES('E12003','2 YEARS');
INSERT INTO ELECTRONICS VALUES('E12004','6 MONTHS');
INSERT INTO ELECTRONICS VALUES('E12005','6 MONTHS');
INSERT INTO ELECTRONICS VALUES('E12006','3 YEARS');
INSERT INTO ELECTRONICS VALUES('E12007','2 YEARS');
INSERT INTO ELECTRONICS VALUES('E12008','1 YEAR');
INSERT INTO ELECTRONICS VALUES('E12009','2 YEARS');
INSERT INTO ELECTRONICS VALUES('E12009','2 YEARS');
INSERT INTO ELECTRONICS VALUES('E12010','2 YEARS');
```

CREATE TABLE CLOTHES(PRODUCT_ID VARCHAR(10), MATERIAL VARCHAR(10), COLOUR VARCHAR(10), FOREIGN KEY (PRODUCT_ID) REFERENCES PRODUCT(PRODUCT_ID));

```
INSERT INTO CLOTHES VALUES( 'C12011', 'WOOLEN', 'BLACK');
INSERT INTO CLOTHES VALUES( 'C12012', 'COTTON', 'BLUE');
INSERT INTO CLOTHES VALUES( 'C12013', 'COTTON', 'BLACK');
INSERT INTO CLOTHES VALUES( 'C12014', 'JUTE', 'PINK');
INSERT INTO CLOTHES VALUES( 'C12015', 'DRY FIT', 'BLUE');
INSERT INTO CLOTHES VALUES( 'C12016', 'LINEN', 'YELLOW');
INSERT INTO CLOTHES VALUES( 'C12017', 'COTTON', 'BLACK');
INSERT INTO CLOTHES VALUES( 'C12018', 'WOOLEN', 'BLUE');
INSERT INTO CLOTHES VALUES( 'C12019', 'NYLON', 'BLACK');
INSERT INTO CLOTHES VALUES( 'C12010', 'COTTON', 'BLUE');
```

CREATE TABLE CART(CUSTOMER_ID INT PRIMARY KEY, PRODUCT_ID VARCHAR(10), PRODUCT_NAME VARCHAR(20), PRODUCT_PRICE INT, QUANTITY INT);

```
INSERT INTO CART VALUES(1001,'E12004','SMARTPHONE',33000,1);
INSERT INTO CART VALUES(1253,'E12009','HARD-DRIVE',2000,1);
INSERT INTO CART VALUES(1345,'E12010','LAPTOP',45000,1);
INSERT INTO CART VALUES(2145,'C12013','TOPS',1000,1);
INSERT INTO CART VALUES(2634,'B00120','RELIGIOUS BOOK',1000,1);
INSERT INTO CART VALUES(3412,'B00123','MYSTERY NOVEL',500,1);
INSERT INTO CART VALUES(3519,'C12018','PEPE JEANS',3000,1);
INSERT INTO CART VALUES(4571,'E12003','LAPTOP',85000,1);
INSERT INTO CART VALUES(4618,'C12010','SWEATER',5000,1);
INSERT INTO CART VALUES(5632,'B00125','AUTOBIOGRAPHY',1000,2);
INSERT INTO CART VALUES(5489,'B00124','NON-FICTION',900,1);
INSERT INTO CART VALUES(5489,'B00124','NON-FICTION',900,1);
INSERT INTO CART VALUES(5587,'E12005','EARPHONES',2000,1);
```

CREATE TABLE ORDERS (ORDER_ID VARCHAR(10) PRIMARY KEY, CUSTOMER_ID INT,PRODUCT_ID VARCHAR(10), PRODUCT_NAME VARCHAR(20), PRODUCT_PRICE INT, DATE_OF_ORDER DATE,

FOREIGN KEY (CUSTOMER_ID) REFERENCES CUSTOMER(CUSTOMER_ID),

FOREIGN KEY (PRODUCT_ID) REFERENCES PRODUCT(PRODUCT_ID));

```
INSERT INTO ORDERS VALUES('OR001',1001,'E12001','SMARTPHONE',10000,'2020-06-15');
INSERT INTO ORDERS VALUES('OR002',1253,'E12005','EARPHONES',2000,'2020-04-12');
INSERT INTO ORDERS VALUES('OR003',1345,'E12007','TELEVISION',50000,'2020-12-07');
```

```
INSERT INTO ORDERS VALUES('OR004',2145,'C12011','SHIRT',3000,'2020-09-01');
INSERT INTO ORDERS VALUES('OR005',2634,'C12014','SPORTS WEAR',2000,'2019-06-10');
INSERT INTO ORDERS VALUES('OR006',3412,'B00121','AMAR CHITRA KATHA',200,'2020-05-06');
INSERT INTO ORDERS VALUES('OR007',3519,'B00125','AUTOBIOGRAPHY',1000,'2020-08-08');
INSERT INTO ORDERS VALUES('OR008',4571,'B00124','NON-FICTION',900,'2020-03-12');
INSERT INTO ORDERS VALUES('OR009',4618,'C12016','JACKET',5000,'2019-01-13');
INSERT INTO ORDERS VALUES('OR010',5632,'C12010','SWEATER',5000,'2020-10-10');
INSERT INTO ORDERS VALUES('OR011',5489,'E12009','HARD-DRIVE',2000,'2020-05-04');
INSERT INTO ORDERS VALUES('OR012',6587,'E12010','LAPTOP',45000,'2019-11-16');
```

CREATE TABLE ORDER_HISTORY(HISTORY_ID VARCHAR(10) PRIMARY KEY, CUSTOMER_ID INT,PRODUCT_ID VARCHAR(10), PRODUCT_NAME VARCHAR(20), PRODUCT_PRICE INT, DATE_OF_ORDER DATE,

FOREIGN KEY (CUSTOMER_ID) REFERENCES CUSTOMER(CUSTOMER_ID));

INSERT INTO ORDER_HISTORY VALUES('OH0001',1001,'C12015','TOPS',1500,'2016-01-12');

INSERT INTO ORDER_HISTORY VALUES('OH0002',1001,'B00120','RELIGIOUS

BOOK',1000,'2019-01-08');

INSERT INTO ORDER_HISTORY VALUES('OH0003',1001,'B00124','NON-FICTION',900,'2019-10-01');

INSERT INTO ORDER_HISTORY VALUES('OH0004',1001,'E12001','SMARTPHONE',10000,'2020-06-15');

INSERT INTO ORDER_HISTORY VALUES('OH0005',1253,'C12018','JEANS',3000,'2019-02-19');
INSERT INTO ORDER_HISTORY VALUES('OH0006',1253,'B00123','MYSTERY NOVEL',500,'2019-10-12');
INSERT INTO ORDER_HISTORY VALUES('OH0007',1253,'E12005','EARPHONES',2000,'2020-04-12');

INSERT INTO ORDER_HISTORY VALUES('OH0008',1345,'E12008','SMARTPHONE',15000,'2020-05-06');
INSERT INTO ORDER_HISTORY VALUES('OH0009',1345,'E12007','TELEVISION',50000,'2020-12-07');

INSERT INTO ORDER_HISTORY VALUES('OH0010',2145,'E12010','LAPTOP',45000,'2020-07-05');
INSERT INTO ORDER_HISTORY VALUES('OH0011',2145,'C12001','SHIRT',3000,'2020-09-01');

```
INSERT INTO ORDER_HISTORY VALUES('OH0012',2634,'C12012','JEANS',5000,'2019-07-13');
INSERT INTO ORDER_HISTORY VALUES('OH0013',2634,'C12014','SPORTS WEAR',2000,'2020-06-10');
INSERT INTO ORDER_HISTORY
VALUES('OH0014',3412,'E12006','CHARGER-IPHONE',3000,'2018-07-11');
INSERT INTO ORDER_HISTORY VALUES('OH0015',3412,'B00121','AMAR CHITRA
KATHA',200,'2020-05-06');
INSERT INTO ORDER_HISTORY VALUES('OH0016',3519,'E12003','LAPTOP',85000,'2019-02-08');
INSERT INTO ORDER_HISTORY
VALUES('OH0017',3519,'B00125','AUTOBIOGRAPHY',1000,'2020-08-08');
INSERT INTO ORDER_HISTORY VALUES('OH0018',4571,'B00123','MYSTERY NOVEL',500,'2020-01-01');
INSERT INTO ORDER HISTORY VALUES('OH0019',4571,'B00124','NON-FICTION',900,'2020-03-12');
INSERT INTO ORDER HISTORY
VALUES('OH0020',4618,'B00125','AUTOBIOGRAPHY',1000,'2018-08-06');
INSERT INTO ORDER_HISTORY VALUES('OH0029',4618,'C12016','JACKET',5000,'2019-01-13');
INSERT INTO ORDER HISTORY VALUES('OH0021',5632,'C12017','SWEATER',4000,'2017-09-06');
INSERT INTO ORDER HISTORY VALUES('OH0022',5632,'C12010','SWEATER',5000,'2020-10-10');
INSERT INTO ORDER HISTORY VALUES('OH0023',5489,'C12018','JEANS',4000,'2018-04-02');
INSERT INTO ORDER HISTORY VALUES('OH0024',5489,'C12013','TOPS',1000,'2020-01-03');
INSERT INTO ORDER HISTORY VALUES('OH0025',5489,'E12009','HARD-DRIVE',2000,'2020-05-04');
```

```
INSERT INTO ORDER_HISTORY VALUES('OH0026',6587,'C12011','SHIRT',3000,'2017-06-28');
INSERT INTO ORDER_HISTORY VALUES('OH0027',6587,'E12007','TELEVISION',50000,'2019-06-12');
INSERT INTO ORDER_HISTORY VALUES('OH0028',6587,'E12010','LAPTOP',45000,'2019-11-16');
```

CREATE TABLE PAYMENT(TRANSACTION_ID varchar(10) UNIQUE, CUSTOMER_ID INT,ORDER_ID VARCHAR(10), AMOUNT INT,

MODE_OF_PAYMENT VARCHAR(15) CHECK (MODE_OF_PAYMENT='E_WALLET' OR MODE_OF_PAYMENT='PAY_ON_DELIVERY'), DATE_OF_PAYMENT DATETIME NOT NULL, FOREIGN KEY (CUSTOMER_ID) REFERENCES CUSTOMER(CUSTOMER_ID), FOREIGN KEY (ORDER_ID) REFERENCES ORDERS(ORDER_ID));

INSERT INTO PAYMENT VALUES('TNS1004527',1001, 'OR001',10000,'E_WALLET', '2020-06-15');
INSERT INTO PAYMENT VALUES('TNS1013527',1253,'OR002',2000,'E_WALLET','2020-04-12');
INSERT INTO PAYMENT VALUES('TNS1043527',1345,'OR003',50000,
'PAY_ON_DELIVERY','2020-12-07');
INSERT INTO PAYMENT VALUES('TNS1002227',2145,'OR004',3000,'E_WALLET','2020-09-01');
INSERT INTO PAYMENT VALUES('TNS1008757', 2634,'OR005',2000,'E_WALLET','2019-06-10');
INSERT INTO PAYMENT VALUES('TNS1097367',3412,'OR006',200, 'PAY_ON_DELIVERY','2020-05-06');
INSERT INTO PAYMENT VALUES('TNS1004245',3519,'OR007',1000,'E_WALLET','2020-08-08');
INSERT INTO PAYMENT VALUES('TNS2145787',4571,'OR008',900, 'PAY_ON_DELIVERY','2020-03-12');
INSERT INTO PAYMENT VALUES('TNS3004524',4618,'OR009',5000,'E_WALLET','2019-01-13');
INSERT INTO PAYMENT VALUES('TNS1004511',5632,'OR010',5000,'E_WALLET','2020-10-10');
INSERT INTO PAYMENT VALUES('TNS1004411',5489,'OR011',2000, 'PAY_ON_DELIVERY','2020-05-04');
INSERT INTO PAYMENT VALUES('TNS1004411',5489,'OR011',2000, 'PAY_ON_DELIVERY','2020-05-04');
INSERT INTO PAYMENT VALUES('TNS10044015',6587,'OR011',2000, 'PAY_ON_DELIVERY','2020-05-04');