

DSE 3260 ARTIFICIAL INTELLIGENCE LABORATORY

WEEK 1 Representational Learning using Autoencoders.

1. Use the Fashion MNIST data set and train a basic autoencoder to reconstruct images.

Train the model using `x_train` as both the input and the target. The encoder should learn to compress the dataset from 784 dimensions to the latent space, and the decoder should learn to reconstruct the original images.

Let the autoencoder have two Dense layers:

- a. an encoder, which compresses the images into a 64 dimensional latent vector, use `ReLU` as activation function.
- b. and a decoder, that reconstructs the original image from the latent space, use `sigmoid` as activation function.

Once the model is trained for at least 10 epochs , with loss function as mean square error, test it by encoding and decoding images from the test set. Display original and reconstructed images.

2. Train an autoencoder to detect anomalies using the ECG5000 dataset.

Plot and observe a normal ECG vs an anomalous ECG.

Design and Train an autoencoder on the normal rhythms only, then use it to reconstruct all the data.

The autoencoder is trained using only the normal ECGs, but is evaluated using the full test set. Classify an ECG as anomalous if the reconstruction error is greater than one standard deviation from the normal training examples.

WEEK 2: Simple Agents

1. Take the TF-Agents Environments Tutorial:

https://colab.research.google.com/github/tensorflow/agents/blob/master/docs/tutorials/2_environments_tutorial.ipynb

2. Use the **CartPole-v0** environment and write a program to

- a. Implement the CartPole environment for a certain number of steps
- b. Implement the CartPole environment for a certain number of episodes
- c. Compare and comment on the rewards earned for both approaches.