Feature 6 – Focus & Productivity Tools (Team)

This feature gives users tools that help them stay focused while working on tasks. It includes a focus timer similar to the Pomodoro technique, the ability to set daily goals, optional website blocking during focus sessions, and a page where users can review their past focus sessions.

Use Case UC21: Start a Focus Session (Pomodoro Timer)

Primary Actor
Registered User

Stakeholders & Interests

- User: wants a structured timer that helps them stay focused while working on a task and earn extra XP for completing focus sessions.

Preconditions

- User is logged in.
- At least one task exists in the user's task list.

Success Guarantee

- The focus session finishes successfully.
- Bonus XP is awarded.
- The session is saved in the user’s session history.

Main Success Scenario

1. User selects a task and chooses Start Focus Session.
2. System displays a countdown timer (default: 25 minutes work, 5 minute break).
3. Timer counts down while showing progress visually.
4. When the timer finishes, the system notifies the user and suggests taking a break.

5. After the break, the system asks the user if they want to start another session or mark the task as complete.

6. The system records the session and awards +10 XP.

Extensions

- 2a. User changes the session length (between 5 and 90 minutes). The system starts the session with the new time.

- 4a. User stops the timer early. The session is saved as partial and no XP is awarded.

Special Requirements

- Timer accuracy should be within ±1 second.

- Notification sound must be optional or dismissible.

Technology & Data Variation

- Session data is stored with start time, end time, task ID, and completion status.

Use Case UC22: Set and Track Daily Goal

Primary Actor
Registered User

Stakeholders & Interests

- User: wants to set a daily target for completed tasks to stay productive and feel motivated.

Preconditions

- User is logged in.

Success Guarantee

- Daily goal is saved and shown on the dashboard.

- When the goal is reached, bonus XP is awarded.

Main Success Scenario

1. User opens the Daily Goal Settings page.
2. User enters the number of tasks they want to complete for the day (for example, 5).
3. System saves the goal and displays a progress indicator on the dashboard.
4. Each time a task is completed, the progress indicator updates.
5. When the goal is reached, the system shows a celebration message and awards bonus XP.

Extensions

- 2a. User enters 0 tasks. The system shows a validation error.
- 5a. Goal has already been reached earlier in the day. The system displays a message but does not give additional XP.

Special Requirements

- The daily goal resets at midnight based on the user's time zone.

Technology & Data Variation

- The goal value is stored per user.
- Progress is calculated using the tasks completed that day.

Use Case UC23: Block Distracting Websites During Focus

Primary Actor
Registered User (Desktop / Browser Extension)

Stakeholders & Interests

- User: wants to avoid distractions by blocking certain websites during focus sessions.

- System: must enable blocking only while the focus session is active.

Preconditions

- User is logged in.
- A focus session is currently active.
- Browser permissions for blocking sites have been granted.

Success Guarantee

- Selected websites are blocked during the session.
- Blocking is removed automatically when the session ends.

Main Success Scenario

1. User opens Focus Settings and adds websites to the block list.
2. User starts a focus session.
3. System activates the blocking rules.
4. If the user attempts to open a blocked site, the system shows a message encouraging them to stay focused.
5. When the session ends, the system removes all blocking rules.

Extensions

- 1a. Required permissions are missing. The system asks the user to enable them first.
- 4a. User disables blocking during the session. The system records the override and removes the bonus XP.

Special Requirements

- Blocking must activate within 1 second after the session starts.

- No browsing data from blocked sites is stored.

Technology & Data Variation

- The block list is stored as a list of domain names for each user.
- Blocking is enforced through a browser extension.

Use Case UC24: Review Focus Session History

Primary Actor
Registered User

Stakeholders & Interests

- User: wants to review past focus sessions to see how productive they have been over time.

Preconditions

- The user is logged in.
- At least one focus session has been completed.

Success Guarantee

- The system displays a list of past sessions and summary statistics.

Main Success Scenario

1. User opens the Focus History page.
2. System retrieves the user's focus sessions.
3. Sessions are displayed with date, duration, linked task, and status (Complete or Partial).
4. A summary section shows total focus time (today, this week, and all time).

5. User can filter sessions by date or task category.

Extensions

2a. If no sessions exist yet, the system shows a message encouraging the user to start their first session.

Special Requirements

The page must load within 2 seconds when displaying up to 1000 sessions.




sets
FocusSession
sessionID
startTime
endTime
plannedDuration
status
DailyGoal
goalID
targetCount
date
activated-during
has
User
userID
username
xpTotal
linked-to
creates
Task
taskID
title
dueDate
priority
status
BlockList
blockListID
domains
owns