DS ASSIGNMENT 15

Name:Prathiksha Harish Baleri

USN:4CB22CB044

Domain:Data science

MySQL QUERIES FILE

```
MySQL 8.0 Command Line Cli

Enter password: **********
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 23
Server version: 8.0.44 MySQL Community Server - GPL

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;
+--------------------+
| Database           |
+--------------------+
| information_schema |
| mysql              |
| performance_schema |
| prati              |
| sakila             |
| sys                |
| world              |
+--------------------+
7 rows in set (0.09 sec)

mysql> use prati;
Database changed
mysql> show tables;
```

```
MySQL 8.0 Command Line Cli

| Database             |
+----------------------+
| information_schema   |
| mysql                |
| performance_schema   |
| prati                |
| sakila               |
| sys                  |
| world                |
+----------------------+
7 rows in set (0.09 sec)

mysql> use prati;
Database changed
mysql> show tables;
+-------------------+
| Tables_in_prati   |
+-------------------+
| employee          |
| employee1         |
| employee2         |
| employee3         |
| employee4         |
| employee8         |
| marketing         |
| mkt               |
| sample            |
| sample1           |
+-------------------+
10 rows in set (0.03 sec)
```

<u>Create a Table with the following fields</u>

1) rno

2) sname

3) age

4) course---> bcom,bba,mba,mca

5) address----> pune, chennai, delhi, mumbai

6) fname

7) mname

8) aadrno

9) phno

```
mysql> Create table stud(rno int primary key,sname varchar(50),age int,course varchar(4),address varchar(20),fname
varchar(20),mname varchar(20),aadrno int,phno int);
Query OK, 0 rows affected (0.10 sec)

mysql> desc stud;
+---------+-------------+------+-----+---------+-------+
| Field   | Type        | Null | Key | Default | Extra |
+---------+-------------+------+-----+---------+-------+
| rno     | int         | NO   | PRI | NULL    |       |
| sname   | varchar(50) | YES  |     | NULL    |       |
| age     | int         | YES  |     | NULL    |       |
| course  | varchar(4)  | YES  |     | NULL    |       |
| address | varchar(20) | YES  |     | NULL    |       |
| fname   | varchar(20) | YES  |     | NULL    |       |
| mname   | varchar(20) | YES  |     | NULL    |       |
| aadrno  | int         | YES  |     | NULL    |       |
| phno    | int         | YES  |     | NULL    |       |
+---------+-------------+------+-----+---------+-------+
9 rows in set (0.02 sec)
```

Enter any 10 records

```
mysql> insert into stud(rno,sname,age,course,address,fname,mname,aadrno,phno)
    -> values(1, 'arya', 18, 'bba', 'pune', 'suresh', 'lata', 12234, 99900090),
    -> (2, 'rohan', 22, 'mba', 'mumbai', 'mahesh', 'kavita', 12235, 99900091),
    -> (3, 'meera', 24, 'mca', 'chennai', 'suresh', 'radha', 12236, 99900092),
    -> (4, 'sneha', 21, 'bcom', 'delhi', 'prakash', 'geeta', 12237, 99900093),
    -> (5, 'kiran', 29, 'mba', 'pune', 'rajesh', 'anita', 12238, 99900094),
    -> (6, 'divya', 20, 'bcom', 'chennai', 'satish', 'uma', 12239, 99900095),
    -> (7, 'vikram', 32, 'mba', 'mumbai', 'ganesh', 'shobha', 12240, 99900096),
    -> (8, 'anjali', 23, 'mca', 'delhi', 'harish', 'meena', 12241, 99900097),
    -> (9, 'arjun', 27, 'bba', 'mumbai', 'keshav', 'rekha', 12242, 99900098),
    -> (10, 'aarav', 19, 'bcom', 'pune', 'ramesh', 'lakshmi', 12243, 99900099);
Query OK, 10 rows affected (0.01 sec)
```

1) Display all records

```
mysql> select * from stud;
+-----+--------+------+--------+---------+---------+---------+--------+----------+
| rno | sname  | age  | course | address | fname   | mname   | aadrno | phno     |
+-----+--------+------+--------+---------+---------+---------+--------+----------+
|   1 | arya   |   18 | bba    | pune    | suresh  | lata    |  12234 | 99900090 |
|   2 | rohan  |   22 | mba    | mumbai  | mahesh  | kavita  |  12235 | 99900091 |
|   3 | meera  |   24 | mca    | chennai | suresh  | radha   |  12236 | 99900092 |
|   4 | sneha  |   21 | bcom   | delhi   | prakash | geeta   |  12237 | 99900093 |
|   5 | kiran  |   29 | mba    | pune    | rajesh  | anita   |  12238 | 99900094 |
|   6 | divya  |   20 | bcom   | chennai | satish  | uma     |  12239 | 99900095 |
|   7 | vikram |   32 | mba    | mumbai  | ganesh  | shobha  |  12240 | 99900096 |
|   8 | anjali |   23 | mca    | delhi   | harish  | meena   |  12241 | 99900097 |
|   9 | arjun  |   27 | bba    | mumbai  | keshav  | rekha   |  12242 | 99900098 |
|  10 | aarav  |   19 | bcom   | pune    | ramesh  | lakshmi |  12243 | 99900099 |
+-----+--------+------+--------+---------+---------+---------+--------+----------+
10 rows in set (0.00 sec)
```

2) Display rno,sname,address

```
mysql> select rno,sname,address from stud;
+-----+--------+---------+
| rno | sname  | address |
+-----+--------+---------+
|   1 | arya   | pune    |
|   2 | rohan  | mumbai  |
|   3 | meera  | chennai |
|   4 | sneha  | delhi   |
|   5 | kiran  | pune    |
|   6 | divya  | chennai |
|   7 | vikram | mumbai  |
|   8 | anjali | delhi   |
|   9 | arjun  | mumbai  |
|  10 | aarav  | pune    |
+-----+--------+---------+
10 rows in set (0.00 sec)
```

3) Display rno above 55

4) Display all details where address=pune

5) Display all details where address=chennai

```
mysql> select rno from stud where rno>55;
Empty set (0.02 sec)
```

```
MySQL 8.0 Command Line Cli

mysql> insert into stud(rno,sname,age,course,address,fname,mname,aadrno,phno)
    -> values(55, 'prathiksha, 25, 'mba', 'chennai', 'sanjay', 'rekha', 12244, 99900100),
    '> (66, 'rahul', 28, 'mca', 'delhi', 'manoj', 'seema', 12245, 99900101);
    '> ^C
mysql> insert into stud(rno,sname,age,course,address,fname,mname,aadrno,phno)
    -> values(55, 'prathiksha', 25, 'mba', 'chennai', 'sanjay', 'rekha', 12244, 99900100),
    -> (66, 'rahul', 28, 'mca', 'delhi', 'manoj', 'seema', 12245, 99900101);
Query OK, 2 rows affected (0.02 sec)
Records: 2  Duplicates: 0  Warnings: 0

mysql> select rno from stud where rno>55;
+-----+
| rno |
+-----+
|  66 |
+-----+
1 row in set (0.00 sec)

mysql> select * from stud where address='pune';
+-----+-------+------+--------+---------+--------+---------+--------+----------+
| rno | sname | age  | course | address | fname  | mname   | aadrno | phno     |
+-----+-------+------+--------+---------+--------+---------+--------+----------+
|   1 | arya  |   18 | bba    | pune    | suresh | lata    |  12234 | 99900090 |
|   5 | kiran |   29 | mba    | pune    | rajesh | anita   |  12238 | 99900094 |
|  10 | aarav |   19 | bcom   | pune    | ramesh | lakshmi |  12243 | 99900099 |
+-----+-------+------+--------+---------+--------+---------+--------+----------+
3 rows in set (0.01 sec)

mysql> select * from stud where address='chennai';
+-----+------------+------+--------+---------+--------+-------+--------+----------+
| rno | sname      | age  | course | address | fname  | mname | aadrno | phno     |
+-----+------------+------+--------+---------+--------+-------+--------+----------+
|   3 | meera      |   24 | mca    | chennai | suresh | radha |  12236 | 99900092 |
|   6 | divya      |   20 | bcom   | chennai | satish | uma   |  12239 | 99900095 |
|  55 | prathiksha |   25 | mba    | chennai | sanjay | rekha |  12244 | 99900100 |
+-----+------------+------+--------+---------+--------+-------+--------+----------+
3 rows in set (0.00 sec)
```

6) Display all details where address=Mumbai

```
mysql> select * from stud where address='mumbai';
+-----+--------+------+--------+---------+--------+--------+--------+----------+
| rno | sname  | age  | course | address | fname  | mname  | aadrno | phno     |
+-----+--------+------+--------+---------+--------+--------+--------+----------+
|   2 | rohan  |   22 | mba    | mumbai  | mahesh | kavita |  12235 | 99900091 |
|   7 | vikram |   32 | mba    | mumbai  | ganesh | shobha |  12240 | 99900096 |
|   9 | arjun  |   27 | bba    | mumbai  | keshav | rekha  |  12242 | 99900098 |
+-----+--------+------+--------+---------+--------+--------+--------+----------+
3 rows in set (0.00 sec)
```

7) Display all details for age between 20 to 30

8) Display all details for address=pune or Chennai

```
mysql> select * from stud where age>20 and age<30;
+-----+------------+------+--------+---------+---------+--------+--------+----------+
| rno | sname      | age  | course | address | fname   | mname  | aadrno | phno     |
+-----+------------+------+--------+---------+---------+--------+--------+----------+
|   2 | rohan      |   22 | mba    | mumbai  | mahesh  | kavita |  12235 | 99900091 |
|   3 | meera      |   24 | mca    | chennai | suresh  | radha  |  12236 | 99900092 |
|   4 | sneha      |   21 | bcom   | delhi   | prakash | geeta  |  12237 | 99900093 |
|   5 | kiran      |   29 | mba    | pune    | rajesh  | anita  |  12238 | 99900094 |
|   8 | anjali     |   23 | mca    | delhi   | harish  | meena  |  12241 | 99900097 |
|   9 | arjun      |   27 | bba    | mumbai  | keshav  | rekha  |  12242 | 99900098 |
|  55 | prathiksha |   25 | mba    | chennai | sanjay  | rekha  |  12244 | 99900100 |
|  66 | rahul      |   28 | mca    | delhi   | manoj   | seema  |  12245 | 99900101 |
+-----+------------+------+--------+---------+---------+--------+--------+----------+
8 rows in set (0.00 sec)

mysql> select * from stud where address='pune' or address='chennai';
+-----+------------+------+--------+---------+---------+---------+--------+----------+
| rno | sname      | age  | course | address | fname   | mname   | aadrno | phno     |
+-----+------------+------+--------+---------+---------+---------+--------+----------+
|   1 | arya       |   18 | bba    | pune    | suresh  | lata    |  12234 | 99900090 |
|   3 | meera      |   24 | mca    | chennai | suresh  | radha   |  12236 | 99900092 |
|   5 | kiran      |   29 | mba    | pune    | rajesh  | anita   |  12238 | 99900094 |
|   6 | divya      |   20 | bcom   | chennai | satish  | uma     |  12239 | 99900095 |
|  10 | aarav      |   19 | bcom   | pune    | ramesh  | lakshmi |  12243 | 99900099 |
|  55 | prathiksha |   25 | mba    | chennai | sanjay  | rekha   |  12244 | 99900100 |
+-----+------------+------+--------+---------+---------+---------+--------+----------+
6 rows in set (0.00 sec)
```

9) Display all details for address=mumbai or delhi

10) Display all details for age <25

```
MySQL 8.0 Command Line Cli

mysql> select * from stud where address='mumbai' or address='delhi';
+-----+--------+------+--------+---------+---------+--------+--------+----------+
| rno | sname  | age  | course | address | fname   | mname  | aadrno | phno     |
+-----+--------+------+--------+---------+---------+--------+--------+----------+
|   2 | rohan  |   22 | mba    | mumbai  | mahesh  | kavita |  12235 | 99900091 |
|   4 | sneha  |   21 | bcom   | delhi   | prakash | geeta  |  12237 | 99900093 |
|   7 | vikram |   32 | mba    | mumbai  | ganesh  | shobha |  12240 | 99900096 |
|   8 | anjali |   23 | mca    | delhi   | harish  | meena  |  12241 | 99900097 |
|   9 | arjun  |   27 | bba    | mumbai  | keshav  | rekha  |  12242 | 99900098 |
|  66 | rahul  |   28 | mca    | delhi   | manoj   | seema  |  12245 | 99900101 |
+-----+--------+------+--------+---------+---------+--------+--------+----------+
6 rows in set (0.00 sec)

mysql> select * from stud where age<25;
+-----+--------+------+--------+---------+---------+---------+--------+----------+
| rno | sname  | age  | course | address | fname   | mname   | aadrno | phno     |
+-----+--------+------+--------+---------+---------+---------+--------+----------+
|   1 | arya   |   18 | bba    | pune    | suresh  | lata    |  12234 | 99900090 |
|   2 | rohan  |   22 | mba    | mumbai  | mahesh  | kavita  |  12235 | 99900091 |
|   3 | meera  |   24 | mca    | chennai | suresh  | radha   |  12236 | 99900092 |
|   4 | sneha  |   21 | bcom   | delhi   | prakash | geeta   |  12237 | 99900093 |
|   6 | divya  |   20 | bcom   | chennai | satish  | uma     |  12239 | 99900095 |
|   8 | anjali |   23 | mca    | delhi   | harish  | meena   |  12241 | 99900097 |
|  10 | aarav  |   19 | bcom   | pune    | ramesh  | lakshmi |  12243 | 99900099 |
+-----+--------+------+--------+---------+---------+---------+--------+----------+
7 rows in set (0.00 sec)

mysql> select sname from stud;
+------------+
```

11) Display only student name

12) Display sname and address

```
mysql> select sname from stud;
+-------------+
| sname       |
+-------------+
| arya        |
| rohan       |
| meera       |
| sneha       |
| kiran       |
| divya       |
| vikram      |
| anjali      |
| arjun       |
| aarav       |
| prathiksha  |
| rahul       |
+-------------+
12 rows in set (0.00 sec)

mysql> select sname,address from stud;
+-------------+---------+
| sname       | address |
+-------------+---------+
| arya        | pune    |
| rohan       | mumbai  |
| meera       | chennai |
| sneha       | delhi   |
| kiran       | pune    |
| divya       | chennai |
| vikram      | mumbai  |
| anjali      | delhi   |
| arjun       | mumbai  |
| aarav       | pune    |
| prathiksha  | chennai |
| rahul       | delhi   |
+-------------+---------+
```

13) Display sname,fname and mname

```
MySQL 8.0 Command Line Cli

mysql> select sname,fname,mname from stud;
+-------------+---------+---------+
| sname       | fname   | mname   |
+-------------+---------+---------+
| arya        | suresh  | lata    |
| rohan       | mahesh  | kavita  |
| meera       | suresh  | radha   |
| sneha       | prakash | geeta   |
| kiran       | rajesh  | anita   |
| divya       | satish  | uma     |
| vikram      | ganesh  | shobha  |
| anjali      | harish  | meena   |
| arjun       | keshav  | rekha   |
| aarav       | ramesh  | lakshmi |
| prathiksha  | sanjay  | rekha   |
| rahul       | manoj   | seema   |
+-------------+---------+---------+
12 rows in set (0.00 sec)
```

14) Display all details for a particular student

15) Display all details for course=bca

16) Display all details for course=mba

```
mysql> select * from stud where sname="arya";
+-----+-------+------+--------+---------+--------+-------+--------+----------+
| rno | sname | age  | course | address | fname  | mname | aadrno | phno     |
+-----+-------+------+--------+---------+--------+-------+--------+----------+
|   1 | arya  |   18 | bba    | pune    | suresh | lata  |  12234 | 99900090 |
+-----+-------+------+--------+---------+--------+-------+--------+----------+
1 row in set (0.00 sec)

mysql> select * from stud where course="bca";
Empty set (0.00 sec)

mysql> select * from stud where course="mba";
+-----+------------+------+--------+---------+--------+--------+--------+----------+
| rno | sname      | age  | course | address | fname  | mname  | aadrno | phno     |
+-----+------------+------+--------+---------+--------+--------+--------+----------+
|   2 | rohan      |   22 | mba    | mumbai  | mahesh | kavita |  12235 | 99900091 |
|   5 | kiran      |   29 | mba    | pune    | rajesh | anita  |  12238 | 99900094 |
|   7 | vikram     |   32 | mba    | mumbai  | ganesh | shobha |  12240 | 99900096 |
|  55 | prathiksha |   25 | mba    | chennai | sanjay | rekha  |  12244 | 99900100 |
+-----+------------+------+--------+---------+--------+--------+--------+----------+
4 rows in set (0.00 sec)
```

17) Display all details for course=mca or mba

```
MySQL 8.0 Command Line Cli

4 rows in set (0.00 sec)

mysql> select * from stud where course="mba" or course="mca";
+-----+------------+------+--------+---------+--------+--------+--------+----------+
| rno | sname      | age  | course | address | fname  | mname  | aadrno | phno     |
+-----+------------+------+--------+---------+--------+--------+--------+----------+
|   2 | rohan      |   22 | mba    | mumbai  | mahesh | kavita |  12235 | 99900091 |
|   3 | meera      |   24 | mca    | chennai | suresh | radha  |  12236 | 99900092 |
|   5 | kiran      |   29 | mba    | pune    | rajesh | anita  |  12238 | 99900094 |
|   7 | vikram     |   32 | mba    | mumbai  | ganesh | shobha |  12240 | 99900096 |
|   8 | anjali     |   23 | mca    | delhi   | harish | meena  |  12241 | 99900097 |
|  55 | prathiksha |   25 | mba    | chennai | sanjay | rekha  |  12244 | 99900100 |
|  66 | rahul      |   28 | mca    | delhi   | manoj  | seema  |  12245 | 99900101 |
+-----+------------+------+--------+---------+--------+--------+--------+----------+
7 rows in set (0.00 sec)
```

18) Display sname,address for course=bba

19) Display sname,fname,mname where address=delhi

20) Display sname,fname,mname where address=delhi or Mumbai

```
mysql> select sname,address from stud where course="bba";
+-------+---------+
| sname | address |
+-------+---------+
| arya  | pune    |
| arjun | mumbai  |
+-------+---------+
2 rows in set (0.00 sec)

mysql> select sname,fname,mname from stud where address="delhi";
+--------+---------+-------+
| sname  | fname   | mname |
+--------+---------+-------+
| sneha  | prakash | geeta |
| anjali | harish  | meena |
| rahul  | manoj   | seema |
+--------+---------+-------+
3 rows in set (0.00 sec)

mysql> select sname,fname,mname from stud where address="delhi" or address="mumbai";
+--------+---------+--------+
| sname  | fname   | mname  |
+--------+---------+--------+
| rohan  | mahesh  | kavita |
| sneha  | prakash | geeta  |
| vikram | ganesh  | shobha |
| anjali | harish  | meena  |
| arjun  | keshav  | rekha  |
| rahul  | manoj   | seema  |
+--------+---------+--------+
```