DS ASSIGNMENT 15

Name:Prathiksha Harish Baleri

USN:4CB22CB044

Domain:Data science

```
import mysql.connector
x = mysql.connector.connect(host="localhost", user="root", passwd="prathiksha")
y = x.cursor()
y.execute("CREATE DATABASE APPONIX")
```

```
mysql> show databases;
+--------------------+
| Database           |
+--------------------+
| apponix            |
| information_schema |
| mysql              |
| performance_schema |
| prati              |
| sakila             |
| sys                |
| world              |
+--------------------+
8 rows in set (0.01 sec)

mysql>
```

```
import mysql.connector
x = mysql.connector.connect(host="localhost", user="root", passwd="prathiksha",
database="apponix")

y = x.cursor()
studentRecord = """CREATE TABLE STUDENT \
            ( \
               NAME    VARCHAR(20) NOT NULL, \
               BRANCH  VARCHAR(50), \
               ROLL    INT        NOT NULL, \
               SECTION VARCHAR(5), \
               AGE     INT
            )"""
# table created
y.execute(studentRecord)

# disconnecting from server
x.close()
```

```
mysql> show databases;
+--------------------+
| Database           |
+--------------------+
| apponix            |
| information_schema |
| mysql              |
| performance_schema |
| prati              |
| sakila             |
| sys                |
| world              |
+--------------------+
8 rows in set (0.01 sec)

mysql> use apponix;
Database changed
mysql> show tables;
+-------------------+
| Tables_in_apponix |
+-------------------+
| student           |
+-------------------+
1 row in set (0.01 sec)

mysql>
```

```
import mysql.connector
x = mysql.connector.connect(host="localhost", user="root", passwd="prathiksha",
database="apponix")
y = x.cursor()
sql = "INSERT INTO STUDENT values('rakshita','csd',101,'a',23)"
y.execute(sql)
x.commit()
x.close()
```




```
import mysql.connector
x = mysql.connector.connect(host="localhost", user="root", passwd="prathiksha",
database="apponix")
y = x.cursor()
sql = "INSERT INTO STUDENT (NAME, BRANCH, ROLL, SECTION, AGE)\
VALUES (%s, %s, %s, %s, %s)"
val = [("Nikhil", "CSE", "98", "A", "18"),
      ("Nisha", "CSE", "99", "A", "18"),
      ("Rohan", "MAE", "43", "B", "20"),
      ("Amit", "ECE", "24", "A", "21"),
      ("Anil", "MAE", "45", "B", "20"),
      ("Megha", "ECE", "55", "A", "22"),
```

```
    ("Sita", "CSE", "95", "A", "19")]
y.executemany(sql, val)
x.commit()
# disconnecting from server
x.close()
```

```
mysql> select * from student;
+----------+--------+------+---------+------+
| NAME     | BRANCH | ROLL | SECTION | AGE  |
+----------+--------+------+---------+------+
| rakshita | csd    |  101 | a       |   23 |
| Nikhil   | CSE    |   98 | A       |   18 |
| Nisha    | CSE    |   99 | A       |   18 |
| Rohan    | MAE    |   43 | B       |   20 |
| Amit     | ECE    |   24 | A       |   21 |
| Anil     | MAE    |   45 | B       |   20 |
| Megha    | ECE    |   55 | A       |   22 |
| Sita     | CSE    |   95 | A       |   19 |
+----------+--------+------+---------+------+
8 rows in set (0.00 sec)

mysql>
```

```
import mysql.connector

x = mysql.connector.connect(host="localhost", user="root", passwd="prathiksha",
database="apponix")
y = x.cursor()
query = "SELECT NAME, ROLL FROM STUDENT"
y.execute(query)
myresult = y.fetchall()
for x in myresult:
   print(x)

# disconnecting from server
x.close()
```

```
('rakshita', 101)
('Nikhil', 98)
('Nisha', 99)
('Rohan', 43)
('Amit', 24)
('Anil', 45)
('Megha', 55)
('Sita', 95)
```

```
import mysql.connector
x = mysql.connector.connect(host="localhost", user="root", passwd="prathiksha",
database="apponix")
```

```
y = x.cursor()
query = "SELECT NAME, ROLL FROM STUDENT where AGE >=20"
y.execute(query)
myresult = y.fetchall()
for x in myresult:
   print(x)
# disconnecting from server
x.close()
```

```
('rakshita', 101)
('Rohan', 43)
('Amit', 24)
('Anil', 45)
('Megha', 55)
```

```
import mysql.connector

x = mysql.connector.connect(host="localhost", user="root", passwd="prathiksha",
database="apponix")
y = x.cursor()
query = "UPDATE STUDENT SET AGE = 23 WHERE Name ='Sita'  "
y.execute(query)
myresult = y.fetchall()
for x in myresult:
   print(x)
# disconnecting from server
x.close()
```

```
mysql> select * from student;

+----------+--------+------+---------+------+

| NAME     | BRANCH | ROLL | SECTION | AGE  |

+----------+--------+------+---------+------+

| rakshita | csd    |  101 | a       |   23 |

| Nikhil   | CSE    |   98 | A       |   18 |

| Nisha    | CSE    |   99 | A       |   18 |

| Rohan    | MAE    |   43 | B       |   20 |

| Amit     | ECE    |   24 | A       |   21 |

| Anil     | MAE    |   45 | B       |   20 |

| Megha    | ECE    |   55 | A       |   22 |
```

```
| Sita     | CSE    |   95 | A       |   19 |
+----------+--------+------+---------+------+
8 rows in set (0.00 sec)
```

```
import mysql.connector

x = mysql.connector.connect(host="localhost", user="root", passwd="prathiksha",
database="apponix")

y = x.cursor()
query = "DELETE FROM STUDENT WHERE NAME = 'Sita'  "

y.execute(query)

myresult = y.fetchall()

for x in myresult:
   print(x)
# disconnecting from server
x.close()
```

```
+----------+--------+------+---------+------+
| NAME     | BRANCH | ROLL | SECTION | AGE  |
+----------+--------+------+---------+------+
| rakshita | csd    |  101 | a       |   23 |
| Nikhil   | CSE    |   98 | A       |   18 |
| Nisha    | CSE    |   99 | A       |   18 |
| Rohan    | MAE    |   43 | B       |   20 |
| Amit     | ECE    |   24 | A       |   21 |
| Anil     | MAE    |   45 | B       |   20 |
| Megha    | ECE    |   55 | A       |   22 |
+----------+--------+------+---------+------+
```

7 rows in set (0.00 sec)