ASSIGNMENT 9

NAME:PRATHIKSHA HARISH BALERI

USN: 4CB22CB044

DOMAIN:DATA SCIENCE

```
# I created a text file in notepad and typed I like to code and eat icecream


f1 = open(r'C:\Users\HP\Downloads\programs.txt', 'r')
for each in f1:
    print(each)
```

```
I like to write code and eat ice cream
```

```
f1 = open(r'C:\Users\HP\Downloads\programs.txt', 'r')
print(f1.read())
```

```
I like to write code and eat ice cream
```

```
f1 = open(r'C:\Users\HP\Downloads\programs.txt', 'r')
print(f1.read(10))
```

```
I like to
```

```
f1 = open(r'C:\Users\HP\Downloads\programs.txt', 'w')
f1.write("sample data to store into the file \n")
f1.write("this is second line into the same file")
f1.close()
```



#DJ16

```
f1 = open(r"C:\Users\HP\Downloads\sample.txt", "w")
f1.write("first line sample data\n")
f1.write("second line sample data\n")
f1.close()
f1 = open(r"C:\Users\HP\Downloads\sample.txt", "r")
print(f1.read())
```

```
first line sample data

second line sample data
```

```
# working with "append" mode
f1 = open(r"C:\Users\HP\Downloads\sample.txt", "a")
f1.write("third line sample data\n")
f1.write("fourth line sample data\n")
f1.close()
f1 = open(r"C:\Users\HP\Downloads\sample.txt", "r")
print(f1.read())
```

```
first line sample data

second line sample data

third line sample data

fourth line sample data
```

```
# using "with" keyword
with open(r"C:\Users\HP\Downloads\sample.txt", "w") as f1:
    f1.write("hello python")

with open(r"C:\Users\HP\Downloads\sample.txt", "r") as f2:
    print(f2.read())
```

```
hello python
```

```
# with command + append
with open(r"C:\Users\HP\Downloads\sample.txt", "a") as f1:
    f1.write("hello oracle")
with open(r"C:\Users\HP\Downloads\sample.txt", "r") as f2:
    print(f2.read())
```

```
hello pythonhello oracle
```

```
# split() -- function
with open(r"C:\Users\HP\Downloads\sample.txt", "r") as f2:
    data = f2.readlines()
    for x in data:
        print(x.split())
```

```
['hello', 'pythonhello', 'oracle']
```

```
# THE LAST LINE SPLIT EACH AND EVERY LINE INTO A LIST
with open(r"C:\Users\HP\Downloads\sample.txt", "r") as f2:
    data = f2.readlines()
    for x in data:
        print(x.split())

# WE CAN ALSO STORE EACH LIST INTO A VARIABLE AND PRINT IT INDIVIDUALLY
with open(r"C:\Users\HP\Downloads\sample.txt", "r") as f2:
    data = f2.readlines()
    for x in data:
        a1 = x.split()
print(a1)
```

```
['hello', 'pythonhello', 'oracle']

['hello', 'pythonhello', 'oracle']
```