



Langflow API


Step 1 : Getting Langflow API and pay load for test case generator




Step 2 : Post request in Postman with the copies URL




Step 3 : Coping the Payload and updating the input field



Step 4 : Updating the Langflow API Key



Step 5 : Generating the response



Generated Response :

```
{  "session_id": "a5ea2660-0a0f-4cb5-a00c-23020151142b",  "outputs": [    {      "inputs": {        "input_value": "Test Case Generator for Retail"      },      "outputs": [        {          "results": {            "message": {              "text_key": "text",              "data": {                "timestamp": "2026-05-07 04:08:04 UTC",                "sender": "Machine",                "sender_name": "AI",                "session_id": "a5ea2660-0a0f-4cb5-a00c-23020151142b",                "context_id": ""              }            }          }        ]      }    ]  }
```

"text": "Test Case ID: TC_INV_001\nTitle: Add New Product with Valid Details\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded\nSteps:\n1. Navigate to Inventory Management\n2. Select “Add New Product”\n3. Enter valid product details (name, description, price)\n4. Enter valid SKU\n5. Enter positive stock quantity\n6. Save the product\nExpected Result: Product is created and stock is updated successfully\n\nTest Case ID: TC_INV_002\nTitle: Add Product with Duplicate SKU\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded, existing product with SKU is created\nSteps:\n1. Navigate to Inventory Management\n2. Select “Add New Product”\n3. Enter valid product details (name, description, price)\n4. Enter existing SKU\n5. Enter positive stock quantity\n6. Save the product\nExpected Result: Error message is displayed indicating SKU already exists\n\nTest Case ID: TC_INV_003\nTitle: Add Product with Negative Stock Quantity\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded\nSteps:\n1. Navigate to Inventory Management\n2. Select “Add New Product”\n3. Enter valid product details (name, description, price)\n4. Enter valid SKU\n5. Enter negative stock quantity\n6. Save the product\nExpected Result: Error message is displayed indicating invalid stock quantity\n\nTest Case ID: TC_INV_004\nTitle: Update Existing Product Stock Quantity\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded, existing product with stock is created\nSteps:\n1. Navigate to Inventory Management\n2. Select existing product\n3. Update stock quantity to a higher value\n4. Save changes\nExpected Result: Product stock is updated successfully\n\nTest Case ID: TC_INV_005\nTitle: Delete Product with Existing Stock\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded, existing product with stock is created\nSteps:\n1. Navigate to Inventory Management\n2. Select existing product\n3. Delete product\n4. Confirm deletion\nExpected Result: Product is deleted and stock is removed successfully",

"files": [],

"error": false,

"edit": false,

"properties": {

 "text_color": null,

 "background_color": null,

 "edited": false,

 "source": {

 "id": "GroqModel-4A7g6",

 "display_name": "Groq",

 "source": "meta-llama/llama-4-scout-17b-16e-instruct"

 },

 "icon": null,

 "allow_markdown": false,

```

    "positive_feedback": null,

    "state": "complete",

    "targets": [],

    "usage": {

        "input_tokens": 213,

        "output_tokens": 457,

        "total_tokens": 670

    },

    "build_duration": null

},

"category": "message",

"content_blocks": [],

"id": "00699f4f-3ad6-40a8-aef6-30a4867560bd",

"flow_id": "a5ea2660-0a0f-4cb5-a00c-23020151142b",

"session_metadata": null,

"duration": null

},

"default_value": "",

```

```

"text": "Test Case ID: TC_INV_001\nTitle: Add New Product with Valid
Details\nPreconditions: User is logged in with Inventory Management role, Inventory
Management page is loaded\nSteps:\n1. Navigate to Inventory Management\n2. Select “Add
New Product”\n3. Enter valid product details (name, description, price)\n4. Enter valid SKU\n5.
Enter positive stock quantity\n6. Save the product\nExpected Result: Product is created and
stock is updated successfully\n\nTest Case ID: TC_INV_002\nTitle: Add Product with Duplicate
SKU\nPreconditions: User is logged in with Inventory Management role, Inventory Management
page is loaded, existing product with SKU is created\nSteps:\n1. Navigate to Inventory
Management\n2. Select “Add New Product”\n3. Enter valid product details (name, description,
price)\n4. Enter existing SKU\n5. Enter positive stock quantity\n6. Save the product\nExpected
Result: Error message is displayed indicating SKU already exists\n\nTest Case ID:
TC_INV_003\nTitle: Add Product with Negative Stock Quantity\nPreconditions: User is logged in
with Inventory Management role, Inventory Management page is loaded\nSteps:\n1. Navigate to
Inventory Management\n2. Select “Add New Product”\n3. Enter valid product details (name,
description, price)\n4. Enter valid SKU\n5. Enter negative stock quantity\n6. Save the
product\nExpected Result: Error message is displayed indicating invalid stock quantity\n\nTest
Case ID: TC_INV_004\nTitle: Update Existing Product Stock Quantity\nPreconditions: User is
logged in with Inventory Management role, Inventory Management page is loaded, existing
product with stock is created\nSteps:\n1. Navigate to Inventory Management\n2. Select existing
product\n3. Update stock quantity to a higher value\n4. Save changes\nExpected Result:

```

Product stock is updated successfully\n\nTest Case ID: TC_INV_005\nTitle: Delete Product with Existing Stock\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded, existing product with stock is created\nSteps:\n1. Navigate to Inventory Management\n2. Select existing product\n3. Delete product\n4. Confirm deletion\nExpected Result: Product is deleted and stock is removed successfully",

```
"sender": "Machine",
"sender_name": "AI",
"files": [],
"session_id": "a5ea2660-0a0f-4cb5-a00c-23020151142b",
"context_id": "",
"timestamp": "2026-05-07T04:08:04+00:00",
"flow_id": "a5ea2660-0a0f-4cb5-a00c-23020151142b",
"error": false,
"edit": false,
"properties": {
  "text_color": null,
  "background_color": null,
  "edited": false,
  "source": {
    "id": "GroqModel-4A7g6",
    "display_name": "Groq",
    "source": "meta-llama/llama-4-scout-17b-16e-instruct"
  },
  "icon": null,
  "allow_markdown": false,
  "positive_feedback": null,
  "state": "complete",
  "targets": [],
  "usage": {
    "input_tokens": 213,
    "output_tokens": 457,
    "total_tokens": 670
```

```

    },
    "build_duration": null
  },
  "category": "message",
  "content_blocks": [],
  "duration": null,
  "session_metadata": null
}
},
"artifacts": {
  "message": "Test Case ID: TC_INV_001\n\nTitle: Add New Product with Valid Details\n\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded\n\nSteps:\n\n1. Navigate to Inventory Management\n\n2. Select “Add New Product”\n\n3. Enter valid product details (name, description, price)\n\n4. Enter valid SKU\n\n5. Enter positive stock quantity\n\n6. Save the product\n\nExpected Result: Product is created and stock is updated successfully\n\nTest Case ID: TC_INV_002\n\nTitle: Add Product with Duplicate SKU\n\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded, existing product with SKU is created\n\nSteps:\n\n1. Navigate to Inventory Management\n\n2. Select “Add New Product”\n\n3. Enter valid product details (name, description, price)\n\n4. Enter existing SKU\n\n5. Enter positive stock quantity\n\n6. Save the product\n\nExpected Result: Error message is displayed indicating SKU already exists\n\nTest Case ID: TC_INV_003\n\nTitle: Add Product with Negative Stock Quantity\n\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded\n\nSteps:\n\n1. Navigate to Inventory Management\n\n2. Select “Add New Product”\n\n3. Enter valid product details (name, description, price)\n\n4. Enter valid SKU\n\n5. Enter negative stock quantity\n\n6. Save the product\n\nExpected Result: Error message is displayed indicating invalid stock quantity\n\nTest Case ID: TC_INV_004\n\nTitle: Update Existing Product Stock Quantity\n\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded, existing product with stock is created\n\nSteps:\n\n1. Navigate to Inventory Management\n\n2. Select existing product\n\n3. Update stock quantity to a higher value\n\n4. Save changes\n\nExpected Result: Product stock is updated successfully\n\nTest Case ID: TC_INV_005\n\nTitle: Delete Product with Existing Stock\n\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded, existing product with stock is created\n\nSteps:\n\n1. Navigate to Inventory Management\n\n2. Select existing product\n\n3. Delete product\n\n4. Confirm deletion\n\nExpected Result: Product is deleted and stock is removed successfully",
  "sender": "Machine",
  "sender_name": "AI",
  "files": [],
  "type": "object"
}

```

```

    },
    "outputs": {
        "message": {
            "message": "Test Case ID: TC_INV_001\nTitle: Add New Product with Valid  
Details\nPreconditions: User is logged in with Inventory Management role, Inventory  
Management page is loaded\nSteps:\n1. Navigate to Inventory Management\n2. Select “Add  
New Product”\n3. Enter valid product details (name, description, price)\n4. Enter valid SKU\n5.  
Enter positive stock quantity\n6. Save the product\nExpected Result: Product is created and  
stock is updated successfully\n\nTest Case ID: TC_INV_002\nTitle: Add Product with Duplicate  
SKU\nPreconditions: User is logged in with Inventory Management role, Inventory Management  
page is loaded, existing product with SKU is created\nSteps:\n1. Navigate to Inventory  
Management\n2. Select “Add New Product”\n3. Enter valid product details (name, description,  
price)\n4. Enter existing SKU\n5. Enter positive stock quantity\n6. Save the product\nExpected  
Result: Error message is displayed indicating SKU already exists\n\nTest Case ID:  
TC_INV_003\nTitle: Add Product with Negative Stock Quantity\nPreconditions: User is logged in  
with Inventory Management role, Inventory Management page is loaded\nSteps:\n1. Navigate to  
Inventory Management\n2. Select “Add New Product”\n3. Enter valid product details (name,  
description, price)\n4. Enter valid SKU\n5. Enter negative stock quantity\n6. Save the  
product\nExpected Result: Error message is displayed indicating invalid stock quantity\n\nTest  
Case ID: TC_INV_004\nTitle: Update Existing Product Stock Quantity\nPreconditions: User is  
logged in with Inventory Management role, Inventory Management page is loaded, existing  
product with stock is created\nSteps:\n1. Navigate to Inventory Management\n2. Select existing  
product\n3. Update stock quantity to a higher value\n4. Save changes\nExpected Result:  
Product stock is updated successfully\n\nTest Case ID: TC_INV_005\nTitle: Delete Product with  
Existing Stock\nPreconditions: User is logged in with Inventory Management role, Inventory  
Management page is loaded, existing product with stock is created\nSteps:\n1. Navigate to  
Inventory Management\n2. Select existing product\n3. Delete product\n4. Confirm  
deletion\nExpected Result: Product is deleted and stock is removed successfully",
            "type": "text"
        }
    },
    "logs": {
        "message": []
    },
    "messages": [
        {
            "message": "Test Case ID: TC_INV_001\n\nTitle: Add New Product with Valid  
Details\n\nPreconditions: User is logged in with Inventory Management role, Inventory  
Management page is loaded\n\nSteps:\n\n1. Navigate to Inventory Management\n\n2. Select  
“Add New Product”\n\n3. Enter valid product details (name, description, price)\n\n4. Enter valid  
SKU\n\n5. Enter positive stock quantity\n\n6. Save the product\n\nExpected Result: Product is

```


created and stock is updated successfully\n\nTest Case ID: TC_INV_002\n\nTitle: Add Product with Duplicate SKU\n\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded, existing product with SKU is created\n\nSteps:\n\n1. Navigate to Inventory Management\n\n2. Select “Add New Product”\n\n3. Enter valid product details (name, description, price)\n\n4. Enter existing SKU\n\n5. Enter positive stock quantity\n\n6. Save the product\n\nExpected Result: Error message is displayed indicating SKU already exists\n\nTest Case ID: TC_INV_003\n\nTitle: Add Product with Negative Stock Quantity\n\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded\n\nSteps:\n\n1. Navigate to Inventory Management\n\n2. Select “Add New Product”\n\n3. Enter valid product details (name, description, price)\n\n4. Enter valid SKU\n\n5. Enter negative stock quantity\n\n6. Save the product\n\nExpected Result: Error message is displayed indicating invalid stock quantity\n\nTest Case ID: TC_INV_004\n\nTitle: Update Existing Product Stock Quantity\n\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded, existing product with stock is created\n\nSteps:\n\n1. Navigate to Inventory Management\n\n2. Select existing product\n\n3. Update stock quantity to a higher value\n\n4. Save changes\n\nExpected Result: Product stock is updated successfully\n\nTest Case ID: TC_INV_005\n\nTitle: Delete Product with Existing Stock\n\nPreconditions: User is logged in with Inventory Management role, Inventory Management page is loaded, existing product with stock is created\n\nSteps:\n\n1. Navigate to Inventory Management\n\n2. Select existing product\n\n3. Delete product\n\n4. Confirm deletion\n\nExpected Result: Product is deleted and stock is removed successfully",

```

        "sender": "Machine",
        "sender_name": "AI",
        "session_id": "a5ea2660-0a0f-4cb5-a00c-23020151142b",
        "stream_url": null,
        "component_id": "ChatOutput-d98qP",
        "files": [],
        "type": "text"
    }
],
    "timedelta": null,
    "duration": null,
    "component_display_name": "Chat Output",
    "component_id": "ChatOutput-d98qP",
    "used_frozen_result": false,
    "token_usage": null
}
]
```

}

]

}