


Task 1 : User Story Reviewer – Single User Story

Complete Langflow :



Step 1 : API Request

The image shows a detailed view of the **API Request** node configuration. The node is titled "API Request" and has a description: "Make HTTP requests using URL or cURL commands." The configuration is as follows:

- Mode**: A dropdown menu with two options: **URL** (selected) and **cURL**.
- URL**: A text input field containing the URL `https://prathibaviswanathan-genai...`.
- Method**: A dropdown menu with the option **POST** (selected).
- API Response**: A label at the bottom right of the node, indicating the output of the request.

Component Output

Inspect the output of the component below.

Outputs Logs

text tree

```
{
  "source": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/search/jql",
  "status_code": 200,
  "response_headers": {
    "content-type": "application/json;charset=UTF-8",
    "transfer-encoding": "chunked",
    "connection": "keep-alive",
    "date": "Sun, 03 May 2026 14:57:11 GMT",
    "server": "AtlassianEdge",
    "timing-allow-origin": "*",
    "x-arequestid": "b7002005fb4251a861a0b466f80a2278",
    "set-cookie": "atlassian.xsrf.token=468bf876d6817aaf32eaf3210dac16cd4d2deeeb_lin; Path=/; SameSite=None; Secure",
    "x-aaccountid": "712020%3Adfbc5c19-36a2-400a-a752-9f7b50a28118",
    "cache-control": "no-cache, no-store, no-transform",
    "x-ratelimit-limit": "200",
    "x-ratelimit-remaining": "198",
  },
  "vary": "Accept-Encoding",
  "content-encoding": "gzip",
  "x-content-type-options": "nosniff",
}
```

Line: 1 Column: 1

Close

```
{
  "source": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/search/jql",
  "status_code": 200,
  "response_headers": {
    "content-type": "application/json;charset=UTF-8",
    "transfer-encoding": "chunked",
    "connection": "keep-alive",
    "date": "Sun, 03 May 2026 14:57:11 GMT",
    "server": "AtlassianEdge",
    "timing-allow-origin": "*",
    "x-arequestid": "b7002005fb4251a861a0b466f80a2278",
    "set-cookie": "atlassian.xsrf.token=468bf876d6817aaf32eaf3210dac16cd4d2deeeb_lin;
Path=/; SameSite=None; Secure",
    "x-aaccountid": "712020%3Adfbc5c19-36a2-400a-a752-9f7b50a28118",
    "cache-control": "no-cache, no-store, no-transform",
    "x-ratelimit-limit": "200",
    "x-ratelimit-remaining": "198",
    "vary": "Accept-Encoding",
    "content-encoding": "gzip",
    "x-content-type-options": "nosniff",
  },
}
```

```

"x-xss-protection": "1; mode=block",

"atl-traceid": "f49e5c909764404b89179dd8d7433044",

"atl-request-id": "f49e5c90-9764-404b-8917-9dd8d7433044",

"strict-transport-security": "max-age=63072000; includeSubDomains; preload",

"report-to": "{\"endpoints\": [{\"url\": \"https://dz8aopenkvv6s.cloudfront.net\"}], \"group\": \"endpoint-1\", \"include_subdomains\": true, \"max_age\": 600}",

"nel": "{\"failure_fraction\": 0.01, \"include_subdomains\": true, \"max_age\": 600, \"report_to\": \"endpoint-1\"}",

"x-cache": "Miss from cloudfront",

"via": "1.1 8c294c60dd2a72491038e243bb35cd76.cloudfront.net (CloudFront)",

"x-amz-cf-pop": "MAA51-P3",

"x-amz-cf-id": "FEmpgT7cdfX6EmbXzyLUqzxhKlwSt04ccwJWV-NAf6RK4_GHxMbOnA==",

"server-timing": "cdn-upstream-layer;desc=\"EDGE\",cdn-upstream-dns;dur=0,cdn-upstream-connect;dur=56,cdn-upstream-fbl;dur=599,atl-edge;dur=522,atl-edge-internal;dur=90,atl-edge-upstream;dur=433,atl-edge-pop;desc=\"aws-ap-south-1\",cdn-cache-miss,cdn-pop;desc=\"MAA51-P3\",cdn-rid;desc=\"FEmpgT7cdfX6EmbXzyLUqzxhKlwSt04ccwJWV-NAf6RK4_GHxMbOnA==\",cdn-downstream-fbl;dur=607"

},

"result": {

  "issues": [

    {

      "expand":

"renderedFields,names,schema,operations,editmeta,changelog,versionedRepresentations",

      "id": "10057",

      "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/issue/10057",

      "key": "GT-26",

      "fields": {

        "summary": "As a billing coordinator, I want the system to automatically verify a patient's insurance coverage and pre-authorize radiology tests before scheduling, so that delays and manual verification errors can be reduced.",

        "description": {

          "type": "doc",

          "version": 1,

```

```

"content": [
  {
    "type": "paragraph",
    "content": [
      {
        "type": "text",
        "text": "Before scheduling any CT, MRI, or ultrasound procedure, the system should
trigger an API call to the insurance provider to check if the procedure is covered under the
patient's plan. If authorization is required, it should initiate the pre-authorization process
automatically and store the approval ID in the patient record."
      }
    ],
    "attrs": {
      "localId": "de31dfba4da0"
    }
  }
],
"reporter": {
  "self": "https://prathibaviswanathan-
genai.atlassian.net/rest/api/3/user?accountId=712020%3Adfbc5c19-36a2-400a-a752-
9f7b50a28118",
  "accountId": "712020:dfbc5c19-36a2-400a-a752-9f7b50a28118",
  "emailAddress": "prathibaviswanathan84@gmail.com",
  "avatarUrls": {
    "48x48":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%
2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-5.png",
    "24x24":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%
2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-5.png",
    "16x16":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%
2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-5.png",


```

```

    "32x32":
    "https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%
    2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-5.png"
    },
    "displayName": "Viswanathan Prathiba",
    "active": true,
    "timeZone": "Asia/Calcutta",
    "accountType": "atlassian"
  },
  "status": {
    "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/status/10004",
    "description": "",
    "iconUrl": "https://prathibaviswanathan-genai.atlassian.net/",
    "name": "To Do",
    "id": "10004",
    "statusCategory": {
      "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/statuscategory/2",
      "id": 2,
      "key": "new",
      "colorName": "blue-gray",
      "name": "To Do"
    }
  }
},
"isLast": true
}
}

```

Step 2 : Parser



```

\` ` ` json
{
  "source": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/search/jql",
  "status_code": 200,
  "response_headers": {
    "content-type": "application/json;charset=UTF-8",

```

```
"transfer-encoding": "chunked",

"connection": "keep-alive",

"date": "Sun, 03 May 2026 14:58:49 GMT",

"server": "AtlassianEdge",

"timing-allow-origin": "*",

"x-arequestid": "26e3ecdf2f4b84b993112be0e7f5ccf9",

"set-cookie": "atlassian.xsrf.token=ad33874330ffee9a06b9c6a57427eabc2309d826_lin;
Path=/; SameSite=None; Secure",

"x-aaccountid": "712020%3Adfbc5c19-36a2-400a-a752-9f7b50a28118",

"cache-control": "no-cache, no-store, no-transform",

"x-ratelimit-limit": "200",

"x-ratelimit-remaining": "199",

"vary": "Accept-Encoding",

"content-encoding": "gzip",

"x-content-type-options": "nosniff",

"x-xss-protection": "1; mode=block",

"atl-traceid": "398afbd6be6d4bcb89d10fd5ac575c6b",

"atl-request-id": "398afbd6-be6d-4bcb-89d1-0fd5ac575c6b",

"strict-transport-security": "max-age=63072000; includeSubDomains; preload",

"report-to": "{\"endpoints\": [{\"url\": \"https://dz8aopenkvv6s.cloudfront.net\"}], \"group\":
\"endpoint-1\", \"include_subdomains\": true, \"max_age\": 600}",

"nel": "{\"failure_fraction\": 0.01, \"include_subdomains\": true, \"max_age\": 600,
\"report_to\": \"endpoint-1\"}",

"x-cache": "Miss from cloudfront",

"via": "1.1 231053971363c5a1ea6eb0a4153c33bc.cloudfront.net (CloudFront)",

"x-amz-cf-pop": "MAA51-P2",

"x-amz-cf-id": "Ve8BWBVZYqk7xTL_03vLYM-UfVkdG7nyMG5_5hdZ5pdd3B-rc9XkHw==",

"server-timing": "cdn-upstream-layer;desc=\"EDGE\",cdn-upstream-dns;dur=0,cdn-
upstream-connect;dur=58,cdn-upstream-fbl;dur=369,atl-edge;dur=292,atl-edge-
internal;dur=17,atl-edge-upstream;dur=275,atl-edge-pop;desc=\"aws-ap-south-1\",cdn-cache-
miss,cdn-pop;desc=\"MAA51-P2\",cdn-rid;desc=\"Ve8BWBVZYqk7xTL_03vLYM-
UfVkdG7nyMG5_5hdZ5pdd3B-rc9XkHw==\",cdn-downstream-fbl;dur=381"

},
```

```

"result": {
  "issues": [
    {
      "expand":
"renderedFields,names,schema,operations,editmeta,changelog,versionedRepresentations",
      "id": "10057",
      "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/issue/10057",
      "key": "GT-26",
      "fields": {
        "summary": "As a billing coordinator, I want the system to automatically verify a patient's
insurance coverage and pre-authorize radiology tests before scheduling, so that delays and
manual verification errors can be reduced.",
        "description": {
          "type": "doc",
          "version": 1,
          "content": [
            {
              "type": "paragraph",
              "content": [
                {
                  "type": "text",
                    "text": "Before scheduling any CT, MRI, or ultrasound procedure, the system should
trigger an API call to the insurance provider to check if the procedure is covered under the
patient's plan. If authorization is required, it should initiate the pre-authorization process
automatically and store the approval ID in the patient record."
                }
              ],
            },
          ],
          "attrs": {
            "localId": "de31dfba4da0"
          }
        }
      }
    },
  ],
}

```

```
"reporter": {
  "self": "https://prathibaviswanathan-
genai.atlassian.net/rest/api/3/user?accountId=712020%3Adfbc5c19-36a2-400a-a752-
9f7b50a28118",
  "accountId": "712020:dfbc5c19-36a2-400a-a752-9f7b50a28118",
  "emailAddress": "prathibaviswanathan84@gmail.com",
  "avatarUrls": {
    "48x48":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%
2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-5.png",
    "24x24":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%
2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-5.png",
    "16x16":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%
2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-5.png",
    "32x32":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%
2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-5.png"
  },
  "displayName": "Viswanathan Prathiba",
  "active": true,
  "timeZone": "Asia/Calcutta",
  "accountType": "atlassian"
},
"status": {
  "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/status/10004",
  "description": "",
  "iconUrl": "https://prathibaviswanathan-genai.atlassian.net/",
  "name": "To Do",
  "id": "10004",
  "statusCategory": {
    "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/statuscategory/2",
    "id": 2,
```

```

    "key": "new",
    "colorName": "blue-gray",
    "name": "To Do"
  }
}
},
],
"isLast": true
}
}
...

```

Step 3 : LLM

The screenshot shows the Groq AI interface with the following components:

- Groq** header with a logo, token count **2.1K**, time **2.1s**, and a play button.
- Sub-header: **Generate text using Groq.**
- Input** section:
 - A text input field labeled "Receiving input" with a lock icon.
- System Message** section (indicated by a blue dot and arrow):
 - A text input field containing the text: "Extract only summary,description,k".
- Groq API Key** section:
 - A text input field containing the text: "Groq API Key" with a green highlight and a close button (x).
- Model** section:
 - A dropdown menu showing the selected model: "openai/gpt-oss-20b".
- Enable Tool Models** section:
 - A toggle switch currently turned off.
- Model Response** section at the bottom:
 - A dropdown menu with a checkmark icon and a blue dot.

Component Output


Inspect the output of the component below.


Outputs

Logs

```
""json
{
  "key": "GT-26",
  "summary": "As a billing coordinator, I want the system to automatically verify a patient's insurance coverage and pre-authorize radiology tests before scheduling, so that delays and manual verification errors can be reduced.",
  "description": "Before scheduling any CT, MRI, or ultrasound procedure, the system should trigger an API call to the insurance provider to check if the procedure is covered under the patient's plan. If authorization is required, it should initiate the pre-authorization process automatically and store the approval ID in the patient record."
}
...
```

Step 4 : Prompt





For this given Input as user story : `` `json

{

"summary": "As a billing coordinator, I want the system to automatically verify a patient's insurance coverage and pre-authorize radiology tests before scheduling, so that delays and manual verification errors can be reduced.",

"description": "Before scheduling any CT, MRI, or ultrasound procedure, the system should trigger an API call to the insurance provider to check if the procedure is covered under the patient's plan. If authorization is required, it should initiate the pre-authorization process automatically and store the approval ID in the patient record.",

"key": "GT-26"

}

`` ` , follow these;

Instructions

You are an expert AI assistant specialized in Business Analysis for Healthcare.

Your task is to analyze and review the uploaded user story document based on multiple quality dimensions and provide:

Individual parameter scores (each out of 20)

Overall quality score (out of 100)

Specific improvement recommendations for each weak parameter

Evaluate the user story against the following five parameters:

Clarity: Is the story easy to understand and unambiguous?

Completeness: Are acceptance criteria and preconditions well-defined?

Business Value Alignment: Does it reflect tangible healthcare value (e.g., patient safety, compliance, operational efficiency)?

Testability: Can QA engineers easily derive test cases from it?

Technical Feasibility: Is it practically implementable within typical healthcare system constraints?

Finally, provide an overall rating and improvement summary.

Context

The input user story belongs to the Healthcare domain — specifically dealing with hospital systems, patient records, clinical workflows, and compliance (like HIPAA or PoPIA).

Assume that this story will be used by a cross-functional team (BA, QA, Developer) in a regulated healthcare project.

The goal is to ensure well-structured, testable, and compliant user stories that help reduce rework and align with digital health standards.

Give the output as text

Example

Example Input (User Story Summary):

As a doctor, I want to review and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety and compliance.

Example Output:

Parameter	Description	Score (out of 20)
-----------	-------------	-------------------

Clarity	The story is straightforward but lacks detailed acceptance criteria.	16
---------	--	----

Completeness Preconditions not clearly mentioned. 14

Business Value Alignment Strong healthcare relevance and compliance focus. 19

Testability Can be tested through prescription workflow automation. 17

Technical Feasibility Technically feasible with EHR integration. 18

Overall Score: 84 / 100

Improvement Areas:

Add explicit acceptance criteria for prescription error handling.

Specify validation rules for dosage and duplicate drugs.

Include system actor details for approval workflow.

Persona

You are acting as a senior business analyst with 10+ years of experience in healthcare IT systems, specializing in EHR (Electronic Health Records), clinical workflow automation, and regulatory compliance (HIPAA, HL7, PoPIA).

You are skilled in reviewing agile user stories for clarity, structure, and completeness.

T – Tone

Professional, analytical, and constructive — similar to a BA review summary for a healthcare project stakeholder meeting.

Avoid generic feedback; emphasize actionable, healthcare-specific improvements.

Step 5 : LLM

Groq

2.4K | 3.8s

Generate text using Groq.

Input

Receiving input

System Message

Type something...

Groq API Key

Groq API Key

Model

openai/gpt-oss-120b

Enable Tool Models

Model Response

Component Output

Inspect the output of the component below.

OutputsLogs

User Story Review – GT-26

Parameter	Description & Assessment
Score (out of 20)	
Clarity	The "who-what-why" is well-written and the intent (automatic insurance verification & pre-authorization for CT/MRI/ultrasound) is easy to grasp. However, the story mixes two distinct actions (coverage check **and** pre-auth) without explicitly stating the decision flow (e.g., "if coverage is confirmed, schedule; if not, block"). It also does not name the system component that performs the call (e.g., "Eligibility Service"). **16**
Completeness	No acceptance criteria, no pre-conditions, and no non-functional requirements are listed. Key missing items: • Required patient data (insurance ID, plan type). • Supported insurance providers / API standards (FHIR, X12, etc.). • Success & failure handling (e.g., "if authorization denied, notify coordinator"). • Auditing / HIPAA logging. • Performance expectations (response time). **13**
Business Value Alignment	Directly addresses revenue-cycle efficiency, reduces manual errors, and improves patient throughput – all high-impact outcomes in a hospital radiology department. The story also supports compliance by ensuring that only covered services are scheduled. **18**
Testability	The core behavior (API call, storing approval ID) can be tested, but without concrete acceptance criteria the test suite would be vague. Missing: • Expected API response codes. • Validation of the stored approval ID format. • Edge-case tests (timeout, partial coverage, multiple insurers). • End-to-end scenario (schedule → verification → confirmation). **15**

Close

User Story Review – GT-26

| Parameter | Description & Assessment
| Score (out of 20) |

|-----|-----

-----|-----|

| **Clarity** | The “who-what-why” is well-written and the intent (automatic insurance verification & pre-authorization for CT/MRI/ultrasound) is easy to grasp. However, the story mixes two distinct actions (coverage check **and** pre-auth) without explicitly stating the decision flow (e.g., “if coverage is confirmed, schedule; if not, block”). It also does not name the system component that performs the call (e.g., “Eligibility Service”). | **16** |

| **Completeness** | No acceptance criteria, no pre-conditions, and no non-functional requirements are listed. Key missing items:
• Required patient data (insurance ID, plan type).
• Supported insurance providers / API standards (FHIR, X12, etc.).
• Success & failure handling (e.g., “if authorization denied, notify coordinator”).
• Auditing / HIPAA logging.
• Performance expectations (response time). | **13** |

| **Business Value Alignment** | Directly addresses revenue-cycle efficiency, reduces manual errors, and improves patient throughput – all high-impact outcomes in a hospital radiology department. The story also supports compliance by ensuring that only covered services are scheduled. | **18** |

| **Testability** | The core behavior (API call, storing approval ID) can be tested, but without concrete acceptance criteria the test suite would be vague. Missing:
• Expected API response codes.
• Validation of the stored approval ID format.
• Edge-case tests (timeout, partial coverage, multiple insurers).
• End-to-end scenario (schedule → verification → confirmation). | **15** |

| **Technical Feasibility** | Integration with external payer APIs is common in modern EHR/RIS systems, so the concept is feasible. Complexities that need clarification:
• Real-time vs batch verification.
• Handling of multiple payer contracts and versioning.
• Secure transmission (TLS, OAuth).
• Impact on scheduling latency.
Overall, the story is implementable but requires detailed design. | **16** |

Overall Score: 78 / 100

Improvement Recommendations

1. Clarity

* **Separate the two actions** – write a short decision flow (e.g., “If coverage is confirmed, proceed; if authorization is required, request and wait for approval before proceeding”).

* **Identify the system actor** – specify the service/component (e.g., “Eligibility & Authorization Service”) that will perform the API call.

* **Define the scope of insurers** – note whether the integration is for a single payer, a network, or a standards-based interface (FHIR, X12 270/271).

2. Completeness

* **Add explicit Acceptance Criteria**, for example:

1. When a CT, MRI, or ultrasound is selected, the system sends a coverage-check request to the insurer within 3 seconds.

2. If the insurer returns “covered – no auth required,” the procedure can be scheduled immediately.

3. If “auth required,” the system automatically creates a pre-auth request, receives an approval ID, and stores it in the patient’s record.

4. If the insurer returns “not covered” or the request times-out, the billing coordinator receives a clear error message and the scheduling is blocked.

* **Pre-conditions** – patient must have a valid insurance identifier, the insurer must be configured in the system, and the scheduling module must be online.

* **Non-functional requirements** – response time ≤ 5 seconds, audit log entry for every request, data encrypted in transit (HIPAA-compliant).

3. Business Value Alignment

* **Quantify the expected benefit** – e.g., “Reduce average scheduling delay from 48 h to < 12 h” or “Decrease manual verification effort by 30 %”. This strengthens stakeholder buy-in and helps prioritize the story.

4. Testability

* **Derive concrete test cases** from the acceptance criteria:

- Positive path (covered, no auth).
- Auth-required path (successful pre-auth).
- Negative path (not covered, timeout, insurer error).
- Security test (ensure no PHI is logged in plain text).

* **Include mock-service contracts** (e.g., Swagger/OpenAPI spec) in the definition so QA can simulate insurer responses.

5. Technical Feasibility

* **Specify integration standards** – e.g., “Use FHIR CoverageEligibilityRequest/Response for new payers; fall back to X12 270/271 for legacy contracts.”

* **Outline fallback strategy** – if real-time verification fails, the system should queue the request and notify the coordinator for manual follow-up.

* **Performance impact analysis** – estimate the additional latency on the scheduling UI and plan for asynchronous processing if needed.

* **Compliance checklist** – confirm that the API call logs, data storage, and user notifications meet HIPAA and local data-protection regulations (e.g., PoPIA).

Summary

The story captures a high-value workflow improvement but needs mor...

Step 6 : Save File

Component Output

Outputs

Logs

Inspect the output of the component below.

Message saved successfully as 'C:\Users\Viswa\Desktop\Prathiba\Gen AI\Langflow\US Reviewer\Review Score.txt' at C:\Users\Viswa\Desktop\Prathiba\Gen AI\Langflow\US Reviewer\Review Score.txt



****User Story Review – GT-26****

Parameter	Description (strengths / gaps)
Score (out of 20)	

-----	-----
-----	-----

Clarity	The “who-what-why” format is well-written and the intent (reduce manual verification errors & scheduling delays) is obvious. The description adds the key actions (API call, auto-pre-auth, store approval ID). However, it does not specify which insurance providers, the exact data exchanged, or the UI/notification expectations, which can lead to differing interpretations. **17**
--------------------	---

Completeness	The story lacks explicit **acceptance criteria** and **pre-conditions** (e.g., patient must have a valid insurance record, the procedure must be classified as CT/MRI/ultrasound). No definition of success/failure handling, timeout behavior, or audit-logging requirements is provided. **12**
-------------------------	--

Business Value Alignment	Directly addresses a high-impact revenue-cycle and patient-experience problem: faster scheduling, fewer claim rejections, and compliance with payer contracts. The value to the hospital (operational efficiency, reduced denials) is clear and measurable. **19**
-------------------------------------	---

Testability	Because acceptance criteria are missing, QA cannot readily derive concrete test cases. Key test scenarios (coverage confirmed, coverage denied, pre-auth required, API timeout, duplicate requests, security/HIPAA audit) are implied but not documented, limiting test planning and automation. **14**
------------------------	--

Technical Feasibility	Real-time insurance eligibility checks and pre-authorization are common in modern EHR/Radiology Information Systems (RIS). Feasibility hinges on available payer APIs (often FHIR-based) and secure HL7 messaging, which are realistic but need explicit mention of standards, authentication (OAuth2), and fallback mechanisms. **16**
----------------------------------	--

Overall Score

****78 / 100****

Improvement Recommendations

1. Completeness (Score 12) – **Critical**

- **Add Acceptance Criteria** (e.g.):

- **Given** a patient with active insurance, **when** a CT/MRI/ultrasound is selected, **then** the system sends an eligibility request to the payer API and receives a response within 5 seconds.
 - **If** coverage is confirmed, the procedure is marked “eligible” and scheduling proceeds.
 - **If** pre-authorization is required, the system automatically creates a pre-auth request, stores the returned approval ID, and notifies the billing coordinator.
 - **If** coverage is denied or the API fails, the system displays a clear error message and logs the event for audit.
- **Define Preconditions**: patient record must contain a valid payer ID, procedure code must be mapped to a CPT/HCPSCS that is supported by the payer, and the user must have “Billing Coordinator” role.

2. Testability (Score 14) – **High Priority**

- Derive **test cases** from the acceptance criteria:
 - Positive path – successful eligibility & auto-pre-auth.
 - Negative paths – denied coverage, missing insurance data, API timeout, malformed response, duplicate requests.
 - Security tests – ensure PHI is transmitted over TLS, audit logs capture request/response IDs.
- Include **performance criteria** (e.g., ≤ 5 seconds response time) and **regression hooks** for future payer API version changes.

3. Technical Feasibility (Score 16) – **Enhance**

- Specify the **integration standards** (e.g., FHIR EligibilityRequest/EligibilityResponse, HL7 v2.5.1 for pre-auth).
- Outline **authentication/authorization** (OAuth 2.0 client-credentials, token refresh).
- Define **fallback strategy** if the payer API is unavailable (e.g., queue request for later processing, manual override).
- Mention **audit-logging** requirements to satisfy HIPAA/PoPIA (record request timestamp, patient ID, payer ID, response status).

4. Clarity (Score 17) – **Polish**

- Identify the **primary payer(s)** or indicate “any configured payer” to avoid ambiguity.
- Clarify the **notification channel** (in-app alert, email, or task queue) for pre-auth approval or denial.

- Enumerate the ****radiology modalities**** explicitly (CT, MRI, Ultrasound) and reference the corresponding CPT codes in a supplemental table.

Summary


The story captures a valuable workflow improvement for billing coordinators, promising measurable gains in scheduling efficiency and claim accuracy. To move from a high-level concept to an actionable sprint item, the team should:

1. ****Formalize acceptance criteria and preconditions**** to close the completeness gap.
2. ****Translate those criteria into concrete test scenarios****, ensuring coverage of success, error, and security paths.
3. ****Detail the technical integration approach**** (standards, auth, fallback, audit) to confirm feasibility and compliance.
4. ****Refine wording**** to eliminate any remaining ambiguity around payers, notifications, and procedure codes.

Addressing these points will raise the overall quality score into the 85-90 range, streamline development, and reduce rework in this regulated healthcare environment.

Task 2 : User Story Reviewer – Multiple User Story (Custom Component)

Complete Flow :



Step 1 : API Request

 **API Request** 543ms 

Make HTTP requests using URL or cURL commands.

Mode 

URL

cURL

URL 

https://prathibaviswanathan-genai...



Method 

POST



API Response



Component Output

Outputs

Logs

Inspect the output of the component below.

text

tree



```
{
  "source": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/search/jql",
  "status_code": 200,
  "response_headers": {
    "content-type": "application/json;charset=UTF-8",
    "transfer-encoding": "chunked",
    "connection": "keep-alive",
    "date": "Sun, 03 May 2026 15:12:51 GMT",
    "server": "AtlassianEdge",
    "timing-allow-origin": "*",
    "x-arequestid": "db40dd5137d87d3bb6a2c32ece2fe020",
    "set-cookie": "atlassian.xsrf.token=dafae89f816dd491468c1bb9aba5f3eb376fd777_lin; Path=/; SameSite=None; Secure",
    "x-aaccountid": "712020%3Adfbc5c19-36a2-400a-a752-9f7b50a28118",
    "cache-control": "no-cache, no-store, no-transform",
    "x-ratelimit-limit": "200",
    "x-ratelimit-remaining": "199",
  }
}
```

Line: 1 Column: 1

Close

```
{
  "source": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/search/jql",
  "status_code": 200,
```

```
"response_headers": {
  "content-type": "application/json;charset=UTF-8",
  "transfer-encoding": "chunked",
  "connection": "keep-alive",
  "date": "Sun, 03 May 2026 15:12:51 GMT",
  "server": "AtlassianEdge",
  "timing-allow-origin": "*",
  "x-arequestid": "db40dd5137d87d3bb6a2c32ece2fe020",
  "set-cookie": "atlassian.xsrf.token=dafae89f816dd491468c1bb9aba5f3eb376fd777_lin;
Path=/; SameSite=None; Secure",
  "x-aaccountid": "712020%3Adfbc5c19-36a2-400a-a752-9f7b50a28118",
  "cache-control": "no-cache, no-store, no-transform",
  "x-ratelimit-limit": "200",
  "x-ratelimit-remaining": "199",
  "vary": "Accept-Encoding",
  "content-encoding": "gzip",
  "x-content-type-options": "nosniff",
  "x-xss-protection": "1; mode=block",
  "atl-traceid": "2d8ed9388941425b854f78a5a870fa2b",
  "atl-request-id": "2d8ed938-8941-425b-854f-78a5a870fa2b",
  "strict-transport-security": "max-age=63072000; includeSubDomains; preload",
  "report-to": "{\"endpoints\": [{\"url\": \"https://dz8aopenkvv6s.cloudfront.net\"}],
  \"group\": \"endpoint-1\", \"include_subdomains\": true, \"max_age\": 600}",
  "nel": "{\"failure_fraction\": 0.01, \"include_subdomains\": true, \"max_age\": 600,
  \"report_to\": \"endpoint-1\"}",
  "x-cache": "Miss from cloudfront",
  "via": "1.1 457b36267487e906b58f06d150a4aa82.cloudfront.net (CloudFront)",
  "x-amz-cf-pop": "MAA51-P3",
  "x-amz-cf-id":
  "nCMWT4yPUFpHRJT1CuqmbRu1giaLIM3d_f_MS4mVGdWH_iKc_63feQ==",
  "server-timing": "cdn-upstream-layer;desc=\"EDGE\",cdn-upstream-dns;dur=1,cdn-
upstream-connect;dur=0,cdn-upstream-fbl;dur=359,atl-edge;dur=339,atl-edge-
internal;dur=34,atl-edge-upstream;dur=305,atl-edge-pop;desc=\"aws-ap-south-1\",cdn-
```

cache-miss,cdn-pop;desc=\"MAA51-P3\",cdn-
rid;desc=\"nCMWT4yPUFpHRJT1CuqmbRu1giaLlM3d_f_MS4mVGdWH_iKc_63feQ==\",cdn-
downstream-fbl;dur=365"

},

"result": {

"issues": [

{

"expand":

"renderedFields,names,schema,operations,editmeta,changelog,versionedRepresentations",

"id": "10057",

"self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/issue/10057",

"key": "GT-26",

"fields": {

"summary": "As a billing coordinator, I want the system to automatically verify a patient's insurance coverage and pre-authorize radiology tests before scheduling, so that delays and manual verification errors can be reduced.",

"description": {

"type": "doc",

"version": 1,

"content": [

{

"type": "paragraph",

"content": [

{

"type": "text",

"text": "Before scheduling any CT, MRI, or ultrasound procedure, the system should trigger an API call to the insurance provider to check if the procedure is covered under the patient's plan. If authorization is required, it should initiate the pre-authorization process automatically and store the approval ID in the patient record."

}

],

"attrs": {

"localId": "de31dfba4da0"

```
    }  
  }  
]  
},  
"reporter": {  
  "self": "https://prathibaviswanathan-  
genai.atlassian.net/rest/api/3/user?accountId=712020%3Adfbc5c19-36a2-400a-a752-  
9f7b50a28118",  
  "accountId": "712020:dfbc5c19-36a2-400a-a752-9f7b50a28118",  
  "emailAddress": "prathibaviswanathan84@gmail.com",  
  "avatarUrls": {  
    "48x48":  
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%  
2F%2Favator-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-  
5.png",  
    "24x24":  
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%  
2F%2Favator-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-  
5.png",  
    "16x16":  
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%  
2F%2Favator-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-  
5.png",  
    "32x32":  
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%  
2F%2Favator-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-  
5.png"  
  },  
  "displayName": "Viswanathan Prathiba",  
  "active": true,  
  "timeZone": "Asia/Calcutta",  
  "accountType": "atlassian"  
},  
"status": {  
  "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/status/10004",  
  "description": "",
```

```
"iconUrl": "https://prathibaviswanathan-genai.atlassian.net/",
"name": "To Do",
"id": "10004",
"statusCategory": {
  "self": "https://prathibaviswanathan-
genai.atlassian.net/rest/api/3/statuscategory/2",
  "id": 2,
  "key": "new",
  "colorName": "blue-gray",
  "name": "To Do"
}
},
{
  "expand":
"renderedFields,names,schema,operations,editmeta,changelog,versionedRepresentations",
  "id": "10024",
  "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/issue/10024",
  "key": "GT-23",
  "fields": {
    "summary": "Secretary Dashboard Doctor Calender",
    "description": {
      "type": "doc",
      "version": 1,
      "content": [
        {
          "type": "paragraph",
          "content": [
            {
              "type": "text",
```

"text": "As a user, I want to secretary dashboard doctor calender so that the related functionality works as expected."

}

]

}

]

},

"reporter": {

"self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/user?accountId=712020%3Adfbc5c19-36a2-400a-a752-9f7b50a28118",

"accountId": "712020:dfbc5c19-36a2-400a-a752-9f7b50a28118",

"emailAddress": "prathibaviswanathan84@gmail.com",

"avatarUrls": {

"48x48":

"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%2Favатар-mаnаgеmеnt--аvаtаrs.us-west-2.prod.public.atl-paas.net%2Finitials%2FVFP-5.png",

"24x24":

"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%2Favатар-mаnаgеmеnt--аvаtаrs.us-west-2.prod.public.atl-paas.net%2Finitials%2FVFP-5.png",

"16x16":

"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%2Favатар-mаnаgеmеnt--аvаtаrs.us-west-2.prod.public.atl-paas.net%2Finitials%2FVFP-5.png",

"32x32":

"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%2Favатар-mаnаgеmеnt--аvаtаrs.us-west-2.prod.public.atl-paas.net%2Finitials%2FVFP-5.png"

},

"displayName": "Viswanathan Prathiba",

"active": true,

"timeZone": "Asia/Calcutta",

"accountType": "atlassian"

},

```
"status": {
  "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/status/10004",
  "description": "",
  "iconUrl": "https://prathibaviswanathan-genai.atlassian.net/",
  "name": "To Do",
  "id": "10004",
  "statusCategory": {
    "self": "https://prathibaviswanathan-
genai.atlassian.net/rest/api/3/statuscategory/2",
    "id": 2,
    "key": "new",
    "colorName": "blue-gray",
    "name": "To Do"
  }
}
},
{
  "expand":
"renderedFields,names,schema,operations,editmeta,changelog,versionedRepresentations",
  "id": "10003",
  "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/issue/10003",
  "key": "GT-21",
  "fields": {
    "summary": "Employee Profile Basic Details",
    "description": {
      "type": "doc",
      "version": 1,
      "content": [
        {
          "type": "paragraph",
```

```
"content": [  
  {  
    "type": "text",  
    "text": "As a user, I want to employee profile basic details so that the related  
functionality works as expected."  
  }  
]  
}  
],  
"reporter": {  
  "self": "https://prathibaviswanathan-  
genai.atlassian.net/rest/api/3/user?accountId=712020%3Adfbc5c19-36a2-400a-a752-  
9f7b50a28118",  
  "accountId": "712020:dfbc5c19-36a2-400a-a752-9f7b50a28118",  
  "emailAddress": "prathibaviswanathan84@gmail.com",  
  "avatarUrls": {  
    "48x48":  
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%  
2F%2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-  
5.png",  
    "24x24":  
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%  
2F%2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-  
5.png",  
    "16x16":  
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%  
2F%2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-  
5.png",  
    "32x32":  
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%  
2F%2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-  
5.png"  
  },  
  "displayName": "Viswanathan Prathiba",  
  "active": true,
```

```
    "timeZone": "Asia/Calcutta",
    "accountType": "atlassian"
  },
  "status": {
    "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/status/10004",
    "description": "",
    "iconUrl": "https://prathibaviswanathan-genai.atlassian.net/",
    "name": "To Do",
    "id": "10004",
    "statusCategory": {
      "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/statuscategory/2",
      "id": 2,
      "key": "new",
      "colorName": "blue-gray",
      "name": "To Do"
    }
  }
},
{
  "expand":
"renderedFields,names,schema,operations,editmeta,changelog,versionedRepresentations",
  "id": "10002",
  "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/issue/10002",
  "key": "GT-7",
  "fields": {
    "summary": "Doctor Activities Raise Request",
    "description": {
      "type": "doc",
      "version": 1,
```

```
"content": [  
  {  
    "type": "paragraph",  
    "content": [  
      {  
        "type": "text",  
        "text": "As a user, I want to doctor activities raise request so that the related  
functionality works as expected."  
      }  
    ]  
  }  
],  
  },  
  "reporter": {  
    "self": "https://prathibaviswanathan-  
genai.atlassian.net/rest/api/3/user?accountId=712020%3Adfbc5c19-36a2-400a-a752-  
9f7b50a28118",  
    "accountId": "712020:dfbc5c19-36a2-400a-a752-9f7b50a28118",  
    "emailAddress": "prathibaviswanathan84@gmail.com",  
    "avatarUrls": {  
      "48x48":  
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%  
2F%2Favатар-mаnаgement--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-  
5.png",  
      "24x24":  
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%  
2F%2Favатар-mаnаgement--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-  
5.png",  
      "16x16":  
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%  
2F%2Favатар-mаnаgement--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-  
5.png",  
      "32x32":  
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%  
2F%2Favатар-mаnаgement--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-  
5.png"
```

```
    },
    "displayName": "Viswanathan Prathiba",
    "active": true,
    "timeZone": "Asia/Calcutta",
    "accountType": "atlassian"
  },
  "status": {
    "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/status/10004",
    "description": "",
    "iconUrl": "https://prathibaviswanathan-genai.atlassian.net/",
    "name": "To Do",
    "id": "10004",
    "statusCategory": {
      "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/statuscategory/2",
      "id": 2,
      "key": "new",
      "colorName": "blue-gray",
      "name": "To Do"
    }
  }
},
{
  "expand":
"renderedFields,names,schema,operations,editmeta,changelog,versionedRepresentations",
  "id": "10001",
  "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/issue/10001",
  "key": "GT-5",
  "fields": {
    "summary": "Billing Execution Deposit Refund",
```

```
"description": {
  "type": "doc",
  "version": 1,
  "content": [
    {
      "type": "paragraph",
      "content": [
        {
          "type": "text",
          "text": "As a user, I want to billing execution deposit refund so that the related
functionality works as expected."
        }
      ]
    }
  ]
},
"reporter": {
  "self": "https://prathibaviswanathan-
genai.atlassian.net/rest/api/3/user?accountId=712020%3Adfbc5c19-36a2-400a-a752-
9f7b50a28118",
  "accountId": "712020:dfbc5c19-36a2-400a-a752-9f7b50a28118",
  "emailAddress": "prathibaviswanathan84@gmail.com",
  "avatarUrls": {
    "48x48":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%
2F%2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-
5.png",
    "24x24":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%
2F%2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-
5.png",
    "16x16":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%
2F%2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-
5.png",
```

```
    "32x32":
      "https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%
      2F%2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-
      5.png"
    },
    "displayName": "Viswanathan Prathiba",
    "active": true,
    "timeZone": "Asia/Calcutta",
    "accountType": "atlassian"
  },
  "status": {
    "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/status/10004",
    "description": "",
    "iconUrl": "https://prathibaviswanathan-genai.atlassian.net/",
    "name": "To Do",
    "id": "10004",
    "statusCategory": {
      "self": "https://prathibaviswanathan-
      genai.atlassian.net/rest/api/3/statuscategory/2",
      "id": 2,
      "key": "new",
      "colorName": "blue-gray",
      "name": "To Do"
    }
  }
},
{
  "expand":
  "renderedFields,names,schema,operations,editmeta,changelog,versionedRepresentations",
  "id": "10000",
  "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/issue/10000",
```


```
"key": "GT-1",
"fields": {
  "summary": "Consultant Dashboard My Inpatients",
  "description": {
    "type": "doc",
    "version": 1,
    "content": [
      {
        "type": "paragraph",
        "content": [
          {
            "type": "text",
            "text": "As a user, I want to consultant dashboard my inpatients so that the related
functionality works as expected."
          }
        ]
      }
    ]
  },
  "reporter": {
    "self": "https://prathibaviswanathan-
genai.atlassian.net/rest/api/3/user?accountId=712020%3Adfbc5c19-36a2-400a-a752-
9f7b50a28118",
    "accountId": "712020:dfbc5c19-36a2-400a-a752-9f7b50a28118",
    "emailAddress": "prathibaviswanathan84@gmail.com",
    "avatarUrls": {
      "48x48":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%
2F%2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-
5.png",
      "24x24":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%
2F%2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-
5.png",
```

```
    "16x16":
      "https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%
      2F%2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-
      5.png",
    "32x32":
      "https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%
      2F%2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVP-
      5.png"
  },
  "displayName": "Viswanathan Prathiba",
  "active": true,
  "timeZone": "Asia/Calcutta",
  "accountType": "atlassian"
},
"status": {
  "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/status/10004",
  "description": "",
  "iconUrl": "https://prathibaviswanathan-genai.atlassian.net/",
  "name": "To Do",
  "id": "10004",
  "statusCategory": {
    "self": "https://prathibaviswanathan-
    genai.atlassian.net/rest/api/3/statuscategory/2",
    "id": 2,
    "key": "new",
    "colorName": "blue-gray",
    "name": "To Do"
  }
}
},
],
"isLast": true
```

}

}

Step 2 : Parser



```
````json
```

```
{
```

```
"source": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/search/jql",
```

```
"status_code": 200,
```

```
"response_headers": {
 "content-type": "application/json;charset=UTF-8",
 "transfer-encoding": "chunked",
 "connection": "keep-alive",
 "date": "Sun, 03 May 2026 15:12:51 GMT",
 "server": "AtlassianEdge",
 "timing-allow-origin": "*",
 "x-arequestid": "db40dd5137d87d3bb6a2c32ece2fe020",
 "set-cookie": "atlassian.xsrf.token=dafae89f816dd491468c1bb9aba5f3eb376fd777_lin;
Path=/; SameSite=None; Secure",
 "x-aaccountid": "712020%3Adfbc5c19-36a2-400a-a752-9f7b50a28118",
 "cache-control": "no-cache, no-store, no-transform",
 "x-ratelimit-limit": "200",
 "x-ratelimit-remaining": "199",
 "vary": "Accept-Encoding",
 "content-encoding": "gzip",
 "x-content-type-options": "nosniff",
 "x-xss-protection": "1; mode=block",
 "atl-traceid": "2d8ed9388941425b854f78a5a870fa2b",
 "atl-request-id": "2d8ed938-8941-425b-854f-78a5a870fa2b",
 "strict-transport-security": "max-age=63072000; includeSubDomains; preload",
 "report-to": "{\"endpoints\": [{\"url\": \"https://dz8aopenkvv6s.cloudfront.net\"}], \"group\": \"endpoint-1\", \"include_subdomains\": true, \"max_age\": 600}",
 "nel": "{\"failure_fraction\": 0.01, \"include_subdomains\": true, \"max_age\": 600, \"report_to\": \"endpoint-1\"}",
 "x-cache": "Miss from cloudfront",
 "via": "1.1 457b36267487e906b58f06d150a4aa82.cloudfront.net (CloudFront)",
 "x-amz-cf-pop": "MAA51-P3",
 "x-amz-cf-id": "nCMWT4yPUFpHRJT1CuqmbRu1giaLIM3d_f_MS4mVGdWH_iKc_63feQ==",
 "server-timing": "cdn-upstream-layer;desc=\"EDGE\",cdn-upstream-dns;dur=1,cdn-upstream-connect;dur=0,cdn-upstream-fbl;dur=359,atl-edge;dur=339,atl-edge-internal;dur=34,atl-edge-upstream;dur=305,atl-edge-pop;desc=\"aws-ap-south-1\",cdn-cache-miss,cdn-pop;desc=\"MAA51-P3\",cdn-
```

rid;desc=\"nCMWT4yPUFpHRJT1CuqmbRu1giaLLM3d\_f\_MS4mVGdWH\_iKc\_63feQ==\",cdn-downstream-fbl;dur=365"

},

"result": {

"issues": [

{

"expand":

"renderedFields,names,schema,operations,editmeta,changelog,versionedRepresentations",

"id": "10057",

"self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/issue/10057",

"key": "GT-26",

"fields": {

"summary": "As a billing coordinator, I want the system to automatically verify a patient's insurance coverage and pre-authorize radiology tests before scheduling, so that delays and manual verification errors can be reduced.",

"description": {

"type": "doc",

"version": 1,

"content": [

{

"type": "paragraph",

"content": [

{

"type": "text",

"text": "Before scheduling any CT, MRI, or ultrasound procedure, the system should trigger an API call to the insurance provider to check if the procedure is covered under the patient's plan. If authorization is required, it should initiate the pre-authorization process automatically and store the approval ID in the patient record."

}

],

"attrs": {

"localId": "de31dfba4da0"

}

```
 }
]
},
"reporter": {
 "self": "https://prathibaviswanathan-
genai.atlassian.net/rest/api/3/user?accountId=712020%3Adfbc5c19-36a2-400a-a752-
9f7b50a28118",
 "accountId": "712020:dfbc5c19-36a2-400a-a752-9f7b50a28118",
 "emailAddress": "prathibaviswanathan84@gmail.com",
 "avatarUrls": {
 "48x48":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%
2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVFP-5.png",
 "24x24":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%
2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVFP-5.png",
 "16x16":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%
2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVFP-5.png",
 "32x32":
"https://secure.gravatar.com/avatar/38e5dbd1d9e358b4ad6efee9fb395043?d=https%3A%2F%
2Favatar-management--avatars.us-west-2.prod.public.atl-paas.net%2Finitials%2FVFP-5.png"
 },
 "displayName": "Viswanathan Prathiba",
 "active": true,
 "timeZone": "Asia/Calcutta",
 "accountType": "atlassian"
},
"status": {
 "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/status/10004",
 "description": "",
 "iconUrl": "https://prathibaviswanathan-genai.atlassian.net/",
 "name": "To Do",
 "id": "10004",
```

```
"statusCategory": {
 "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/statuscategory/2",
 "id": 2,
 "key": "new",
 "colorName": "blue-gray",
 "name": "To Do"
}
}
},
{
 "expand":
"renderedFields,names,schema,operations,editmeta,changelog,versionedRepresentations",
 "id": "10024",
 "self": "https://prathibaviswanathan-genai.atlassian.net/rest/api/3/issue/10024",
 "key": "GT-23",
 "fields": {
 "summary": "Secretary Dashboard Doctor Calender",
 "description": {
 "type": "doc",
 "version": 1,
 "content": [
 {
 "type": "paragraph",
 "content": [
 {
 "type": "text",
 "text": "As a user, I want to secretary dashboard doctor calender so that the related
functionality works as expected."
 }
]
 }
]
 }
 }
}
```

```
]
},
"reporter": {
 "self": "http...
```

### Step 3 : LLM

The screenshot displays the Groq AI interface for generating text. At the top, the title "Groq" is followed by a status bar showing "6.4K | 29.7s" and a play button icon. Below this, the instruction "Generate text using Groq." is present. The interface is divided into several sections: "Input" with a text box containing "Receiving input" and a lock icon; "System Message" with a text box containing "Extract only summary,description,ke"; "Groq API Key" with a text box containing "Groq API Key x"; "Model" with a dropdown menu showing "openai/gpt-oss-20b"; and "Enable Tool Models" with a toggle switch. At the bottom, there is a "Model Response" section with a dropdown arrow and a search icon. The interface is styled with a light gray background and rounded corners.

Groq 6.4K | 29.7s ▶

Generate text using Groq.

Input

Receiving input 🔒

System Message ⓘ

Extract only summary,description,ke

Groq API Key ⓘ

Groq API Key x

Model ⓘ

openai/gpt-oss-20b ⚡

Enable Tool Models ⓘ ☐

Model Response ▼ 🔍

## Component Output

Inspect the output of the component below.

Outputs Logs

```
```json
[
  {
    "key": "GT-26",
    "summary": "As a billing coordinator, I want the system to automatically verify a patient's insurance coverage and pre-authorize radiology tests before scheduling, so that delays and manual verification errors can be reduced.",
    "description": "Before scheduling any CT, MRI, or ultrasound procedure, the system should trigger an API call to the insurance provider to check if the procedure is covered under the patient's plan. If authorization is required, it should initiate the pre-authorization process automatically and store the approval ID in the patient record."
  },
  {
    "key": "GT-23",
    "summary": "Secretary Dashboard Doctor Calender",
    "description": "As a user, I want to secretary dashboard doctor calender so that the related functionality works as expected."
  },
  {
    "key": "GT-21",
    "summary": "Employee Profile Basic Details",
    "description": "As a user, I want to employee profile basic details so that the related functionality works as expected."
  }
]
```

Close

```
```json
```

```
[
```

```
{
```

```
 "key": "GT-26",
```

```
 "summary": "As a billing coordinator, I want the system to automatically verify a patient's insurance coverage and pre-authorize radiology tests before scheduling, so that delays and manual verification errors can be reduced.",
```

```
 "description": "Before scheduling any CT, MRI, or ultrasound procedure, the system should trigger an API call to the insurance provider to check if the procedure is covered under the patient's plan. If authorization is required, it should initiate the pre-authorization process automatically and store the approval ID in the patient record."
```

```
},
```

```
{
```

```
 "key": "GT-23",
```

```
 "summary": "Secretary Dashboard Doctor Calender",
```

```
 "description": "As a user, I want to secretary dashboard doctor calender so that the related functionality works as expected."
```

```
},
```

```
{
```

```
 "key": "GT-21",
```



```
 "summary": "Employee Profile Basic Details",
```

```

 "description": "As a user, I want to employee profile basic details so that the related
functionality works as expected."
 },
 {
 "key": "GT-7",
 "summary": "Doctor Activities Raise Request",
 "description": "As a user, I want to doctor activities raise request so that the related
functionality works as expected."
 },
 {
 "key": "GT-5",
 "summary": "Billing Execution Deposit Refund",
 "description": "As a user, I want to billing execution deposit refund so that the related
functionality works as expected."
 },
 {
 "key": "GT-1",
 "summary": "Consultant Dashboard My Inpatients",
 "description": "As a user, I want to consultant dashboard my inpatients so that the related
functionality works as expected."
 }
]
` ``

```

#### Step 4 : Prompt



For this given Input as user story : `` ` ` json

[

{

"key": "GT-26",

"summary": "As a billing coordinator, I want the system to automatically verify a patient's insurance coverage and pre-authorize radiology tests before scheduling, so that delays and manual verification errors can be reduced.",

"description": "Before scheduling any CT, MRI, or ultrasound procedure, the system should trigger an API call to the insurance provider to check if the procedure is covered under the patient's plan. If authorization is required, it should initiate the pre-authorization process automatically and store the approval ID in the patient record."

},

{

"key": "GT-23",

"summary": "Secretary Dashboard Doctor Calender",

"description": "As a user, I want to secretary dashboard doctor calender so that the related functionality works as expected."

},

{

"key": "GT-21",

"summary": "Employee Profile Basic Details",

"description": "As a user, I want to employee profile basic details so that the related functionality works as expected."

},

{

"key": "GT-7",

"summary": "Doctor Activities Raise Request",

"description": "As a user, I want to doctor activities raise request so that the related functionality works as expected."

},

{

"key": "GT-5",

"summary": "Billing Execution Deposit Refund",

"description": "As a user, I want to billing execution deposit refund so that the related functionality works as expected."

},

{

"key": "GT-1",

```
"summary": "Consultant Dashboard My Inpatients",
"description": "As a user, I want to consultant dashboard my inpatients so that the related
functionality works as expected."
}
]
``` , follow these;
```

Instructions

You are an expert AI assistant specialized in Business Analysis for Healthcare.

Your task is to analyze and review the uploaded user story document based on multiple quality dimensions and provide:

Individual parameter scores (each out of 20)

Overall quality score (out of 100)

Specific improvement recommendations for each weak parameter

Evaluate the user story against the following five parameters:

Clarity: Is the story easy to understand and unambiguous?

Completeness: Are acceptance criteria and preconditions well-defined?

Business Value Alignment: Does it reflect tangible healthcare value (e.g., patient safety, compliance, operational efficiency)?

Testability: Can QA engineers easily derive test cases from it?

Technical Feasibility: Is it practically implementable within typical healthcare system constraints?

Finally, provide an overall rating and improvement summary.

Context

The input user story belongs to the Healthcare domain — specifically dealing with hospital systems, patient records, clinical workflows, and compliance (like HIPAA or PoPIA).

Assume that this story will be used by a cross-functional team (BA, QA, Developer) in a regulated healthcare project.

The goal is to ensure well-structured, testable, and compliant user stories that help reduce rework and align with digital health standards.

Give the output as text

Example

Example Input (User Story Summary):

As a doctor, I want to review and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety and compliance.

Example Output:

Parameter	Description	Score (out of 20)
Clarity	The story is straightforward but lacks detailed acceptance criteria.	16
Completeness	Preconditions not clearly mentioned.	14
Business Value Alignment	Strong healthcare relevance and compliance focus.	19
Testability	Can be tested through prescription workflow automation.	17
Technical Feasibility	Technically feasible with EHR integration.	18

Overall Score: 84 / 100

Improvement Areas:

- Add explicit acceptance criteria for prescription error handling.
- Specify validation rules for dosage and duplicate drugs.
- Include system actor details for approval workflow.

Persona

You are acting as a senior business analyst with 10+ years of experience in healthcare IT systems, specializing in EHR (Electronic Health Records), clinical workflow automation, and regulatory compliance (HIPAA, HL7, PoPIA).

You are skilled in reviewing agile user stories for clarity, structure, and completeness.

T – Tone

Professional, analytical, and constructive — similar to a BA review summary for a healthcare project stakeholder meeting.

Avoid generic feedback; emphasize actionable, healthcare-specific improvements.

Step 5 : LLM

Groq

🔊 4.0K | 6.6s ▶

Generate text using Groq.

Input

Receiving input



System Message ⓘ

Type something...



Groq API Key ⓘ

Groq API Key ×

Model ⓘ

openai/gpt-oss-120b



Enable Tool Models ⓘ



Model Response ▼



Component Output

Inspect the output of the component below.

Outputs

Logs

User-Story Review – Healthcare Project (GT-xx)

Story	Parameter	Description (what was evaluated)	Score (out of 20)
GT-26	*Insurance verification & pre-authorization*	**Clarity** The “who, what, why” is clear and the workflow (trigger → API call → store ID) is described. **18**	**18**
	Completeness	No explicit acceptance criteria, no pre-conditions (e.g., patient must have active insurance record), no error-handling rules. **12**	**12**
	Business Value Alignment	Direct impact on revenue cycle, reduces scheduling delays and manual errors – high clinical & financial value. **19**	**19**
	Testability	Test cases can be derived, but missing success/failure scenarios, timeout handling, and audit-log requirements. **15**	**15**
	Technical Feasibility	Feasible with standard HL7/FHIR or proprietary insurer APIs, but integration, security (HIPAA-compliant token handling) and fallback paths need clarification. **16**	**16**
GT-23	*Secretary Dashboard Doctor Calendar*	**Clarity** Very generic; “secretary dashboard doctor calendar” does not explain the user interaction or purpose. **10**	**10**
	Completeness	No acceptance criteria, no description of required views, filters, or permissions. **6**	**6**
	Business Value Alignment	Potentially useful for scheduling efficiency, but value is not articulated. **12**	**12**
	Testability	Without functional detail, QA cannot create concrete test cases. **8**	**8**
	Technical Feasibility	Building a calendar UI is feasible, yet integration points (EHR, RIS) are unspecified. **10**	**10**
GT-21	*Employee Profile Basic Details*	**Clarity** “Basic details” is vague – does it include contact, credentials, role, certifications? **11**	**11**
	Completeness	No acceptance criteria, no data-privacy constraints, no edit-audit requirements. **7**	**7**

Close

****User-Story Review – Healthcare Project (GT-xx)****

| Story | Parameter | Description (what was evaluated) | Score (out of 20) |

|-----|-----|-----|-----|

| **GT-26** – *Insurance verification & pre-authorization* | **Clarity** | The “who, what, why” is clear and the workflow (trigger → API call → store ID) is described. | **18** |

| | **Completeness** | No explicit acceptance criteria, no pre-conditions (e.g., patient must have active insurance record), no error-handling rules. | **12** |

| | **Business Value Alignment** | Direct impact on revenue cycle, reduces scheduling delays and manual errors – high clinical & financial value. | **19** |

| | **Testability** | Test cases can be derived, but missing success/failure scenarios, timeout handling, and audit-log requirements. | **15** |

| | **Technical Feasibility** | Feasible with standard HL7/FHIR or proprietary insurer APIs, but integration, security (HIPAA-compliant token handling) and fallback paths need clarification. | **16** |

| **GT-23** – *Secretary Dashboard Doctor Calendar* | **Clarity** | Very generic; “secretary dashboard doctor calendar” does not explain the user interaction or purpose. | **10** |

| | **Completeness** | No acceptance criteria, no description of required views, filters, or permissions. | **6** |

| | **Business Value Alignment** | Potentially useful for scheduling efficiency, but value is not articulated. | **12** |

| | **Testability** | Without functional detail, QA cannot create concrete test cases. | **8** |

| | **Technical Feasibility** | Building a calendar UI is feasible, yet integration points (EHR, RIS) are unspecified. | **10** |

| | **GT-21** – **Employee Profile Basic Details** | **Clarity** | “Basic details” is vague – does it include contact, credentials, role, certifications? | **11** |

| | **Completeness** | No acceptance criteria, no data-privacy constraints, no edit-audit requirements. | **7** |

| | **Business Value Alignment** | Employee data is essential for staffing & compliance, but the story does not tie to a specific need (e.g., credential verification). | **13** |

| | **Testability** | Limited – QA would need to infer fields to verify. | **9** |

| | **Technical Feasibility** | Straightforward CRUD UI, but integration with HRIS/HIPAA-compliant storage is not mentioned. | **11** |

| | **GT-7** – **Doctor Activities – Raise Request** | **Clarity** | “Raise request” could mean many things (consult, test, referral). The intent is unclear. | **10** |

| | **Completeness** | No description of request type, workflow steps, approvals, or notifications. | **6** |

| | **Business Value Alignment** | Potentially improves doctor workflow, but the story does not explain the clinical or operational benefit. | **12** |

| | **Testability** | Without defined request types and outcomes, test case creation is speculative. | **8** |

| | **Technical Feasibility** | Feasible as a generic request form, yet integration with downstream systems (e.g., lab, radiology) is missing. | **10** |

| | **GT-5** – **Billing Execution – Deposit Refund** | **Clarity** | “Deposit refund” is mentioned but the trigger, responsible actor, and timing are not described. | **10** |

| | **Completeness** | No acceptance criteria (e.g., refund amount calculation, audit trail, patient notification). | **6** |

| | **Business Value Alignment** | Refund handling is important for patient satisfaction and compliance, but the story does not quantify the impact. | **12** |

| | **Testability** | Lacks concrete success/failure paths (e.g., insufficient balance, duplicate refund). | **8** |

| | **Technical Feasibility** | Refund logic is implementable, yet integration with payment gateway, accounting, and HIPAA-safe logs is not addressed. | **10** |

| | **GT-1** – **Consultant Dashboard – My Inpatients** | **Clarity** | “My inpatients” is understandable, but the dashboard’s content, filters, and actions are not specified. | **11** |

| | **Completeness** | No acceptance criteria (e.g., real-time patient status, alerts, drill-down to chart). | **7** |

| | **Business Value Alignment** | Improves consultant awareness and patient safety, but the story does not tie to measurable outcomes (e.g., reduced LOS). | **13** |

| | **Testability** | Test cases can be imagined but are not grounded in defined UI elements or data refresh rates. | **9** |

| | **Technical Feasibility** | Feasible with existing EHR data feeds; however, performance, data-privacy (role-based access), and audit requirements need clarification. | **11** |

Overall Quality Scores (per story)

| Story | Sum of Parameter Scores | Overall % (out of 100) |

|-----|-----|-----|

| GT-26 | 80 | **80 %** |

| GT-23 | 46 | **46 %** |

| GT-21 | 51 | **51 %** |

| GT-7 | 46 | **46 %** |

| GT-5 | 46 | **46 %** |

| GT-1 | 51 | **51 %** |

Average across the six stories: 53 % – indicating that the backlog needs substantial refinement, especially for the five generic stories.

Targeted Improvement Recommendations

GT-26 – Insurance Verification & Pre-Authorization

| Weak Parameter | Actionable Recommendation |

|-----|-----|

| **Completeness** | Add explicit **Acceptance Criteria** (e.g., “If the insurer returns *covered*, the procedure can be scheduled; if *authorization required*, the system must create a pre-auth request and store the returned ID”). Include pre-conditions (patient must have a valid insurance record) and error handling (timeout, insurer-down). |

| **Testability** | Define **positive** and **negative** test scenarios: successful coverage, coverage denied, authorization required, API failure, data-privacy audit log verification. |

| **Technical Feasibility** | Document required integration standards (FHIR CoverageEligibilityRequest, HL7 v2, or REST JSON), security (OAuth2 token storage, encryption at rest), and fallback (manual override). |

GT-23 – Se...

Step 6 : Custom Component

HTML Report 99ms

Save data to a local file in the selected format.

Input*

File Name*

Review Score Multiple

File Format

html

File Path


Component Output

Inspect the output of the component below.

Outputs

Logs

Message saved successfully as 'Review Score Multiple.html' at C:\Users\Viswa\AppData\Roaming\com.LangflowDesktop\data\Review Score Multiple.html



Output

User-Story Review – Healthcare Project (GT-xx)			
Detailed Story Evaluation			
Story	Parameter	Description (what was evaluated)	Score (out of 20)
GT-26 <i>Insurance verification & pre-authorization</i>	Clarity	The "who, what, why" is clear and the workflow (trigger → API call → store ID) is described.	18
	Completeness	No explicit acceptance criteria, no pre-conditions (e.g., patient must have active insurance record), no error-handling rules.	12
	Business Value Alignment	Direct impact on revenue cycle, reduces scheduling delays and manual errors – high clinical & financial value.	19
	Testability	Test cases can be derived, but missing success/failure scenarios, timeout handling, and audit-log requirements.	15
	Technical Feasibility	Feasible with standard HL7/FHIR or proprietary insurer APIs, but integration, security (HIPAA-compliant token handling) and fallback paths need clarification.	16
GT-23 <i>Secretary Dashboard Doctor Calendar</i>	Clarity	Very generic; "secretary dashboard doctor calendar" does not explain the user interaction or purpose.	10
	Completeness	No acceptance criteria, no description of required views, filters, or permissions.	6
	Business Value Alignment	Potentially useful for scheduling efficiency, but value is not articulated.	12
	Testability	Without functional detail, QA cannot create concrete test cases.	8
	Technical Feasibility	Building a calendar UI is feasible, yet integration points (EHR, RIS) are unspecified.	10
GT-21 <i>Employee Profile Basic Details</i>	Clarity	"Basic details" is vague – does it include contact, credentials, role, certifications?	11
	Completeness	No acceptance criteria, no data-privacy constraints, no edit-audit requirements.	7
	Business Value Alignment	Employee data is essential for staffing & compliance, but the story does not tie to a specific need (e.g., credential verification).	13
	Testability	Limited – QA would need to infer fields to verify.	9
	Technical Feasibility	Straightforward CRUD UI, but integration with HRIS/HIPAA-compliant storage is not mentioned.	11

GT-21 Employee Profile Basic Details			Completeness	No acceptance criteria, no data privacy constraints, no audit requirements.	7
			Business Value Alignment	Employee data is essential for staffing & compliance, but the story does not tie to a specific need (e.g., credential verification).	13
			Testability	Limited - QA would need to infer fields to verify.	9
			Technical Feasibility	Straightforward CRUD UI, but integration with HRIS/HRPA compliant storage is not mentioned.	11
			Clarity	"Raise request" could mean many things (consult, test, referral). The intent is unclear.	10
			Completeness	No description of request type, workflow steps, approvals, or notifications.	6
			Business Value Alignment	Potentially improves doctor workflow, but the story does not explain the clinical or operational benefit.	12
			Testability	Without defined request types and outcomes, test case creation is speculative.	8
			Technical Feasibility	Feasible as a generic request form, yet integration with downstream systems (e.g., lab, radiology) is missing.	10
			Clarity	"Deposit refund" is mentioned but the trigger, responsible actor, and timing are not described.	10
			Completeness	No acceptance criteria (e.g., refund amount calculation, audit trail, patient notification).	6
			Business Value Alignment	Refund handling is important for patient satisfaction and compliance, but the story does not quantify the impact.	12
			Testability	Lacks concrete success/failure paths (e.g., insufficient balance, duplicate refund).	8
			Technical Feasibility	Refund logic is implementable, yet integration with payment gateway, accounting, and HIPAA-safe logs is not addressed.	10
			Clarity	"My ingratents" is understandable, but the dashboard's content, filters, and actions are not specified.	11
			Completeness	No acceptance criteria (e.g., real-time patient status, alerts, drill-down to chart).	7
			Business Value Alignment	Improves consultant awareness and patient safety, but the story does not tie to measurable outcomes (e.g., reduced LOS).	13
			Testability	Test cases can be imagined but are not grounded in defined UI elements or data refresh rates.	9
			Technical Feasibility	Feasible with existing EHR data feeds; however, performance, data privacy (role-based access), and audit requirements need clarification.	11

GenAI_Training - Backlog - Jira

Message Report

User-Story Review - Healthcare

File

C:/Users/Viswa/AppData/Roaming/com.LangflowDesktop/data/Review%20Score%20Multiple.html

🔍

☆

🔗

📄

Overall Quality Scores (per story)

Story	Sum of Parameter Scores	Overall % (out of 100)
GT-26	80	80%
GT-23	46	46%
GT-21	51	51%
GT-7	46	46%
GT-5	46	46%
GT-1	51	51%

Average across the six stories: 53% - indicating that the backlog needs substantial refinement, especially for the five generic stories.

Targeted Improvement Recommendations

GT-26 - Insurance Verification & Pre-Authorization

Weak Parameter	Actionable Recommendation
Completeness	Add explicit Acceptance Criteria (e.g., "If the insurer returns covered, the procedure can be scheduled; if authorization required, the system must create a pre-auth request and store the returned ID"). Include pre-conditions (patient must have a valid insurance record) and error handling (timeout, insurer down).
Testability	Define positive and negative test scenarios: successful coverage, coverage denied, authorization required, API failure, data-privacy audit log verification.
Technical Feasibility	Document required integration standards (FHIR CoverageEligibilityRequest, HL7 v2, or REST JSON), security (OAuth2 token storage, encryption at rest), and fallback (manual override).

GT-23 - Secretary Dashboard Doctor Calendar

Weak Parameter	Actionable Recommendation
Clarity	Rewrite the story in the "As [role] I want [feature] so that [benefit]" format, e.g., "As a secretary , I want to view a doctor-specific calendar that shows available slots and booked appointments so that I can schedule patients efficiently."
Completeness	Add acceptance criteria: ability to filter by doctor, view daily/weekly/monthly, drag-and-drop rescheduling, conflict detection, audit trail of changes.

GT-23 – Secretary Dashboard Doctor Calendar	
Weak Parameter	Actionable Recommendation
Clarity	Rewrite the story in the "As [role] I want [feature] so that [benefit]" format, e.g., "As a secretary I want to view a doctor-specific calendar that shows available slots and booked appointments so that I can schedule patients efficiently."
Completeness	Add acceptance criteria: ability to filter by doctor, view daily/weekly/monthly, drag and drop rescheduling, conflict detection, audit trail of changes.
Business Value	Quantify the benefit (e.g., "reduce scheduling errors by 30%" or "decrease patient wait time by 15 min").
Technical Feasibility	Identify data sources (EHR appointment service, RGS), required UI framework, and security (role-based view).
GT-21 – Employee Profile Basic Details	
Weak Parameter	Actionable Recommendation
Clarity	Specify the exact fields: name, employee ID, role, credentials, certifications, contact info, and status (active/inactive).
Completeness	Acceptance criteria: Create, Read, Update, Delete (CRUD) with audit log; validation rules (e.g., license number format); HIPAA/POPIA privacy constraints (only HR & manager roles can edit).
Business Value	Link to compliance (credential verification) and operational efficiency (quick staff lookup).
Technical Feasibility	Clarify integration with existing HRIS, encryption of personal data, and role-based access control.
GT-7 – Doctor Activities – Raise Request	
Weak Parameter	Actionable Recommendation
Clarity	Define the type of request (e.g., "order a diagnostic test", "request a consult", "initiate a referral").
Completeness	Acceptance criteria: request form fields, mandatory approvals, notification to downstream department, status tracking, and audit trail.
Business Value	State the impact (e.g., "reduce request turnaround time by 20%", "ensure all referrals are documented for compliance").
Technical Feasibility	Identify downstream systems (Lab Information System, Radiology RIS) and required HL7/FHIR messaging.
GT-5 – Billing Execution – Deposit Refund	
Weak Parameter	Actionable Recommendation

GenAI_Training - Backlog - Jira

Message Report

Home

Story Review - Healthcare

+

File

C:/Users/Viswa/AppData/Roaming/com.LangflowDesktop/data/Review%20Score%20Multiple.html

🔍

☆

🔗

📄

🔍

🔍

🔍

🔍

Technical Feasibility

Identify downstream systems (Lab Information System, Radiology RIS) and required HL7/FHIR messaging.

GT-5 – Billing Execution – Deposit Refund

Weak Parameter

Actionable Recommendation

Clarity

Clarify the **trigger** (e.g., "when a patient cancels a scheduled procedure") and the **actor** (billing clerk, automated rule).

Completeness

Acceptance criteria: calculation of refundable amount, generation of refund transaction, patient notification (email/SMS), audit log entry, and reconciliation with accounting.

Business Value

Quantify benefit (e.g., "improve patient satisfaction scores by 5 pts", "reduce manual refund processing time from 2 days to <4 hours").

Technical Feasibility

Detail integration with payment gateway (PCI-DSS compliance), accounting system, and required security controls for PII.

GT-1 – Consultant Dashboard – My Inpatients

Weak Parameter

Actionable Recommendation

Clarity

Expand the story: "As a **consultant**, I want a **dashboard** that lists all my current inpatients with key clinical indicators (room, diagnosis, pending orders) so that I can prioritize rounds."

Completeness

Acceptance criteria: real-time data refresh, filter by unit/ward, drill-down to patient chart, alerts for critical labs, export capability, and role-based access.

Business Value

Tie to patient safety (early detection of deteriorating patients) and efficiency (reduce time spent searching EMD).

Technical Feasibility

Identify data sources (EHR admission service, vitals service), performance requirements (<5 sec load), and compliance (audit of who viewed which patient).

Summary & Next Steps

Overall health of the backlog: 33% – only one story (GT-26) is moderately well-crafted; the remaining five need substantial refinement.

Priority actions:

- Rewrite the five vague stories using the standard "As [role] I want [feature] so that [benefit]" template.
- Add concrete acceptance criteria (success & failure paths, data validation, security & audit requirements).
- Map each story to measurable business value (e.g., time saved, error reduction, compliance impact).
- Identify integration points (EHR, HRIS, payment gateway, insurer APIs) and note any regulatory constraints (HIPAA, POPIA, HL7/FHIR).
- Create a test case checklist for each story to ensure QA can derive automated and manual tests early in the sprint.

Expected Outcome: By addressing the clarity, completeness, and testability gaps, the team will reduce re-work, accelerate delivery, and maintain compliance with healthcare regulations.