

AI for Early Detection of Liver Diseases: A Case Study in Healthcare

Sanjana Nelli (s4118893), Neeharika Rimmanapudi (s4118918), Prathibha Magesh (s3859590)

ArjunaWed1630Group13

1. Introduction

Liver cancer is one of the most dangerous and deadly types of cancer. It's hard to detect in the early stages because the tumors often look very similar to healthy liver tissue in scans. By the time it's found, it's often too late for effective treatment. That's why early and accurate detection is so important it can help save lives.

In recent years, Artificial Intelligence (AI) has become a powerful tool in the medical field, especially for analyzing medical images like CT and MRI scans. AI can help doctors find tumors faster and more accurately. Techniques like Convolutional Neural Networks (CNNs), U-Net models, and other deep learning systems are being used to detect and segment liver tumors automatically.

In this case study, we look at how different AI models are used to detect liver tumors. We explore what kind of data they use, how well they work, and what problems they still face. The main goal is to understand how AI is improving early detection of liver cancer and how it might help improve healthcare in the future.

2. Methodology

2.1. Approach to Case Study Analysis:

To critically evaluate the use of AI in early liver disease detection, we conducted a focused review of recent, peer-reviewed literature in the fields of medical imaging and artificial intelligence. The aim was to understand how modern machine learning and deep learning techniques are applied in real-world healthcare settings.

We selected research papers that implemented models such as:

- Convolutional Neural Networks (CNNs) for image-based diagnosis
- U-Net for precise tumor segmentation
- Logistic Regression, Random Forest, and ensemble classifiers for structured data analysis

Each study was analysed in terms of:

- **Input data types:** CT/MRI scans, liver function tests (ALT, AST, bilirubin), patient demographics
- **Model architecture** and training methods
- **Performance metrics** such as accuracy, sensitivity, specificity, and Dice similarity coefficient

We paid particular attention to the features most relevant to **early diagnosis** such as:

- Tumor size, shape, and pixel intensity in imaging data
- Enzyme levels and blood markers from clinical datasets

Through this analysis, we identified key strengths and challenges, including difficulty detecting small tumors, dependence on annotated data, and limited generalizability. Overall, the review provided deeper insight into how AI improves diagnostic speed, accuracy, and clinical decision-making in liver care.

2.2. Use of External Resources

We referred to peer-reviewed articles from **IEEE**, **ScienceDirect**, and **SpringerLink** to understand AI models used in liver disease detection. These resources provided the foundational knowledge for our analysis, ensuring accuracy beyond AI-generated summaries.

2.3. Using ChatGPT to Support the Process

ChatGPT was used as a research assistant to simplify complex concepts, summarize text from the dense papers, and help frame our analysis. It was particularly useful for breaking down deep learning models like U-Net and CNNs, explaining evaluation metrics (e.g., Dice score, sensitivity), and comparing different approaches across studies.

2.4. Prompts Used and Key Responses

To guide our understanding of the topic, we used a series of focused prompts with ChatGPT. These helped us simplify technical concepts, clarify the role of different models, and connect the technology to its real-world use in liver disease detection. Below are the actual prompts we used, along with a brief explanation of how each helped us:

What are the machine learning and deep learning models used in detection of liver diseases?

This prompt gave us a clear overview of the most commonly used models like CNNs, U-Net, logistic regression, and SVMs. ChatGPT also explained what each model is typically used for. For example, CNNs are great for analyzing images like CT scans, while logistic regression works well with clinical data. This was a great starting point for building our analysis.

What are the important features used during application of AI to the early detection of liver problems?

Here, ChatGPT highlighted key features like liver enzyme levels (ALT, AST), bilirubin, albumin, and even tumor shape and size from imaging data. It helped us understand which inputs are most useful when training AI models to detect liver issues early on.

What type of data is more useful and what techniques are used?

This response helped us differentiate between data types like why CT and MRI scans are crucial for image-based deep learning models, and why blood test results are important for machine learning models. It also introduced us to common techniques such as segmentation, classification, and transfer learning, which were helpful for framing our case study.

2.5. Limitation of using ChatGPT:

- While ChatGPT was helpful in breaking down complex ideas and summarizing information, some responses were too broad or lacked specific references.
- For example, when asked about features used in AI for early liver disease detection, it mentioned general concepts like pattern recognition but didn't always name particular tools or models.
- This meant we had to double-check the information and verify key points through other reliable sources.
- Overall, ChatGPT was useful for guidance, but careful review was needed to ensure accuracy and academic quality.

3. Analysis and Discussion

3.1 AI and Imaging Techniques

Artificial Intelligence in Liver Disease Diagnosis

The use of Artificial Intelligence (AI), especially deep learning and machine learning techniques, is transforming the field of hepatology. Various AI models such as convolutional neural networks (CNNs), support vector machines (SVMs), and decision trees are used to analyze complex clinical, radiological, and histological data. These techniques enable automated recognition and classification of liver conditions such as non-alcoholic fatty liver disease (NAFLD), fibrosis, cirrhosis, and hepatocellular carcinoma (HCC). Imaging modalities like CT scans, MRIs, and ultrasound images are fed into AI systems for feature extraction and pattern recognition. Some AI systems integrate laboratory and genomic data to predict disease progression or response to treatment.

Computer-Aided Detection (CAD) in Breast Ultrasound Imaging (ScienceDirect Article)

The CAD systems used in breast ultrasound are designed to assist radiologists in identifying and categorizing breast lesions. These systems apply image processing algorithms to ultrasound images to enhance visualization of lesions. CAD helps in determining lesion size, shape, margin characteristics, and echo patterns, which are key indicators in differentiating benign from malignant tumors. Techniques such as texture analysis, edge detection, and region segmentation are commonly implemented to extract features and aid classification.

3.2 Clinical Benefits and Goals

Improved Diagnostic Accuracy

AI systems have shown significant improvements in diagnostic precision by reducing human error and variability. In liver disease diagnosis, AI models can detect early signs of disease that might be subtle or overlooked by physicians. In breast imaging, CAD systems enhance radiologists' ability to distinguish between benign and malignant lesions, which can lead to early and accurate breast cancer detection.

Increased Efficiency in Clinical Workflow

Both AI in hepatology and CAD in imaging substantially reduce the workload for clinicians. AI can process vast amounts of patient data faster than human experts, accelerating the diagnostic process. CAD helps radiologists quickly identify suspicious areas without manually analyzing each frame of the ultrasound scan.

Support for Clinical Decision-Making

These technologies serve as decision-support tools rather than replacements for clinicians. AI and CAD systems offer additional data and second opinions, which help in making more confident and consistent clinical decisions. For example, an AI system might predict the likelihood of cirrhosis in a patient based on multiple clinical parameters, thereby guiding follow-up tests and interventions.

3.3 Potential Drawbacks and Concerns

Data Quality and Bias

AI models rely heavily on the data used during training. If the training data lacks diversity or includes mislabeled or incomplete data, the model's predictions may be biased or inaccurate. In liver disease

prediction, for instance, models trained predominantly on data from a particular population may not generalize well to others.

Interpretability of AI Decisions

Many AI models, particularly deep learning algorithms, operate as “black boxes,” where the reasoning behind a prediction is not easily understandable [1]. This lack of transparency poses a challenge for clinicians who must justify their medical decisions and gain patient trust.

Overdependence on Technology

There is a risk that clinicians might rely too heavily on AI outputs, potentially leading to misdiagnoses if the system makes an error. It's essential that clinicians use AI as an adjunct, not a replacement for clinical judgment.

Privacy and Security

AI systems require access to extensive patient data, including imaging and health records, raising concerns about data privacy, security breaches, and informed consent. Ensuring proper data anonymization and secure storage is critical.

3.4 Societal Effects and Legal Frameworks

Regulatory Approval and Oversight

Medical AI systems must undergo rigorous validation before deployment. Regulatory agencies like the FDA (U.S.) and EMA (Europe) require that these systems demonstrate clinical efficacy, safety, and reliability. However, current regulatory frameworks are still evolving to keep up with rapid AI advancements.

Legal Responsibility and Accountability

Legal liability is a major concern when AI systems make or contribute to incorrect clinical decisions. If a misdiagnosis occurs, it's often unclear whether the fault lies with the physician, the hospital, or the AI system's developers. This legal ambiguity requires updated policies and frameworks to assign responsibility clearly.

Societal Trust and Acceptance

To gain public trust, healthcare providers must be transparent about how AI is used in diagnosis and ensure that patients understand its role. There is also concern about the displacement of jobs due to automation. While AI is meant to assist rather than replace healthcare professionals, roles may evolve as new technologies become standard practice.

Equity and Access

Another societal implication is ensuring equal access to AI-assisted healthcare. Advanced AI systems may be costly and primarily available in well-funded institutions, potentially widening the gap between healthcare services in developed and developing regions.

4. Conclusion

The application of AI in liver disease diagnosis holds immense potential to enhance diagnostic precision, speed, and support for clinical decisions. However, the deployment of these technologies must be approached

2025 The AI/Data Science Professional: Assessment Task 1

with careful consideration of their limitations, ethical issues, and societal impacts. Addressing data quality, regulatory hurdles, transparency, and legal liability will be crucial for integrating AI safely and effectively into modern healthcare systems.

Contribution Sheet

Full Name	Student Number	Contribution Percentage	Signature
Sanjana Nelli	s4118893	33.33%	Sanjana Nelli
Neeharika Rimmanapudi	s4118918	33.33%	Neeharika Rimmanapudi
Prathibha Magesh	s3859590	33.33%	Prathibha Magesh

References

[1]Nishida, N., & Kudo, M. (2023). Artificial intelligence models for the diagnosis and management of liver diseases. *Ultrasonography*, 42(1), 10-19. <https://doi.org/10.14366/usg.22110>

[2]Zhou, X., Zhang, Y., Shi, M., Shi, H., & Zheng, Z. (2014). Early detection of liver disease using data visualisation and classification method. *Biomedical Signal Processing and Control*, 11, 27-35. <https://doi.org/10.1016/j.bspc.2014.01.005>

[3]Kshirsagar, P. R., Reddy, D. H., Dhingra, M., Dhabliya, D., & Gupta, A. (2022). Detection of liver disease using machine learning approach. In *2022 5th International Conference on Contemporary Computing and Informatics (IC3I)* (pp. 1824-1829). IEEE. <https://doi.org/10.1109/IC3I56241.2022.10073425>

[4]Youssef, M., Deif, M. A., ELGohary, R., Attar, H., Hafez, M., & Sharfo, S. M. (2023). Fox optimizer and logistic regression for liver diseases classification. In *2023 2nd International Engineering Conference on Electrical, Energy, and Artificial Intelligence (EICEEAI)* (pp. 1-5). IEEE. <https://doi.org/10.1109/EICEEAI60672.2023.10590225>

[5]Shende, V. G., Jency, A., Pavithra, K., Jayasudha, T., Venkatesan, G., & Sharma, M. (2023). Detection of behavioral patterns of viral hepatitis using data mining. In *2023 4th International Conference on Smart Electronics and Communication (ICOSEC)* (pp. 315-319). IEEE. <https://doi.org/10.1109/ICOSEC58147.2023.10276322>

Appendix A: Use of ChatGPT :

This report used ChatGPT (OpenAI, 2025) as a research support tool to help clarify technical concepts and explore key ideas related to AI. Prompts included:

- what are the machine learning models used in detection of liver diseases?
- what are the deep learning techniques used?
- What type of data is more useful and what techniques are used?
- what are the important features used during application of AI to the early detection of liver problems?

ChatGPT was most helpful in clarifying concepts and breaking down complex terminology. However, responses were verified and supplemented with academic sources to ensure factual accuracy and depth of analysis.