
SE LAB7
SRN:PES1UG24CS925
SECTION: I
NAME: PRATHIKSHA B P

SS1:



SS2:

```
PS C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission> python -m pytest -v test_phone_repair_quote_parser.py
============================================================ test session starts ============================================================
platform win32 -- Python 3.14.4, pytest-8.4.2, pluggy-1.7.0 -- C:\Python314\python.exe
cachedir: .pytest_cache
hypothesis profile 'default'
rootdir: C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission
plugins: hypothesis-6.170.15, django-4.14.0
collected 3 items

test_phone_repair_quote_parser.py::test_mask_imei_no_crash FAILED                                                                  [ 33%]
test_phone_repair_quote_parser.py::test_parse_parts_order_no_crash FAILED                                                          [ 66%]
test_phone_repair_quote_parser.py::test_parse_model_no_crash FAILED                                                                [100%]

================================================================= FAILURES ==================================================================
_____________________________________________________________ test_mask_imei_no_crash _____________________________________________________________

s = None

    @given(st.text() | st.none())
    def test_mask_imei_no_crash(s):
        try:
>           mask_imei(s)

test_phone_repair_quote_parser.py:15:
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -

imei = None

    def mask_imei(imei):
        """
        Removes dashes and spaces, then hides all but the last four digits.
        Assumes imei is a non-empty string.
        """
>       imei = imei.replace('-', '').replace(' ', '')
               ^^^^^^^^^^^
E       AttributeError: 'NoneType' object has no attribute 'replace'

phone_repair_quote_parser.py:6: AttributeError
```

```
    | )
    | Explanation:
    |     These lines were always and only run by failing test cases:
    |         C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission\test_phone_repair_quote_parser.py:34
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission\test_phone_repair_quote_parser.py", line 33, in test_parse_
model_no_crash
    |     parse_model(s)
    |     ~~~~~~~~~~~~^^^
    |   File "C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission\phone_repair_quote_parser.py", line 27, in parse_model
    |     brand, model = text.strip().split(' ', 1)
    |                    ^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'strip'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission\test_phone_repair_quote_parser.py", line 35, in test_parse_
model_no_crash
    |     assert False, f"parse_model crashed with: {e}"
    | AssertionError: parse_model crashed with: 'NoneType' object has no attribute 'strip'
    | assert False
    | Failing test case: test_parse_model_no_crash(
    |     s=None,
    | )
    | Explanation:
    |     These lines were always and only run by failing test cases:
    |         C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission\test_phone_repair_quote_parser.py:34
    +------------------------------------
========================================================== short test summary info ==========================================================
FAILED test_phone_repair_quote_parser.py::test_mask_imei_no_crash - AssertionError: mask_imei crashed with: 'NoneType' object has no attribute '
replace'
FAILED test_phone_repair_quote_parser.py::test_parse_parts_order_no_crash - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-excepti
ons)
FAILED test_phone_repair_quote_parser.py::test_parse_model_no_crash - ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
============================================================ 3 failed in 8.86s ============================================================
PS C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission>
```


SS3;

```
PS C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission> python phone_repair_quote_parser.py
==== Running mask_imei ====
Enter an IMEI number (e.g. 35-209900-176148-1): 35-209900-176148-1
Masked IMEI: **********1481

==== Running parse_parts_order ====
Enter parts and quantities as PART xQTY separated by ; (e.g. screen x1; battery x2): screenx3; batteryx6
Parts order: {'screen': 3, 'battery': 6}

==== Running parse_model ====
Enter the phone brand and model (e.g. Samsung Galaxy S23): realme 11
Brand and model: ('Realme', '11')
PS C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission>
```

SS4;


PS C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission> python -m pytest -v test_phone_repair_quote_parser.py
test session starts
platform win32 -- Python 3.14.4, pytest-8.4.2, pluggy-1.7.0 -- C:\Python314\python.exe
cachedir: .pytest_cache
hypothesis profile 'default'
rootdir: C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission
plugins: hypothesis-6.170.15, django-4.14.0
collected 3 items
test_phone_repair_quote_parser.py::test_mask_imei_no_crash PASSED [33%]
test_phone_repair_quote_parser.py::test_parse_parts_order_no_crash PASSED [66%]
test_phone_repair_quote_parser.py::test_parse_model_no_crash PASSED [100%]
3 passed in 3.50s
PS C:\Users\prath\Downloads\Lab7_all_files_follow_handout\LAB7\submission>