Status	Finished
Started	Tuesday, 20 October 2026, 6:49 PM
Completed	Tuesday, 20 October 2026, 6:52 PM
Duration	3 mins 39 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Janice', 'Emily', 'John']

b. ['Emily', 'John', 'Erik'] ✓

c. ['Janice', 'Emily', 'John', 'Eleanor']

d. ['Janice', 'John', 'Erik']

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

- a. a,b
- b. b,c
- c. c,d,e
- d. d,e,f ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is feature of Dictionary?

- a. Dictionary is mutable.
- b. All of the mentioned ✓
- c. Keys must be of an immutable data type.
- d. Keys are unique within a dictionary.

Question **4**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

- a. update
- b. get ✓
- c. values
- d. del

Question **5**

Correct

Mark 1.00 out of 1.00

Suppose d = {"john":40, "peter":45}, to delete the entry for "john" what command do we use?

a. d.delete("john")

b. del d("john":40)

c. d.delete("john":40)

d. del d["john"] ✓

Question **6**

Correct

Mark 1.00 out of 1.00

clear() method is used to delete the dictionary.

a. False ✓

b. True

Question **7**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **8**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

- True
- False ✓

Question **9**

Correct

Mark 1.00 out of 1.00

____ function returns the number of key: value pairs of the dictionary.

- a. len ✓
- b. length
- c. items
- d. total

Question **10**

Incorrect

Mark 0.00 out of 1.00

Write the output of the following codes.
>>>dl={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()

- a. [1, 2, 3, 4, 5]
- b. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]
- c. [10, 20, 30, 40, 50]
- d. Error ✗

Question **11**

Correct

Mark 1.00 out of 1.00

1,2,3 are the ____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

a. Values
b. Items
c. Keys ✓
d. None of the mentioned

Question **12**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

a. False
b. True ✓

Question **13**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by ____.

a. Semicolon(;)
b. dot(.)
c. Comma(,) ✓
d. Colon (

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. dict ✓
b. convert
c. dictionary
d. create

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

a. None of the mentioned

b. L = [ ]

c. C = ( )

d. D = { } ✓