School of Computing and Data Science
Sai University
Practice Set 5: C++ Basics

1. Define a class `Rectangle` with data members `length` and `breadth`. Write a constructor to initialize both and a member function to calculate the area.

2. Write a program to create a class `Student` with data members `name`, `age`, and `marks`. Implement both a default constructor and a parameterized constructor to initialize the data.

3. Create a class `Complex` with two data members `real` and `imag`. Overload constructors to:
   - Initialize both to zero (default constructor).
   - Initialize with one value (real part only).
   - Initialize with two values (real and imaginary parts).

4. Implement a class `BankAccount` with data members `accountNumber`, `balance`. Write multiple constructors for:
   - Default initialization.
   - Initialization with account number only.
   - Initialization with account number and balance.

5. Write a C++ program with a class `Time` having data members `hours`, `minutes`, `seconds`. Overload constructors to:
   - Initialize all with zero.
   - Initialize hours and minutes, seconds defaulted to zero.
   - Initialize all three.

6. Design a class `Book` with attributes `title`, `author`, and `price`. Provide constructor overloading to allow creating:
   - Book with title only.
   - Book with title and author.
   - Book with title, author, and price.

7. Create a class `Distance` with data members `feet` and `inches`. Implement constructors for:
   - Default initialization.
   - Initialization using feet only.
   - Initialization using feet and inches.
   Also, write a function to display the distance.

8. Define a class `Car` with members `brand`, `model`, and `price`. Overload

constructors to:

- Initialize brand only.
- Initialize brand and model.
- Initialize brand, model, and price.

9. Write a program to create a class `Employee` with data members `name`, `id`, and `salary`. Implement:

   - A constructor that initializes name and id only.
   - A constructor that initializes all three values.

10. Create a class `Fraction` with numerator and denominator. Overload constructors to:

    - Initialize fraction as 0/1.
    - Initialize with numerator only (denominator = 1).
    - Initialize with numerator and denominator.

    Also, add a member function to reduce the fraction to simplest form.