INDIVIDUAL CASE SAFETY REPORT

ICSR Narrative Assessment Report

Workora Pharmacovigilance Training – Task 5

Prepared by	Prathmesh Vijay Nikum
Report type	Synthetic ICSR narrative and case assessment
Case series	12 de-identified training cases (SYN-PV-001 to SYN-PV-012)
Scope	Patient, product, reaction, chronology, seriousness, outcome, reporter and MedDRA PT/SOC mapping

Document status: Training / educational use only

All cases and identifiers are fictional and de-identified. This document is not a clinical or regulatory submission. Unknown information has been retained as unknown and no causality has been inferred from the information supplied.

1. Report Overview

This report compiles the 12 synthetic pharmacovigilance cases provided in the Workora training pack into an audit-oriented ICSR narrative format. Each case is presented using the available source information only. The reported adverse event is mapped to a MedDRA Preferred Term (PT) and System Organ Class (SOC). Numeric MedDRA codes are not included because the supplied training pack does not provide a MedDRA version or code list.

Case	Patient	Suspect product	Reaction	Seriousness	Outcome
SYN-PV-001	30 / Male	Amoxicillin	Rash	Medically important	Not recovered
SYN-PV-002	36 / Unknown	Atorvastatin	Myalgia	Not serious	Recovered
SYN-PV-003	34 / Female	Metformin	Nausea	Hospitalisation	Recovered
SYN-PV-004	61 / Male	Amlodipine	Peripheral oedema	Medically important	Recovered
SYN-PV-005	33 / Unknown	Ciprofloxacin	Tendon pain	Medically important	Not recovered
SYN-PV-006	31 / Unknown	Sertraline	Dizziness	Medically important	Recovering
SYN-PV-007	63 / Male	Omeprazole	Headache	Medically important	Recovered
SYN-PV-008	36 / Male	Losartan	Fatigue	Not serious	Recovering
SYN-PV-009	78 / Unknown	Amoxicillin	Rash	Medically important	Recovering
SYN-PV-010	57 / Female	Atorvastatin	Myalgia	Hospitalisation	Recovered
SYN-PV-011	23 / Unknown	Metformin	Nausea	Medically important	Recovering
SYN-PV-012	24 / Female	Amlodipine	Peripheral oedema	Medically important	Not recovered

Note: Seriousness categories are reproduced from the source cases. “Severity” and “regulatory seriousness” are not treated as interchangeable concepts.

SYN-PV-001 — Individual Case Safety Report

Field	Source information
Patient	30 years; Male
Suspect product	Amoxicillin
Dose / route	20 mg once daily; Oral
Indication	Anxiety
Reported reaction	Rash
Time to onset	17 day(s) after treatment began
Expectedness / reference	Known — Synthetic Core Data Sheet v1.0
Regulatory seriousness	Medically important
Dechallenge	Negative
Rechallenge	Positive
Concomitant medicines	None reported
Reporter	Consumer

MedDRA Mapping

Reported term	Preferred Term (PT)	System Organ Class (SOC)
Rash	Rash	Skin and subcutaneous tissue disorders

Clinical / Safety Narrative

A 30-year-old patient received Amoxicillin orally for a documented indication. Rash was reported 17 day(s) after treatment began. The reporter stated that treatment was stopped and the patient was not recovered at follow-up. Medical history and concomitant medicines are listed in the companion fields; facts not present must be recorded as unknown.

Case Assessment Notes

• The reported reaction is documented as Rash and mapped to the PT “Rash” under the SOC “Skin and subcutaneous tissue disorders”.

• The source case classifies the event as “Medically important”; this classification is retained without adding an unsupported seriousness criterion.

• Dechallenge is recorded as “Negative” and rechallenge as “Positive”.

• Outcome at follow-up: Not recovered at follow-up.

• No additional medical history, laboratory data, treatment details, or diagnostic information have been assumed where these were not supplied.

SYN-PV-002 — Individual Case Safety Report

Field	Source information
Patient	36 years; Unknown
Suspect product	Atorvastatin
Dose / route	5 mg once daily; Oral
Indication	Anxiety
Reported reaction	Myalgia
Time to onset	1 day(s) after treatment began
Expectedness / reference	Known — Synthetic Core Data Sheet v1.0
Regulatory seriousness	Not serious
Dechallenge	Unknown
Rechallenge	Negative
Concomitant medicines	None reported
Reporter	Pharmacist

MedDRA Mapping

Reported term	Preferred Term (PT)	System Organ Class (SOC)
Myalgia	Myalgia	Musculoskeletal and connective tissue disorders

Clinical / Safety Narrative

A 36-year-old patient received Atorvastatin orally for a documented indication. Myalgia was reported 1 day(s) after treatment began. The reporter stated that treatment was stopped and the patient was recovered. Medical history and concomitant medicines are listed in the companion fields; facts not present must be recorded as unknown.

Case Assessment Notes

• The reported reaction is documented as Myalgia and mapped to the PT “Myalgia” under the SOC “Musculoskeletal and connective tissue disorders”.

• The source case classifies the event as “Not serious”; this classification is retained without adding an unsupported seriousness criterion.

• Dechallenge is recorded as “Unknown” and rechallenge as “Negative”.

• Outcome at follow-up: Recovered at follow-up.

• No additional medical history, laboratory data, treatment details, or diagnostic information have been assumed where these were not supplied.

SYN-PV-003 — Individual Case Safety Report

Field	Source information
Patient	34 years; Female
Suspect product	Metformin
Dose / route	5 mg once daily; Oral
Indication	Anxiety
Reported reaction	Nausea
Time to onset	13 day(s) after treatment began
Expectedness / reference	Known — Synthetic Core Data Sheet v1.0
Regulatory seriousness	Hospitalisation
Dechallenge	Negative
Rechallenge	Negative
Concomitant medicines	Vitamin D
Reporter	Consumer

MedDRA Mapping

Reported term	Preferred Term (PT)	System Organ Class (SOC)
Nausea	Nausea	Gastrointestinal disorders

Clinical / Safety Narrative

A 34-year-old patient received Metformin orally for a documented indication. Nausea was reported 13 day(s) after treatment began. The reporter stated that treatment was stopped and the patient was recovered. Medical history and concomitant medicines are listed in the companion fields; facts not present must be recorded as unknown.

Case Assessment Notes

• The reported reaction is documented as Nausea and mapped to the PT “Nausea” under the SOC “Gastrointestinal disorders”.

• The source case classifies the event as “Hospitalisation”; this classification is retained without adding an unsupported seriousness criterion.

• Dechallenge is recorded as “Negative” and rechallenge as “Negative”.

• Outcome at follow-up: Recovered at follow-up.

• No additional medical history, laboratory data, treatment details, or diagnostic information have been assumed where these were not supplied.

SYN-PV-004 — Individual Case Safety Report

Field	Source information
Patient	61 years; Male
Suspect product	Amlodipine
Dose / route	500 mg twice daily; Oral
Indication	Anxiety
Reported reaction	Peripheral oedema
Time to onset	21 day(s) after treatment began
Expectedness / reference	Known — Synthetic Core Data Sheet v1.0
Regulatory seriousness	Medically important
Dechallenge	Positive
Rechallenge	Negative
Concomitant medicines	None reported
Reporter	Pharmacist

MedDRA Mapping

Reported term	Preferred Term (PT)	System Organ Class (SOC)
Peripheral oedema	Peripheral oedema	General disorders and administration site conditions

Clinical / Safety Narrative

A 61-year-old patient received Amlodipine orally for a documented indication. Peripheral oedema was reported 21 day(s) after treatment began. The reporter stated that treatment was stopped and the patient was recovered. Medical history and concomitant medicines are listed in the companion fields; facts not present must be recorded as unknown.

Case Assessment Notes

• The reported reaction is documented as Peripheral oedema and mapped to the PT “Peripheral oedema” under the SOC “General disorders and administration site conditions”.

• The source case classifies the event as “Medically important”; this classification is retained without adding an unsupported seriousness criterion.

• Dechallenge is recorded as “Positive” and rechallenge as “Negative”.

• Outcome at follow-up: Recovered at follow-up.

• No additional medical history, laboratory data, treatment details, or diagnostic information have been assumed where these were not supplied.

SYN-PV-005 — Individual Case Safety Report

Field	Source information
Patient	33 years; Unknown
Suspect product	Ciprofloxacin
Dose / route	500 mg twice daily; Oral
Indication	Infection
Reported reaction	Tendon pain
Time to onset	15 day(s) after treatment began
Expectedness / reference	Known — Synthetic Core Data Sheet v1.0
Regulatory seriousness	Medically important
Dechallenge	Unknown
Rechallenge	Not done
Concomitant medicines	None reported
Reporter	Pharmacist

MedDRA Mapping

Reported term	Preferred Term (PT)	System Organ Class (SOC)
Tendon pain	Tendon pain	Musculoskeletal and connective tissue disorders

Clinical / Safety Narrative

A 33-year-old patient received Ciprofloxacin orally for a documented indication. Tendon pain was reported 15 day(s) after treatment began. The reporter stated that treatment was stopped and the patient was not recovered at follow-up. Medical history and concomitant medicines are listed in the companion fields; facts not present must be recorded as unknown.

Case Assessment Notes

• The reported reaction is documented as Tendon pain and mapped to the PT “Tendon pain” under the SOC “Musculoskeletal and connective tissue disorders”.

• The source case classifies the event as “Medically important”; this classification is retained without adding an unsupported seriousness criterion.

• Dechallenge is recorded as “Unknown” and rechallenge as “Not done”.

• Outcome at follow-up: Not recovered at follow-up.

• No additional medical history, laboratory data, treatment details, or diagnostic information have been assumed where these were not supplied.

SYN-PV-006 — Individual Case Safety Report

Field	Source information
Patient	31 years; Unknown
Suspect product	Sertraline
Dose / route	20 mg once daily; Oral
Indication	Hypertension
Reported reaction	Dizziness
Time to onset	3 day(s) after treatment began
Expectedness / reference	Known — Synthetic Core Data Sheet v1.0
Regulatory seriousness	Medically important
Dechallenge	Positive
Rechallenge	Not done
Concomitant medicines	Paracetamol
Reporter	Physician

MedDRA Mapping

Reported term	Preferred Term (PT)	System Organ Class (SOC)
Dizziness	Dizziness	Nervous system disorders

Clinical / Safety Narrative

A 31-year-old patient received Sertraline orally for a documented indication. Dizziness was reported 3 day(s) after treatment began. The reporter stated that treatment was stopped and the patient was recovering. Medical history and concomitant medicines are listed in the companion fields; facts not present must be recorded as unknown.

Case Assessment Notes

• The reported reaction is documented as Dizziness and mapped to the PT “Dizziness” under the SOC “Nervous system disorders”.

• The source case classifies the event as “Medically important”; this classification is retained without adding an unsupported seriousness criterion.

• Dechallenge is recorded as “Positive” and rechallenge as “Not done”.

• Outcome at follow-up: Recovering at follow-up.

• No additional medical history, laboratory data, treatment details, or diagnostic information have been assumed where these were not supplied.

SYN-PV-007 — Individual Case Safety Report

Field	Source information
Patient	63 years; Male
Suspect product	Omeprazole
Dose / route	500 mg twice daily; Oral
Indication	Hypertension
Reported reaction	Headache
Time to onset	16 day(s) after treatment began
Expectedness / reference	Known — Synthetic Core Data Sheet v1.0
Regulatory seriousness	Medically important
Dechallenge	Negative
Rechallenge	Negative
Concomitant medicines	Paracetamol
Reporter	Consumer

MedDRA Mapping

Reported term	Preferred Term (PT)	System Organ Class (SOC)
Headache	Headache	Nervous system disorders

Clinical / Safety Narrative

A 63-year-old patient received Omeprazole orally for a documented indication. Headache was reported 16 day(s) after treatment began. The reporter stated that treatment was stopped and the patient was recovered. Medical history and concomitant medicines are listed in the companion fields; facts not present must be recorded as unknown.

Case Assessment Notes

• The reported reaction is documented as Headache and mapped to the PT “Headache” under the SOC “Nervous system disorders”.

• The source case classifies the event as “Medically important”; this classification is retained without adding an unsupported seriousness criterion.

• Dechallenge is recorded as “Negative” and rechallenge as “Negative”.

• Outcome at follow-up: Recovered at follow-up.

• No additional medical history, laboratory data, treatment details, or diagnostic information have been assumed where these were not supplied.

SYN-PV-008 — Individual Case Safety Report

Field	Source information
Patient	36 years; Male
Suspect product	Losartan
Dose / route	5 mg once daily; Oral
Indication	Infection
Reported reaction	Fatigue
Time to onset	2 day(s) after treatment began
Expectedness / reference	Unexpected — Synthetic Core Data Sheet v1.0
Regulatory seriousness	Not serious
Dechallenge	Negative
Rechallenge	Not done
Concomitant medicines	Paracetamol
Reporter	Pharmacist

MedDRA Mapping

Reported term	Preferred Term (PT)	System Organ Class (SOC)
Fatigue	Fatigue	General disorders and administration site conditions

Clinical / Safety Narrative

A 36-year-old patient received Losartan orally for a documented indication. Fatigue was reported 2 day(s) after treatment began. The reporter stated that treatment was stopped and the patient was recovering. Medical history and concomitant medicines are listed in the companion fields; facts not present must be recorded as unknown.

Case Assessment Notes

• The reported reaction is documented as Fatigue and mapped to the PT “Fatigue” under the SOC “General disorders and administration site conditions”.

• The source case classifies the event as “Not serious”; this classification is retained without adding an unsupported seriousness criterion.

• Dechallenge is recorded as “Negative” and rechallenge as “Not done”.

• Outcome at follow-up: Recovering at follow-up.

• No additional medical history, laboratory data, treatment details, or diagnostic information have been assumed where these were not supplied.

SYN-PV-009 — Individual Case Safety Report

Field	Source information
Patient	78 years; Unknown
Suspect product	Amoxicillin
Dose / route	5 mg once daily; Oral
Indication	Anxiety
Reported reaction	Rash
Time to onset	7 day(s) after treatment began
Expectedness / reference	Known — Synthetic Core Data Sheet v1.0
Regulatory seriousness	Medically important
Dechallenge	Positive
Rechallenge	Not done
Concomitant medicines	Vitamin D
Reporter	Physician

MedDRA Mapping

Reported term	Preferred Term (PT)	System Organ Class (SOC)
Rash	Rash	Skin and subcutaneous tissue disorders

Clinical / Safety Narrative

A 78-year-old patient received Amoxicillin orally for a documented indication. Rash was reported 7 day(s) after treatment began. The reporter stated that treatment was stopped and the patient was recovering. Medical history and concomitant medicines are listed in the companion fields; facts not present must be recorded as unknown.

Case Assessment Notes

• The reported reaction is documented as Rash and mapped to the PT “Rash” under the SOC “Skin and subcutaneous tissue disorders”.

• The source case classifies the event as “Medically important”; this classification is retained without adding an unsupported seriousness criterion.

• Dechallenge is recorded as “Positive” and rechallenge as “Not done”.

• Outcome at follow-up: Recovering at follow-up.

• No additional medical history, laboratory data, treatment details, or diagnostic information have been assumed where these were not supplied.

SYN-PV-010 — Individual Case Safety Report

Field	Source information
Patient	57 years; Female
Suspect product	Atorvastatin
Dose / route	5 mg once daily; Oral
Indication	Infection
Reported reaction	Myalgia
Time to onset	21 day(s) after treatment began
Expectedness / reference	Known — Synthetic Core Data Sheet v1.0
Regulatory seriousness	Hospitalisation
Dechallenge	Unknown
Rechallenge	Negative
Concomitant medicines	Paracetamol
Reporter	Pharmacist

MedDRA Mapping

Reported term	Preferred Term (PT)	System Organ Class (SOC)
Myalgia	Myalgia	Musculoskeletal and connective tissue disorders

Clinical / Safety Narrative

A 57-year-old patient received Atorvastatin orally for a documented indication. Myalgia was reported 21 day(s) after treatment began. The reporter stated that treatment was stopped and the patient was recovered. Medical history and concomitant medicines are listed in the companion fields; facts not present must be recorded as unknown.

Case Assessment Notes

• The reported reaction is documented as Myalgia and mapped to the PT “Myalgia” under the SOC “Musculoskeletal and connective tissue disorders”.

• The source case classifies the event as “Hospitalisation”; this classification is retained without adding an unsupported seriousness criterion.

• Dechallenge is recorded as “Unknown” and rechallenge as “Negative”.

• Outcome at follow-up: Recovered at follow-up.

• No additional medical history, laboratory data, treatment details, or diagnostic information have been assumed where these were not supplied.

SYN-PV-011 — Individual Case Safety Report

Field	Source information
Patient	23 years; Unknown
Suspect product	Metformin
Dose / route	5 mg once daily; Oral
Indication	Hypertension
Reported reaction	Nausea
Time to onset	19 day(s) after treatment began
Expectedness / reference	Known — Synthetic Core Data Sheet v1.0
Regulatory seriousness	Medically important
Dechallenge	Unknown
Rechallenge	Positive
Concomitant medicines	None reported
Reporter	Consumer

MedDRA Mapping

Reported term	Preferred Term (PT)	System Organ Class (SOC)
Nausea	Nausea	Gastrointestinal disorders

Clinical / Safety Narrative

A 23-year-old patient received Metformin orally for a documented indication. Nausea was reported 19 day(s) after treatment began. The reporter stated that treatment was stopped and the patient was recovering. Medical history and concomitant medicines are listed in the companion fields; facts not present must be recorded as unknown.

Case Assessment Notes

• The reported reaction is documented as Nausea and mapped to the PT “Nausea” under the SOC “Gastrointestinal disorders”.

• The source case classifies the event as “Medically important”; this classification is retained without adding an unsupported seriousness criterion.

• Dechallenge is recorded as “Unknown” and rechallenge as “Positive”.

• Outcome at follow-up: Recovering at follow-up.

• No additional medical history, laboratory data, treatment details, or diagnostic information have been assumed where these were not supplied.

SYN-PV-012 — Individual Case Safety Report

Field	Source information
Patient	24 years; Female
Suspect product	Amlodipine
Dose / route	5 mg once daily; Oral
Indication	Hypertension
Reported reaction	Peripheral oedema
Time to onset	4 day(s) after treatment began
Expectedness / reference	Known — Synthetic Core Data Sheet v1.0
Regulatory seriousness	Medically important
Dechallenge	Unknown
Rechallenge	Positive
Concomitant medicines	None reported
Reporter	Pharmacist

MedDRA Mapping

Reported term	Preferred Term (PT)	System Organ Class (SOC)
Peripheral oedema	Peripheral oedema	General disorders and administration site conditions

Clinical / Safety Narrative

A 24-year-old patient received Amlodipine orally for a documented indication. Peripheral oedema was reported 4 day(s) after treatment began. The reporter stated that treatment was stopped and the patient was not recovered at follow-up. Medical history and concomitant medicines are listed in the companion fields; facts not present must be recorded as unknown.

Case Assessment Notes

• The reported reaction is documented as Peripheral oedema and mapped to the PT “Peripheral oedema” under the SOC “General disorders and administration site conditions”.

• The source case classifies the event as “Medically important”; this classification is retained without adding an unsupported seriousness criterion.

• Dechallenge is recorded as “Unknown” and rechallenge as “Positive”.

• Outcome at follow-up: Not recovered at follow-up.

• No additional medical history, laboratory data, treatment details, or diagnostic information have been assumed where these were not supplied.

2. Consolidated Coding and Quality Notes

The case narratives were prepared from the supplied Workora synthetic case file. The following principles were applied throughout the report:

• Unknown or unspecified information is retained as unknown rather than completed by inference.

• The reported reaction is kept distinct from the indication and from the suspect product.

• Regulatory seriousness is reproduced from the source case and is not replaced by an assumed severity grade.

• Dechallenge and rechallenge observations are reported as provided; they are not converted into a causality conclusion.

• Expectedness is reported against the synthetic reference supplied with the training pack.

• MedDRA mapping is presented at PT and SOC level. Numeric codes are omitted because no terminology version/code set was supplied.

3. Source and Training Disclaimer

Source: Workora Synthetic Pharmacovigilance Training Pack — ICSR source cases, blank ICSR fields and synthetic coding reference. All case identifiers and clinical details are fictional and de-identified for educational analysis. This report is intended solely as a training deliverable and must not be used as a clinical record or regulatory submission.