

## Experiment No 7

### AIM: Installing SonarQube from the Docker Image

```
$ docker run -d --name sonarqube -e SONAR_ES_BOOTSTRAP_CHECKS_DISABLE=true -p 9000:9000
```

Sonarqube:latest

```
PS D:\Desktop\DockerFile> docker run -d --name sonarqube -e SONAR_ES_BOOTSTRAP_CHECKS_DISABLE=true -p 9000:9000 sonarqube:latest
Unable to find image 'sonarqube:latest' locally
latest: Pulling from library/sonarqube
44ba2882f8eb: Pull complete
2cabec57fa36: Pull complete
c20481384b6a: Pull complete
bf7b17ee74f8: Pull complete
38617faac714: Pull complete
b795b715553d: Pull complete
c5244f6c9231: Pull complete
Digest: sha256:1fffd122cfb37ce982289dc7f5d38bb702ba05af7b5a50f7cb077ae25e60b5b9a
Status: Downloaded newer image for sonarqube:latest
1442c4e613b25aaedec05c060f020a00802b1c6dbaa27e8c5c0dad4ed8fc1f76
```

The screenshot shows the Docker Desktop 'Images' tab. It displays a table with one image installed locally: 'sonarqube' with tag 'latest'. The image size is 715.97 MB. The status is 'In use'.

Name	Tag	Status	Created	Size	Actions
sonarqube bb91606199eb	latest	In use	17 days ago	715.97 MB	


go to the SonarQube page by typing:

http://localhost:9000/ on your browser.

Installation is successful if you see this page

The screenshot shows the SonarQube login page. It has a title 'Log in to SonarQube' and two input fields: 'admin' for the username and '\*\*\*\*\*' for the password. There are 'Log in' and 'Cancel' buttons at the bottom.

# Update to new password



← → localhost:9000/projects/create

Gmail YouTube Translate What's New in Dev...

sonarqube Projects Issues Rules Quality Profiles Quality Gates Administration More Q

### How do you want to create your project?

Do you want to benefit from all of SonarQube's features (like repository import and Pull Request decoration)?  
Create your project from your favorite DevOps platform.  
First, you need to set up a DevOps platform configuration.

Import from Azure DevOps Setup

Import from Bitbucket Cloud Setup

Import from Bitbucket Server Setup


Import from GitHub Setup

Import from GitLab Setup

Are you just testing or have an advanced use-case? Create a project manually.

Create project manually

## Create project manually: Here project name is “AdDevops”



sonarqube Projects Issues Rules Quality Profiles Quality Gates Administration More Q

### 1 of 2 Create a local project

Project display name \*  
sonarqube-exp? ✓

Project key \*  
sonarqube-key-exp? ✓


Main branch name \*  
main  
The name of your project's default branch [Learn More](#)

Cancel Next

Embedded database should be used for evaluation purposes only  
The embedded database will not scale, it will not support upgrading to newer versions of SonarQube, and there is no support for migrating your data out of it into a different database engine.

SonarQube™ technology is powered by [SonarSource SA](#)

Community Edition v10.6 (92116) ACTIVE LGPL v3 Community Documentation Plugins Web API



localhost:9000/projects/create?mode=manual&source=true

sonarqube Projects Issues Rules Quality Profiles Quality Gates Administration More Q

### 2 of 2 Set up project for Clean as You Code

The new code definition sets which part of your code will be considered new code. This helps you focus attention on the most recent changes to your project, enabling you to follow the Clean as You Code methodology. [Learn more: Defining New Code](#)

Choose the baseline for new code for this project

☒ Use the global setting

Previous version  
Any code that has changed since the previous version is considered new code.  
Recommended for projects following regular versions or releases.

☐ Define a specific setting for this project

☐ Previous version  
Any code that has changed since the previous version is considered new code.  
Recommended for projects following regular versions or releases.

☐ Number of days  
Any code that has changed in the last x days is considered new code. If no action is taken on a new issue after x days, this issue will become part of the overall code.  
Recommended for projects following continuous delivery.

☐ Reference branch  
Choose a branch as the baseline for the new code.  
Recommended for projects using feature branches.

Back Create project

## open Jenkins

Go to Dashboard -> Manage Jenkins -> Plugin Manager and search for SonarQube Scanner under Available plugins for Jenkins and install without restart.

### Plugins

Install	Name	Released
<input checked="" type="checkbox"/>	<b>SonarQube Scanner</b> 2.15 <a href="#">External Site/Tool Integrations</a> <a href="#">Build Reports</a> This plugin allows an easy integration of <a href="#">SonarQube</a> , the open source platform for Continuous Inspection of code quality.	10 mo ago
<input type="checkbox"/>	<b>Sonar Gerrit</b> 384.vdb.755265c28d <a href="#">External Site/Tool Integrations</a> This plugin allows to submit issues from <a href="#">SonarQube</a> to <a href="#">Gerrit</a> as comments directly.	20 days ago
<input type="checkbox"/>	<b>SonarQube Generic Coverage</b> 1.0 TODO	4 yr 1 mo ago

Install without restart

Download now and install after restart

Update information obtained: 1 day 11 hr ago

Check now

### Download progress

#### Preparation

- Checking internet connectivity
- Checking update center connectivity
- Success

- SSH server ☒ Success
- Deploy to container ☒ Success
- Loading plugin extensions ☒ Success
- SonarQube Scanner ☒ Success
- Loading plugin extensions ☒ Success

→ [Go back to the top page](#)

(you can start using the installed plugins right away)

→ ☐ Restart Jenkins when installation is complete and no jobs are running

## Under Jenkins ,

Dashboard -> Manage Jenkins -> Configure System ,  
Look for SonarQube Servers and enter the details. Enter the Server Authentication Token if needed.

localhost:8080/manage/configure

Dashboard > Manage Jenkins > System

### SonarQube servers

If checked, job administrators will be able to inject a SonarQube server configuration as environment variables in the build.

☒ Environment variables

#### SonarQube installations

List of SonarQube installations

Name

SonarQube

Server URL

Default is http://localhost:9000

http://localhost:9000

Server authentication token

SonarQube authentication token. Mandatory when anonymous access is disabled.

- none -

+ Add

Advanced

Add SonarQube

Save Apply

Search SonarQube Scanner under Dashboard -> Manage Jenkins -> Global Tool Configuration.

**Choose the latest configuration and choose Install Automatically.**

localhost:8080/manage/configureTools/

Dashboard > Manage Jenkins > Tools

### SonarQube Scanner installations

SonarQube Scanner installations Edited

Add SonarQube Scanner

**SonarQube Scanner**

Name

SonarQube

☒ Install automatically

**Install from Maven Central**

Version

SonarQube Scanner 6.2.0.4584

Add Installer

Add SonarQube Scanner

### Ant installations

Save Apply

## create a New Item in Jenkins, choose a freestyle project.

localhost:8080/view/all/newJob

Jenkins

Search (CTRL+K)

Prathamesh parmeshwar palve log out

Dashboard > All > New Item

### New Item

Enter an item name

adv DevOps exp-7

Select an item type

- Freestyle project**  
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.
- Pipeline**  
Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.
- Multi-configuration project**  
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.
- Folder**  
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.
- Multibranch Pipeline**  
Creates a set of Pipeline projects according to detected branches in one SCM repository.
- Organization Folder**  
Creates a set of multibranch project subfolders by scanning for repositories.

OK

## Choose this GitHub repository in Source Code Management.

[https://github.com/shazforiot/MSBuild\\_firstproject.git](https://github.com/shazforiot/MSBuild_firstproject.git)

Under Build -> Execute SonarQube Scanner, enter these Analysis properties. Mention the SonarQube Project Key, Login, Password, and Host URL.

sonar.projectKey=SonarQueue-key

sonar.login=admin

sonar.password=admin

sonar.hosturl=<http://localhost:9000/>

Dashboard > adv DevOps exp-7 > Configuration

### Configure

- General
- Source Code Management
- Build Triggers
- Build Environment
- Build Steps
- Post-build Actions

Description

adv DevOps exp - 7

Plain text [Preview](#)

☐ Discard old builds ?

☒ GitHub project

Project url ?

[https://github.com/shazforiot/MSBuild\\_firstproject.git/](https://github.com/shazforiot/MSBuild_firstproject.git/)

Advanced ▾

☐ This project is parameterized ?

☐ Throttle builds ?

☐ Execute concurrent builds if necessary ?

Advanced ▾

Source Code Management

☐ None

☒ Git ?

Repositories ?

Save Apply

Dashboard > adv DevOps exp-7 > Configuration

### Configure

- General
- Source Code Management
- Build Triggers
- Build Environment
- Build Steps**
- Post-build Actions

**SonarQube Installation:** ?

SonarQube-server

**JDK:** ?

JDK to be used for this SonarQube analysis

(Inherit From Job)

**SonarQube Scanner:** ?

SonarQube

**Path to project properties:** ?

**Analysis properties:** ?

sonar.projectKey=sonarqube-key-exp7  
sonar.projectName=sonarqube-exp7  
sonar.host.url=http://localhost:9000  
sonar.login=admin  
sonar.password=5PaiVe@08

**Additional arguments:** ?

**JVM Options:** ?

Add build step

Post-build Actions

Save Apply

Go to <http://localhost:9000/> and enter your previously created username.  
Go to **Permissions** and grant the Admin user **Execute Permissions**.

localhost:9000/admin/permissions

sonarqube Projects Issues Rules Quality Profiles Quality Gates Administration More

Administration

Configuration Security Projects System Marketplace

### Global Permissions

Grant and revoke permissions to make changes at the global level. These permissions include editing Quality Profiles, executing analysis, and performing global system administration.

All Users Groups Search for users or groups...

	Administer System ?	Administer ?	Execute Analysis ?	Create ?
<b>sonar-administrators</b> System administrators	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Quality Gates <input checked="" type="checkbox"/> Quality Profiles	<input type="checkbox"/>	<input checked="" type="checkbox"/> Projects
<b>sonar-users</b> Every authenticated user automatically belongs to this group	<input type="checkbox"/>	<input type="checkbox"/> Quality Gates <input type="checkbox"/> Quality Profiles	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Projects
<b>Anyone DEPRECATED</b> Anybody who browses the application belongs to this group. If authentication is not enforced, assigned permissions also apply to non-authenticated users.	<input type="checkbox"/>	<input type="checkbox"/> Quality Gates <input type="checkbox"/> Quality Profiles	<input type="checkbox"/>	<input type="checkbox"/> Projects
<b>Administrator admin</b>	<input type="checkbox"/>	<input type="checkbox"/> Quality Gates <input type="checkbox"/> Quality Profiles	<input checked="" type="checkbox"/>	<input type="checkbox"/> Projects

4 of 4 shown

**Embedded database should be used for evaluation purposes only**  
The embedded database will not scale, it will not support upgrading to newer versions of SonarQube, and there is no support for migrating your data out of it into a different database engine.

**Build and Run:**

← ↻ localhost:8080/job/adv%20DevOps%20exp-7/

# Jenkins

Dashboard > adv DevOps exp-7 >

Status

Changes

Workspace

Build Now

Configure

Delete Project


GitHub

SonarQube

Rename

✓ adv DevOps exp-7

adv DevOps exp - 7

 SonarQube

Permalinks

- Last build (#6), 1 hr 59 min ago
- Last stable build (#6), 1 hr 59 min ago
- Last successful build (#6), 1 hr 59 min ago
- Last failed build (#5), 2 hr 6 min ago
- Last unsuccessful build (#5), 2 hr 6 min ago
- Last completed build (#6), 1 hr 59 min ago

Build History

trend

Filter...

✓ #6

Sep 26, 2024, 12:08 AM

✗ #5

Sep 26, 2024, 12:00 AM

✗ #4

Sep 25, 2024, 11:37 PM

✗ #3

Sep 25, 2024, 11:37 PM

✗ #2

Sep 25, 2024, 11:36 PM

✗ #1

← ↻ localhost:8080/job/adv%20DevOps%20exp-7/6/

# Jenkins

Dashboard > adv DevOps exp-7 > #6

Status

Changes

Console Output

Edit Build Information


Delete build '#6'


Timings

Git Build Data


Previous Build

✓ #6 (Sep 26, 2024, 12:08:16 AM)


 Started by user [Prathamesh parmashwar palve](#)

 This run spent:

- 15 ms waiting;
- 27 sec build duration;
- 27 sec total from scheduled to completion.

 **Revision:** f2bc042c04c6e72427c380bcaee6d6fee7b49adf  
**Repository:** [https://github.com/shazforiot/MSBuild\\_firstproject.git](https://github.com/shazforiot/MSBuild_firstproject.git)

- refs/remotes/origin/master

 No changes.

Console Output:

localhost:8080/job/adv9%20DevOps%20exp-7/6/console

Jenkins

Search (CTRL+K) Prathamesh parmeshwar palve log out

Dashboard > adv DevOps exp-7 > #6 > Console Output

Console Output

Download Copy View as plain text

```
Started by user Prathamesh parmeshwar palve
Running as SYSTEM
Building in workspace C:\ProgramData\jenkins\jenkins\workspace\SonarQube
The recommended git tool is: NONE
No credentials specified
> git.exe rev-parse --resolve-git-dir C:\ProgramData\jenkins\jenkins\workspace\SonarQube\.git # timeout=10
Fetching changes from the remote Git repository
> git.exe config remote.origin.url https://github.com/shazforiot/HSBuild_firstproject.git # timeout=10
Fetching upstream changes from https://github.com/shazforiot/HSBuild_firstproject.git
> git.exe --version # timeout=10
> git --version # "git version 2.46.2.windows.1"
> git.exe fetch --tags --force --progress -- https://github.com/shazforiot/HSBuild_firstproject.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git.exe rev-parse "refs/remotes/origin/master:[commit]" # timeout=10
Checking out Revision f2bc042c04c6e72427c380bcae6d6fee7b49adf (refs/remotes/origin/master)
> git.exe config core.sparsecheckout # timeout=10
> git.exe checkout -f f2bc042c04c6e72427c380bcae6d6fee7b49adf # timeout=10
Commit message: "updated"
> git.exe rev-list --no-walk f2bc042c04c6e72427c380bcae6d6fee7b49adf # timeout=10
Injecting SonarQube environment variables using the configuration: SonarQube
[SonarQube] $ C:\ProgramData\jenkins\jenkins\tools\hudson.plugins.sonar.SonarRunnerInstallation\SonarQube\bin\sonar-scanner.bat -Dsonar.host.url=http://localhost:9000 -Dsonar.projectkey=sonarqube -Dsonar.projectname=sonarqube-key -Dsonar.host.url=http://localhost:9000 -Dsonar.login=admin -Dsonar.password=Spalve@00 -Dsonar.projectBaseDir=C:\ProgramData\jenkins\jenkins\workspace\SonarQube
00:08:18.621 WARN Property 'sonar.host.url' with value 'http://localhost:9000' is overridden with value 'http://localhost:9000'
00:08:18.659 INFO Scanner configuration file: C:\ProgramData\jenkins\jenkins\tools\hudson.plugins.sonar.SonarRunnerInstallation\SonarQube\bin\..conf\sonar-scanner.properties
00:08:18.672 INFO Project root configuration file: NONE
00:08:18.689 INFO SonarScanner CLI 6.2.0.4584
00:08:18.691 INFO Java 22.0.2 Oracle Corporation (64-bit)
00:08:18.696 INFO Windows 11 10.0 amd64
00:08:18.720 INFO User cache: C:\WINDOWS\system32\config\systemprofile\.sonar\cache
00:08:19.348 INFO JRE provisioning: os[windows], arch[amd64]
00:08:22.294 INFO Communicating with SonarQube Server 10.6.0.92116
00:08:22.802 INFO Starting SonarScanner Engine...
00:08:22.802 INFO Java 17.0.11 Eclipse Adoptium (64-bit)
```

localhost:8080/job/adv9%20DevOps%20exp-7/6/console

Jenkins

Search (CTRL+K) Prathamesh parmeshwar palve log out


Dashboard > adv DevOps exp-7 > #6 > Console Output

```
00:08:42.039 INFO Using git CLI to retrieve untracked files
00:08:42.103 INFO Analyzing language associated files and files included via "sonar.text.inclusions" that are tracked by git
00:08:42.148 INFO 14 source files to be analyzed
00:08:42.322 INFO 14/14 source files have been analyzed
00:08:42.323 INFO Sensor TextAndSecretsSensor [text] (done) | time=910ms
00:08:42.329 INFO ----- Run sensors on project
00:08:42.417 INFO Sensor C# [csharp]
00:08:42.418 WARN Your project contains C# files which cannot be analyzed with the scanner you are using. To analyze C# or VB.NET, you must use the SonarScanner for .NET 5.x or higher, see https://redirect.sonarsource.com/doc/install-configure-scanner-msbuild.html
00:08:42.418 INFO Sensor C# [csharp] (done) | time=0ms
00:08:42.418 INFO Sensor Analysis Warnings Import [csharp]
00:08:42.419 INFO Sensor Analysis Warnings Import [csharp] (done) | time=0ms
00:08:42.419 INFO Sensor C# File Caching Sensor [csharp]
00:08:42.419 INFO Incremental PR analysis: Could not determine common base path, cache will not be computed. Consider setting 'sonar.projectBaseDir' property.
00:08:42.419 INFO Sensor C# File Caching Sensor [csharp] (done) | time=1ms
00:08:42.420 INFO Sensor Zero Coverage Sensor
00:08:42.427 INFO Sensor Zero Coverage Sensor (done) | time=0ms
00:08:42.429 INFO SCH Publisher SCH provider for this project is: git
00:08:42.430 INFO SCH Publisher 4 source files to be analyzed
00:08:42.859 INFO SCH Publisher 4/4 source files have been analyzed (done) | time=425ms
00:08:42.857 INFO CPD Executor Calculating CPD for 0 files
00:08:42.858 INFO CPD Executor CPD calculation finished (done) | time=0ms
00:08:42.863 INFO SCH revision ID 'f2bc042c04c6e72427c380bcae6d6fee7b49adf'
00:08:43.105 INFO Analysis report generated in 99ms, dir size=199.9 kB
00:08:43.142 INFO Analysis report compressed in 24ms, zip size=22.3 kB
00:08:43.681 INFO Analysis report uploaded in 536ms
00:08:43.683 INFO ANALYSIS SUCCESSFUL, you can find the results at: http://localhost:9000/dashboard?id=sonarqube
00:08:43.684 INFO Note that you will be able to access the updated dashboard once the server has processed the submitted analysis report
00:08:43.684 INFO More about the report processing at http://localhost:9000/api/ce/task?id=9ba2c6da-d3cb-4ec9-9880-308ad22f0670
00:08:43.700 INFO Analysis total time: 17.889 s
00:08:43.703 INFO SonarScanner Engine completed successfully
00:08:43.778 INFO EXECUTION SUCCESS
00:08:43.782 INFO Total time: 25.150s
Finished: SUCCESS
```

REST API Jenkins 2.46

Project on sonarqube:





**Conclusion:** Thus, we have successfully installed SonarQube from Docker image.