

Liver Cirrhosis Diagnostic Report

AI-Powered Non-Invasive Liver Assessment

Report ID: 10

Generated: 2026-06-15 02:07:22

Diagnosis Date: 2026-06-14 20:37:22

Patient Information

Name:	Report Tester
Email:	reporttest@test.com
Age:	None
Report Date:	2026-06-14

Diagnosis Results

Primary Diagnosis:

Stage: stage_1
Description: Stage 2 - Moderate Fibrosis
Confidence: 48.7%
Risk Level: Medium

Stage Probabilities:

Stage 0: 5.9%
Stage 1: 48.7%
Stage 2: 38.7%
Stage 3: 6.7%

Symptoms Analysis

Age:	50
Sex:	Female

Fatigue Level:	6
Alcohol Consumption:	5.0
Weight Loss (kg):	2.0
Abdominal Swelling:	No
Appetite Loss:	No
Jaundice:	No
Fever:	No

Laboratory Values:

Bilirubin:	2.5 mg/dL
Cholesterol:	310.0 mg/dL
Albumin:	3.2 g/dL
Copper:	73.0 ug/dL
Alkaline Phosphatase:	1259.0 IU/L
AST:	115.0 IU/L
Triglycerides:	108.0 mg/dL
Platelets:	251.0 x10 ³ /uL
Prothrombin:	10.6 seconds

Recommendations

1. Schedule specialist consultation for fibrosis assessment.
2. Follow a liver-friendly diet with reduced salt and alcohol.
3. Repeat imaging and clinical monitoring as advised.
4. Prediction confidence is moderate ? confirm with clinical tests and specialist review.
5. This AI output supports clinical screening only and is not a final medical diagnosis.

Follow-up Required: Yes

Please schedule follow-up appointment with healthcare provider.

AI Analysis Explanation

The AI system predicts Stage 2 - Moderate Fibrosis with 48.7% confidence. This suggests moderate liver involvement that should be monitored.

Key Factors Considered:

- clinical assessment

- laboratory values
- symptom evaluation

Confidence Assessment:

Very low confidence - specialist consultation strongly recommended

