

Liver Cirrhosis Diagnostic Report

AI-Powered Non-Invasive Liver Assessment

Report ID: 11

Generated: 2026-06-15 02:25:33

Diagnosis Date: 2026-06-14 20:55:33

Patient Information

Name: Mithun M
Email: mithuninpis@gmail.com
Age: None
Report Date: 2026-06-14

Diagnosis Results

Primary Diagnosis:

Stage: stage_0
Description: Stage 1 - Mild Fibrosis
Confidence: 84.8%
Risk Level: Low

Stage Probabilities:

Stage 0: 84.8%
Stage 1: 10.5%
Stage 2: 4.1%
Stage 3: 0.5%

Symptoms Analysis

Age: 42
Sex: Male

Fatigue Level:	5
Alcohol Consumption:	5.0
Weight Loss (kg):	3.0
Abdominal Swelling:	No
Appetite Loss:	Yes
Jaundice:	Yes
Fever:	No

Laboratory Values:

Bilirubin:	1.0 mg/dL
Cholesterol:	310.0 mg/dL
Albumin:	5.0 g/dL
Copper:	73.0 ug/dL
Alkaline Phosphatase:	42.0 IU/L
AST:	45.0 IU/L
Triglycerides:	108.0 mg/dL
Platelets:	251.0 x10 ³ /uL
Prothrombin:	9.9 seconds

Recommendations

1. Consult a hepatologist for baseline evaluation and monitoring.
2. Avoid alcohol and hepatotoxic medications.
3. Monitor liver function tests every 6?12 months.
4. This AI output supports clinical screening only and is not a final medical diagnosis.

AI Analysis Explanation

The AI system predicts Stage 1 - Mild Fibrosis with 84.8% confidence. This indicates a low risk of liver cirrhosis.

Key Factors Considered:

- clinical assessment
- laboratory values
- symptom evaluation

Confidence Assessment:

High confidence - results are reliable

This report is generated by AI system. Please consult healthcare professional for medical advice.

Generated by Explainable AI-Based Liver Cirrhosis Detection System

