

Liver Cirrhosis Diagnostic Report

AI-Powered Non-Invasive Liver Assessment

Report ID: 1

Generated: 2026-05-14 12:14:53

Diagnosis Date: 2026-05-14 06:44:53

Patient Information

Name:	Demo Patient
Email:	demo1778741093.project@example.com
Age:	None
Report Date:	2026-05-14

Diagnosis Results

Primary Diagnosis:

Stage: stage_2

Description: Stage 2 - Moderate Fibrosis

Confidence: 67.0%

Risk Level: Medium

Stage Probabilities:

Stage 0: 8.2%

Stage 1: 8.2%

Stage 2: 67.0%

Stage 3: 8.2%

Stage 4: 8.2%

Symptoms Analysis

Age:	45
Sex:	Male

Fatigue Level:	7
Alcohol Consumption:	10.0
Weight Loss (kg):	3.0
Abdominal Swelling:	Yes
Appetite Loss:	Yes
Jaundice:	No
Fever:	No

Laboratory Values:

Bilirubin:	1.8 mg/dL
Cholesterol:	180.0 mg/dL
Albumin:	3.2 g/dL
Copper:	50.0 ug/dL
Alkaline Phosphatase:	90.0 IU/L
AST:	70.0 IU/L
Triglycerides:	130.0 mg/dL
Platelets:	130000.0 x10^3/uL
Prothrombin:	13.0 seconds

Recommendations

1. Schedule specialist consultation for fibrosis assessment.
2. Follow a liver-friendly diet with salt and alcohol restriction.
3. Repeat imaging and clinical monitoring as advised.
4. Prediction confidence is moderate; confirm with clinical tests and medical imaging.
5. This AI output is for screening support only, not a final medical diagnosis.

Follow-up Required: Yes

Please schedule follow-up appointment with healthcare provider.

AI Analysis Explanation

The AI system predicts Stage 2 - Moderate Fibrosis with 67.0% confidence. This suggests moderate liver involvement that should be monitored.

Key Factors Considered:

- clinical assessment

- laboratory values
- symptom evaluation

Confidence Assessment:

Low confidence - additional testing recommended

