

Liver Cirrhosis Diagnostic Report

AI-Powered Non-Invasive Liver Assessment

Report ID: 7

Generated: 2026-06-15 02:09:48

Diagnosis Date: 2026-06-14 19:00:50

Patient Information

Name:	Mithun M
Email:	mithuninpis@gmail.com
Age:	None
Report Date:	2026-06-14

Diagnosis Results

Primary Diagnosis:

Stage: stage_0
Description: Stage 1 - Mild Fibrosis
Confidence: 42.9%
Risk Level: Low

Stage Probabilities:

Stage 0: 42.9%
Stage 1: 35.7%
Stage 2: 19.5%
Stage 3: 1.8%

Symptoms Analysis

Age:	42
Sex:	Male

Fatigue Level:	6
Alcohol Consumption:	10.0
Weight Loss (kg):	9.9
Abdominal Swelling:	Yes
Appetite Loss:	No
Jaundice:	No
Fever:	Yes

Laboratory Values:

Bilirubin:	1.0 mg/dL
Cholesterol:	212.0 mg/dL
Albumin:	4.3 g/dL
Copper:	50.0 ug/dL
Alkaline Phosphatase:	150.0 IU/L
AST:	35.0 IU/L
Triglycerides:	200.0 mg/dL
Platelets:	50000.0 x10 ³ /uL
Prothrombin:	9.9 seconds

Recommendations

1. Consult a hepatologist for baseline evaluation and monitoring.
2. Avoid alcohol and hepatotoxic medications.
3. Monitor liver function tests every 6?12 months.
4. Prediction confidence is moderate ? confirm with clinical tests and specialist review.
5. This AI output supports clinical screening only and is not a final medical diagnosis.

AI Analysis Explanation

The AI system predicts Stage 1 - Mild Fibrosis with 42.9% confidence. This indicates a low risk of liver cirrhosis.

Key Factors Considered:

- clinical assessment
- laboratory values
- symptom evaluation

Confidence Assessment:

Very low confidence - specialist consultation strongly recommended

