

Liver Cirrhosis Diagnostic Report

AI-Powered Non-Invasive Liver Assessment

Report ID: 8

Generated: 2026-06-15 02:09:12

Diagnosis Date: 2026-06-14 20:19:56

Patient Information

Name: Mithun M
Email: mithuninpis@gmail.com
Age: None
Report Date: 2026-06-14

Diagnosis Results

Primary Diagnosis:

Stage: stage_3
Description: Stage 4 - Cirrhosis
Confidence: 49.0%
Risk Level: Critical

Stage Probabilities:

Stage 0: 2.5%
Stage 1: 10.8%
Stage 2: 37.7%
Stage 3: 49.0%

Symptoms Analysis

Age: 41
Sex: Male

Fatigue Level:	5
Alcohol Consumption:	5.0
Weight Loss (kg):	2.9
Abdominal Swelling:	Yes
Appetite Loss:	No
Jaundice:	No
Fever:	No

Laboratory Values:

Bilirubin:	1.4 mg/dL
Cholesterol:	310.0 mg/dL
Albumin:	3.5 g/dL
Copper:	73.0 ug/dL
Alkaline Phosphatase:	1259.0 IU/L
AST:	115.0 IU/L
Triglycerides:	108.0 mg/dL
Platelets:	251.0 x10 ³ /uL
Prothrombin:	10.6 seconds

Recommendations

1. Immediate specialist management is required.
2. Evaluate for advanced cirrhosis complications and transplant pathway.
3. Seek emergency care for bleeding, confusion, fever, or severe swelling.
4. Prediction confidence is moderate ? confirm with clinical tests and specialist review.
5. This AI output supports clinical screening only and is not a final medical diagnosis.

Follow-up Required: Yes

Please schedule follow-up appointment with healthcare provider.

Specialist Referral Recommended: Yes

Referral to hepatologist or gastroenterologist advised.

AI Analysis Explanation

The AI system predicts Stage 4 - Cirrhosis with 49.0% confidence. This suggests advanced cirrhosis requiring immediate specialist care.

Key Factors Considered:

- clinical assessment
- laboratory values
- symptom evaluation

Confidence Assessment:

Very low confidence - specialist consultation strongly recommended

