

Liver Cirrhosis Diagnostic Report

AI-Powered Non-Invasive Liver Assessment

Report ID: 1

Generated: 2026-06-13 19:50:24

Diagnosis Date: 2026-06-13 14:20:24

Patient Information

Name: rahul
Email: rahul@gmail.com
Age: None
Report Date: 2026-06-13

Diagnosis Results

Primary Diagnosis:

Stage: stage_1
Description: Stage 1 - Mild Fibrosis
Confidence: 71.6%
Risk Level: Low

Stage Probabilities:

Stage 0: 7.1%
Stage 1: 71.6%
Stage 2: 7.1%
Stage 3: 7.1%
Stage 4: 7.1%

Symptoms Analysis

Age: 22
Sex: Male

Fatigue Level:	6
Alcohol Consumption:	2.0
Weight Loss (kg):	10.0
Abdominal Swelling:	Yes
Appetite Loss:	No
Jaundice:	Yes
Fever:	Yes

Laboratory Values:

Bilirubin:	0.8 mg/dL
Cholesterol:	180.0 mg/dL
Albumin:	3.8 g/dL
Copper:	50.0 ug/dL
Alkaline Phosphatase:	80.0 IU/L
AST:	35.0 IU/L
Triglycerides:	130.0 mg/dL
Platelets:	220000.0 x10^3/uL
Prothrombin:	11.0 seconds

Recommendations

1. Consult a physician or hepatologist for baseline evaluation.
2. Avoid alcohol and hepatotoxic medicines unless prescribed.
3. Monitor liver function tests periodically.
4. This AI output is for screening support only, not a final medical diagnosis.

AI Analysis Explanation

The AI system predicts Stage 1 - Mild Fibrosis with 71.6% confidence. This indicates a low risk of liver cirrhosis.

Key Factors Considered:

- clinical assessment
- laboratory values
- symptom evaluation

Confidence Assessment:

Moderate confidence - results should be confirmed with additional tests

This report is generated by AI system. Please consult healthcare professional for medical advice.

Generated by Explainable AI-Based Liver Cirrhosis Detection System

