Status	Finished
Started	Thursday, 15 October 2026, 1:44 PM
Completed	Thursday, 15 October 2026, 1:48 PM
Duration	4 mins 12 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

a. current()
b. locate()
c. position()
d. tell() ✓

The correct answer is: tell()

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. Hello, world! ✓
b. world
c. An error is raised
d. Hello

The correct answer is: Hello, world!

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. none of the given choices

b. Text file

c. Both text and binary file ✓

d. Binary file

The correct answer is: Both text and binary file

Question **4**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints an error message

b. Prints each line of the file

c. Prints the first 10 characters of the file

d. Prints the entire content of the file ✓

The correct answer is: Prints the entire content of the file

Question **5**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. read(size) ✓

b. readline()

c. readlines()

d. readchar()

The correct answer is: read(size)

Question **6**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. reduce()
b. truncate() ✓
c. shrink()
d. resize()

The correct answer is: truncate()

Question **7**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. writelines() ✓
b. write_list()
c. write_all()
d. write()

The correct answer is: writelines()

Question **8**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. An error is raised ✓
b. An empty file object is returned
c. The operation is ignored
d. A new file is created

The correct answer is: An error is raised

Question **9**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Reads the file line by line
b. Writes data to the file
c. Deletes the file
d. Moves the file cursor to the specified position ✓

The correct answer is: Moves the file cursor to the specified position

Question **10**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and write without truncating, w+ is for read and write with truncating ✓
b. r+ is for read and write, w+ is for append only
c. r+ is for read and append, w+ is for read and write
d. r+ is for binary read and write, w+ is for text read and write

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **11**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. readline()
b. readlist()
c. readlines() ✓
d. read()

The correct answer is: readlines()

Question **12**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

- a. move the file pointer five characters ahead from the current position ✓
- b. moves the file pointer to the end of a file
- c. move the file pointer to beginning of the file
- d. move the file pointer five characters behind from the current position

The correct answer is:
move the file pointer five characters ahead from the current position

Question **13**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

- a. Opens the file in read mode
- b. Appends "Adding new data" to the end of the file ✓
- c. Overwrites the file with "Adding new data"
- d. Raises an error because the file is opened in append mode

The correct answer is: Appends "Adding new data" to the end of the file

Question **14**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
fo = open("foo.txt", "w")
```

- a. Appends to an existing file
- b. Opens an existing file in read mode
- c. Opens a file in binary mode
- d. Creates a new file for writing ✓

The correct answer is: Creates a new file for writing

Question **15**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The mode of the file
b. The buffer size
c. The size of the file
d. The encoding format of the file ✓

The correct answer is: The encoding format of the file