Status	Finished
Started	Thursday, 8 October 2026, 7:41 PM
Completed	Thursday, 8 October 2026, 7:45 PM
Duration	4 mins 14 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl.append(2)

b. tupl1=tupl+tupl ✓

c. tupl.sort()

d. tupl[1]=2

Question **2**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain only strings as its elements.

b. In Python, a tuple can contain both integers and strings as its elements. ✓

c. In Python, a tuple can contain either string or integer but not both at a time.

d. In Python, a tuple can contain only integers as its elements.

Question **3**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. False

b. True ✓

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {}

b. {3} ✓

c. {2,5,3,1}

d. {2,5,1}

Question **5**

Correct

Mark 1.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. A new set will be created with the elements of both set1 and set2 ✓

b. Elements of set2 will get appended to set1

c. Elements of set1 will get appended to set2

d. A new set will be created with the unique elements of set1 and set2.

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

a. ("Wonder")

b. (1,4,5,6,7) ✓

c. [1,2,3,4]

d. {1,3,8,9,41}

Question **7**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['2', '3', '8', '30']

b. ['2', '3', '30', '8']

c. ['8', '30', '3', '2'] ✓

d. ['30', '8', '3', '2']

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,9} ✓

b. {9}

c. It will throw an error as there are two 0 while creating the set.

d. {0,0,9}

Question **9**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

```

```

a. <class 'int'>

b. <class 'tuple'>

c. str

d. <class 'str'> ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

- a. 2
- b. 100
- c. Error
- d. 117 ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

- a. Error
- b. (1,2,3)(4,5,6)
- c. (1,2,3,4,5,6) ✓
- d. (1,2,3,3,2,1)

Question **12**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

- a. (1, 4, 8)
- b. [2, 3, 9]
- c. [1, 2, 4, 3, 8, 9]
- d. [1, 4, 8] ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

a. (55,33,11)

b. [(55,33,11)]

c. [55, 33, 11] ✓

d. ([55,33,11])

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50) (10, 20, 30, 40)

b. (10, 20, 30, 40) (40, 50, 60, 70, 80)

c. (30, 40, 50)(40, 50, 60, 70, 80)

d. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

a. 2

b. Error ✓

c. 5

d. 1