MINI PROJECT-I REPORT (2020-21)

ONLINE QUIZ GENERATOR

Department of Computer Engineering & Applications



Submitted By:

Pratibha Dixit
(University Roll No- 181500498)

Megha Kansal
(University Roll No- 181500382)

Supervised By:

Mr. Anand Kumar Gupta

Asst. Professor

Department of Computer Science & Applications

And

Ms. Ruchi Gupta

Asst. Professor

Department of Computer Science & Applications

Contents

Abstract		4
1.	Introduction	5-8
	1.1 General Introduction To The Topic	5
	1.2 Area Of Computer Science	6
	1.3 Hardware And Software Requirements	7
2.	Problem Definition	9-12
	2.1 Existing System	9
	2.2 Drawbacks Of Existing System	9
	2.3 Proposed System	10
	2.4 Features Of Proposed System	11
3.	Objective	13-14
4.	Implementation Details	15-20
	4.1 Detail Description Of Technology Used	15
	4.2 Class Diagram	18
	4.3 ERD (Entity Relationship Diagram)	19
	4.4 Model Hierarchy Diagram	20
5.	Progress Till Date And The Remaining Work	21-22
6.	Screenshots	23-41
	6.1 Code Screenshots	23
	6.2 Output Screenshots	34
7.	References	42

Abstract

ONLINE QUIZ forms the lifeline of the Educational Institutes to the functioning of the Examination. It is very essential for an Institute to handle the Examinations and their results. It is very useful for an Institute to test its students continuously for their mutual development. This system is helpful for conducting Multiple Choice Questions (M.C.Q's) in the Examinations which can be conducted regularly as well as for surprise tests and provides immediate results saving the precious time of faculties to check the papers and prepare mark sheets.

The IT initiatives have encouraged various Organizations to develop systems to facilitate their day to day operations. The "Online Quiz Generator" system helps in conducting examinations quickly and can thus help in saving time and the operations will be carried out efficiently.

With the effective use, any Institute can use the "Online Quiz Generator" for conducting quick examinations and getting better results in less time.

It is a good source of interactivities among students and between the teacher and students. It is done in order to improve student's comprehension levels and learning motivation. As one of their tools, online test tools are quite effective. So, we have developed a Web-based online test/quiz system which can create quizzes competitively and collaboratively for students for the purpose of reducing the load required for a teacher and promoting interaction among teachers and students.

1. Introduction

1.1 General Introduction To The Topic:

Now a days, the web base quiz systems are getting popular with tremendous speed. As the technology is spreading throughout the world the automated systems are also taking the place of manual systems. Currently big institutes are running their online quiz systems at a very successful rate. As the time is progressing the online quiz is making interest to the faculties and also to the students. In the developed cities and organizations people are understanding that how the online quiz system is far better and efficient. With the recent time this system is vastly growing in this techno world.

The "Online Quiz Generator" is a web application for to take online test in an efficient manner and no time wasting for checking the paper. The main task of "Online Quiz Generator" is to efficiently evaluate a candidate thoroughly through a fully automated system that not only saves a lot of time but also gives fast results.

For students they give papers according to their convenience and time and there is no need of using extra things like answer sheets, question papers etc.

This web application can be used anywhere and at any time as it is a web based application (user location doesn't matter). No restriction that examiner has to be present when the candidate takes test.

1.2 Area Of Computer Science:

Web development is the work involved in developing a Web site for the Internet (World Wide Web) or an intranet (a private network). Web development can range from developing a simple single static page of plain text to complex Web-based Internet applications (Web apps), electronic businesses, and social network services. A more comprehensive list of tasks to which Web development commonly refers, may include Web engineering, Web design, Web content development, client liaison, client-side/server-side scripting, Web server and network security configuration, and e-commerce development.

Among Web professionals, "Web development" usually refers to the main non-design aspects of building Web sites: writing markup and coding. Web development may use content management system (CMS) to make content changes easier and available with basic technical skills.

For larger organizations and businesses, Web development teams can consist of hundreds of people (Web developers) and follow standard methods like agile methodologies while developing Web sites. Smaller organizations may only require a single permanent or contracting developer, or secondary assignment to related job

positions such as graphic designer or information systems technician. Web development may be a collaborative effort between departments rather than the domain of a designated department.

There are three kinds of Web developer specialization:

- 1. Front-end Developer
- 2. Back-end Developer
- 3. Full-stack Developer

Front-end developers are responsible for behaviour and visuals that run in the user browser, while back-end developers deal with the services. Whereas, full-stack developers are combination of both front-end developers and back-end developers.

1.3 Hardware And Software Requirements:

1.3.1 Hardware Requirements Specification:

Processor : Intel Pentium III or later

Main Memory(RAM) : 256 MB

Cache Memory : 512 KB

Monitor : 14 inch Color Monitor

Keyboard : 108 Keys

Mouse : Optical Mouse

Hard Disk : 160 GB

1.3.2 Software Requirements Specification:

Front End/Language : PHP, CSS, JavaScript

Back End/Database : MYSQL

Additional Tools : XAMPP Server

Operating System: Windows 7, 8, 9, 10, XP

2. Problem Definition

2.1 Existing System:

The first problem is that there are loads of hard copied documents being generated. This brings us to the age-old discussion of keeping information in the form databases versus keeping the same on sheets of paper. Keeping the information in the form of hard-copied documents leads to the following problems.

2.2 <u>Drawbacks Of Existing System:</u>

- i. Lack of space It becomes a problem in itself to find space to keep the sheets of paper being generated as a result of the ongoing discussion. The documents being generated are too important to be ill-treated.
- ii. Filing poses a problem Filing the documents categorically is a time consuming and tedious exercise.

- **iii. Filtering is not easy** It becomes hard to filter relevant documents for the irrelevant ones if the count of the same crosses a certain manageable number.
- iv. Reviewing becomes time-consuming All the process done manually at the centers and all the records are maintained on the papers. So the maintenance of the record is very difficult in the departments and as well as it's very difficult for the workers to check the record. The Existing system is paper based, time consuming, monotonous, less flexible and provides a very hectic working schedule. The chance of loss of records is high and also record searching is difficult.

 Maintenance of the system is also very difficult and takes lot of time.
- v. **Result Processing**: is slow due to paper work and requirement of staff.

2.3 Proposed System:

This Web Application provides facility to conduct online examination worldwide.

It saves time as it allows number of students to give the exam at a time and displays the results as the test gets over, so no need to wait for the result. It is automatically generated by the server. Administrator has a privilege to create, modify and delete the test papers and its particular questions. User can register, login and give the test with his specific id, and can see the results as well.

2.4 <u>Features Of Proposed System:</u>

• **FUNCTIONAL CAPABILITIES:** The ultimate aim of this project is to help the quiz analysis and facilitate the faculties the faculties for easy evaluation of the students and generation of the automatic score cards.

The system shall display the set of questions with certain rules. It also displays the category for which the students wish to answer.

Once the student has completed choosing the category starts answering the questions. The mark is given and report is generated based on the correct answers.

• **PERFORMANCE LEVEL:** The scope of this project gives immense opportunity for the students to know their levels in quiz. It provides effective software so as to help the students as well as the

evaluators who are involved in evaluating the student's performance.

- **DATA STRUCTURES:** The data in this project are maintained in the tabular form using MYSQL in the form of database. It provides easy access to the user. Easy category questions are maintained in the database which provides easy for the user to access and choose the category.
- **SAFETY:** No data loss occurs in the quiz system.
 - 1. It is very much protected in such a way that it gives permission to the students to access only when the username and password is correct.
 - 2. The results are produced electronically so that nobody is prone to mistakes.
- **RELIABILITY:** We assure that the project is completely authenticated in order to enhance security and corruptions of database as well as the software. The person is given access only if he/she has a valid username and password.
- **QUALITY:** The project is developed with the help of visual basic 6.0 software which meets the requirement of the user, the project is checked whether the phases individually have a served its purpose.

3. Objective

Technological advancements in this era of digitization along with being a boon to the world have been advantageous to the educational sector too. The introduction of online exam software replaced the conventional system of assessment.

The various examination conducting agencies are now able to evaluate the test takers freely and cost-effectively through computer-based tests. This article discusses the objectives of an online quiz system. Before proceeding further let us understand the concept of "Online Quiz Generator" system. This software allows users to take online tests and automatically generate results based on the answers marked by the users. Let's now discuss the reason for the introduction of "Online Quiz Generator" in the modes of conducting an assessment.

- ✓ Conduct Exams Effortlessly: Computer-based tests as a method of conducting an assessment enable users to manage an exam easily. The functionalities of an exam software such as user-friendly dashboard, multiple languages, support for multiple question types and formats, detailed reporting, automatic instant results help in smooth conduction.
- ✓ Reduce exam anxiety amongst test takers: The flexibility associated with computer-based test takers as they can take the exam at any time of the day that coincides with their preferred sleep/wake cycles.

- ✓ Promote social interaction between the test takers and experts: An online environment provides exam preparation with experts or peers as they can review the course content together. Online assessment is possible through an exam software which lays the real foundation of academic teaching as it facilitates discussion with teachers and other students.
- ✓ Prevents cheatings: Cheating amongst the test-takers in the examination hall is one of the major drawbacks of pen-paper based assessment. Online examination manages to avoid the possibilities of secretly using unfair means to get the right answers up to a large extent. The presence of various functionalities in exam software prevents cheating irrespective of the test taker's location.
- ✓ **Safe and secure data:** Various tools offered by exam software have enabled the assessment conducting agencies to manage the crucial data related to examination questions and test-takers safely.
- Reduce administrative burden: Organizing and running exams online not only reduces an organizations administrative burden but also saves cost and time. Online examination/quiz with its objective to make evaluation massive but simple, cost-effective and faster has replaced the pen-paper based assessment. The examination managing agencies have started preferring computer-based test to instill their lost faith in the method of conducting an evaluation.

4. Implementation Details

4.1 <u>Detail Description Of Technology Used:</u>

Following is the brief description about various technologies used while designing this system:

> PHP (Hypertext Preprocessor):

Hypertext Preprocessor is a widely used, general-purpose scripting language that was originally designed for web applications.

> PHP Advantages:

A popular choice in today's web world is using PHP. PHP is a general-purpose scripting language that is especially suited to server-side web development where PHP generally runs on a web server. Its clarity in design, well organized modules and better upkeep of various technologies, make it the most popular language in the online industry today. Its popularity and credibility can be judged by the fact that reputed organizations like Harvard University and popular social networking site Facebook, both are based on PHP. This is possible because PHP websites can be easily maintained, improved and updated from time to time.

> JavaScript:

JavaScript is an object-oriented scripting language used to enable programmatic access to objects within both the client application and other applications. It is primarily used in the form of client-side JavaScript, implemented as an integrated component of the web browser, allowing the development of enhanced user interfaces and dynamic websites. JavaScript is a dialect of the ECMA Script standard and is characterized as a dynamic, weakly typed, prototype-based language with first-class functions. JavaScript was influenced by many languages and was designed to look like Java, but to be easier for non-programmers to work with Java Script was originally developed by Brendan Eich of Netscape under the name Mocha, which was later renamed to Live Script, and finally to JavaScript.

> Apache:

The name 'Apache' was chosen from respect for the Native American Indian tribe of Apache, well-known for their superior skills in warfare strategy and their inexhaustible endurance. It also makes a cute pun on "a patchy web server", a server made from a series of patches but this was not its origin. The group of developers who released this new software soon started to call themselves the "Apache Group". The Apache HTTP Server, colloquially called Apache, is a free and open-source cross-platform web server software, released under the terms of Apache License 2.0. Apache is developed and maintained by an open community of developers under the auspices of the Apache Software Foundation.

> SQL Server:

SQL is Structured Query Language, which is a computer language for storing, manipulating and retrieving data stored in a relational database.

SQL is the standard language for Relational Database System. All the Relational Database Management Systems (RDMS) like MySQL, MS Access, Oracle, Sybase, Informix, Postgres and SQL Server use SQL as their standard database language.

Also, they are using different dialects, such as –

- MS SQL Server using T-SQL,
- Oracle using PL/SQL,
- MS Access version of SQL is called JET SQL (native format) etc.

> CSS:

Cascading Style Sheets is a style sheet language used for describing the presentation of a document written in a markup language such as HTML. CSS is a cornerstone technology of the World Wide Web, alongside HTML and JavaScript.

> Bootstrap:

Originally created by a designer and a developer at Twitter,
Bootstrap has become one of the most popular front-end
frameworks and open source projects in the world.
Bootstrap is a free and open-source CSS framework directed
at responsive, mobile-first front-end web development. It

contains CSS- and JavaScript-based design templates for typography, forms, buttons, navigation, and other interface components.

4.2 Class Diagram:






Fig1: Class Diagram

4.3 ERD (Entity Relationship Diagram):



4.4 Model Hierarchy Diagram:



Hg3: Hierarchy Diagram

5. Progress Till Date And The Remaining Work

- Completed Work Of The Project:
 - 1. In "css" folder:
 - ✓ 'bootstrap-theme.min.css' added
 - ✓ 'bootstrap.min.css' added
 - √ 'font.css' completed
 - √ 'main.css' completed
 - 2. "fonts" folder completed
 - 3. "image" folder images added
 - 4. In "js" folder:
 - ✓ 'bootstrap.min.js' added
 - ✓ 'bootstrap.js' added
 - √ 'jQuery.js added'
 - ✓ 'main.js' completed
 - √ 'modernizr.js' added
 - 5. 'account.php' completed
 - 6. 'admin.php' completed
 - 7. 'dash.php' completed
 - 8. 'dbConnection.php' completed
 - 9. 'favicon.ico' added
 - 10. 'feed.php' completed
 - 11. 'feedback.php' completed
 - 12. 'index.php' completed

- 13. 'login.php' completed
- 14. 'logout.php' completed
- 15. 'MINI PROJECT SYNOPSIS.pdf' added
- 16. 'quiz.sql' completed
- 17. 'sign.php' completed
- 18. 'update.php' completed


• Remaining Work Of The Project:

- 1. Testing of the software is left.
- 2. Changes and modifications regarding the test results are left to be implemented.


6. Screenshots

6.1 Code Screenshots:


- "css" folder:
 - > 'bootstrap-theme.min.css'-




bootstrap.min.css'-




> 'font.css'-




> 'main.css'-



- "js" folder:
 - > 'bootstrap.js'-



bootstrap.min.js'-




> 'jquery.js'-

> 'main.js'-

```
File Edit Selection View Go Run Terminal Help mainja-Mini-Project-Visual Studio Code

DECOSER ... mainja > main
```

> 'modernizr.js'-



• 'account.php':

```
ზ ⊳ Ш ..
                                                                                                                                                                                                                                                                                          account.php ×
₽
                                                                                                                                                                                                                                                                                               account.php
1 <!DOCTYPE html PUBLIC "-//W3C//DID XHTML 1.8 Transitional//EN" "http://www.w3.org/TR/xhtml1/DID/xhtml1-transitional
2 <html xmlns-"http://www.w3.org/1999/xhtml">
                                             ∨ MINI-PROJECT
                                                                             bootstrap-theme.min.css

      ∃ bootstrap.min.css
      ∃ font.css

                                                                                                                                                                                                                                                                                                                                                 <title>Online Quiz Generator</fitle>
clink rel="stylesheet" href="css/bootstrap.min.css"/>
<link rel="stylesheet" href="css/bootstrap.theme.min.css"/>
<link rel="stylesheet" href="css/main.css">
<link rel="stylesheet" href="css/font.css">
<ink rel="stylesheet" href="css/font.css">
<script src="js/jquery.js" type="text/javascript"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></sc
                                                            > N fonts
                                                         <script src="js/bootstrap.min.js" type="text/javascript"></script>
<link href='http://fonts.googleapis.com/css?family=Roboto:400,700,300' rel='stylesheet' type='text/css'>

if (85_GET['w']) {
    echo '<script>alert("' . 65_GET['w'] . '");</script>';
                                                                          us main.js modernizr.js
                                                                        account.php
admin.php
                                                                          ★ favicon.ico

feed.php
                                                                        feedback.php index.php
                                                                                                                                                                                                                                                                                                                                                    cbody>
cdiv class="header">
cdiv class="row">
cdiv class="row">
cdiv class="row">
cdiv class="row">
cdiv class="row">
cdiv class="col-lg-6">
cspan class="logo">
cspan class="logo">
cspan class="logo">
col-md-offset-2">
cdiv class="col-md-4 col-md-offset-2">
cdiv class="row">
c
```

• 'admin.php':

```
Ð
             ∨ MINI-PROJECT
                   ∨ 😇 css

            ∃ bootstrap-theme.min.css
            ∃ bootstrap.min.css

☐ font.css
☐ main.css
                                                                                                      $username = stripslashes($username);
$username = addslashes($username);
$password = stripslashes($password);
$password = addslashes($password);
$password = addslashes($password);
$result = mysqli_query($con, "$ELECT username FROM admin WHERE username = '$username' and password = '$password'") of
$count = mysqli_num_rows($result);
if ($count == 1) {
    session_start();
    if (isset($_$ESSION['username'])) {
        session_unset();
    }
}
                         bg.jpg

* cd-icon-menu.svg
                  ∨ 👼 js
🗾 bootstrap.js
                         bootstrap.min.js
jquery.js
                                                                                                                 sessIoN_unsec();

$_SESSION["name"] = 'Admin';

$_SESSION["sername"] = '54585c596829293a2d4c3b68543b316e2e7a2d277858545a36362e5f39';

$_SESSION["username"] = $username;
header("location:dash.php?q=0");


**Manufed");
                       main.js
modernizr.js
                       admin.php
                      dbConnection.php
                      feed.phpfeedback.php
                      index.php
              > TIMELINE
```

• 'dash.php':

```
dash.php - Mini-Project - Visual Studio Code
                                                                                                                                                       ash.php ×
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         ც ⊳ Ш
O
                                                                                                                                                                                    clpncpr
clpncType html PUBLIC "-//w3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional
chtml xmlns="http://www.w3.org/1999/xhtml">
chead>
clink rel="icon" href="favicon.ico" type="image/icon" sizes="16x16">
cmeta http-equiv="Content-Type" content="text/html; charset-iso-8859-1" />
cmeta name="viewport" content="width-device-width, initial-scale=1">
cmeta name="width-device-width, initial-scale=1">
cmeta name=
                        ✓ MINI-PROJECT
✓ ि CSS

☐ font.css
☐ main.css
                                                                                                                                                                                      v 📭 image
                                           ▶ bg.jpg
★ cd-icon-menu.svg
                               bootstrap.min.js
jqueryjs
                                                                                                                                                                                                  <script src="js/bootstrap.min.js" type="text/javascript"></script>
<link href='http://fonts.googleapis.com/css}family=Roboto:480,700,380' rel='stylesheet' type='text/css'>
                                                                                                                                                                                    main.js
modernizr.js
                                       admin.php
                                         dbConnection.php
                                         feed.php
                                         index.php
```

• 'dbConnection.php':



• 'feed.php':

• 'feedback.php':

```
Ð

✓ MINI-PROJECT

            ∃ bootstrap-theme.min.css
            ∃ bootstrap.min.css

☐ font.css
☐ main.css
                            bg.jpg

* cd-icon-menu.svg

    ■ bootstrap.js

                            bootstrap.min.js
jquery.js
      main.js
modernizr.js
      admin.php
                           dbConnection.php
      feed.php
      index.php
                            instruction = deconnection.pnp ,
session_start();
if ((!isset($_SESSION['username']))) {
    echo '<a href="#" class="pull-right"</pre>
   > TIMELINE
```


• 'index.php':

```
₽
                                                                                                                             index.php ×
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             ໝ ⊳ 🗆
                  ∨ MINI-PROJECT
                                                                                                                                                        if(isset($_SESSION['username']) && (!isset($_SESSION['key']))){
    | header('location:account.php?q=1');

            ∃ bootstrap-theme.min.css
            ∃ bootstrap.min.css
            ∃ font.css
                                                                                                                                                         | The property of the state of the property of
                          > 🙀 fonts
                                  bg.jpg

* cd-icon-menu.svg
                                                                                                                                                        CIDOCTYPE html PUBLIC "-//W3C//DID XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DID/xhtml1-transitional
<html xmlns="http://www.w3.org/1999/xhtml"></html xmlns="http://www.w3.org/1999/xhtml"></hr>
                                                                                                                                                        bootstrap.min.js
jquery.js
                                    us main.js
us modernizr.js
                                                                                                                                                           <title> Online Quiz Generator </title
                                account.phpadmin.php
                                                                                                                                                           adash.php
                                 ★ favicon.ico
◆ feed.php
                                feedback.php
                                                                                                                                                         if (@$_GET['w']) {
   | echo '<script>alert("' . @$_GET['w'] . '");</script>';
                    > OUTLINE
                                                                                                                                                            <script>
function_validateForm() {
```

• 'instructions.txt':




• 'login.php':

```
₽
                                              login.php ×
      ∨ MINI-PROJECT
                                                        session_start();
if (isset($_SESSION["username"])) {
    session_destroy();

    ∃ bootstrap-theme.min.css
    ∃ bootstrap.min.css
                                                        session_destroy();
}
include_once 'dbConnection.php';
fref = &f_GET['q'];
Susername = $.POST['username'];
$password = $_POST['password'];
            ∃ font.css
∃ main.css
         > 🙀 fonts
            bg.jpg
cd-icon-menu.svg
                                                       bootstrap.min.js
jquery.js
            main.js
modernizr.js
            account.php
admin.php
                                                               $ session["name"] = $name;
$ session["username"] = $username;
header("location:account.php?q=1");
            dash.phpdbConnection.php
            ★ favicon.ico
◆ feed.php
                                                               header("location:$ref?w=Wrong Username or Password");
            index.php
       > TIMELINE
```

• 'logout.php':



'quiz.sql':

```
Ð
         > OPEN EDITORS
        ∨ MINI-PROJECT
                bg.jpg

cd-icon-menu.svg
           * co room

* is

* bootstrap.jis

* bootstrap.min.js

* jquery.js

* main.js

* modernizr.js

* account.php
                                                                           START TRANSACTION;
SET time_zone = "+00:00";
                account.php
                dash.phpdbConnection.php
                ★ favicon.ico
 feed.php
                feedback.php
                login.phplogout.php
                MINI PROJECT SYNOPSIS.pdf
quiz.sql
                sign.php update.php
         > OUTLINE
                                                                            CREATE TABLE `admin` (
   `id` int(100) NOT NULL,
   `username` varchar(50) NOT
          > NPM SCRIPTS
```

• 'sign.php':

```
sign.php ×

sign.php 

sign.php

include_once 'dbConnection.php';

ob_start();

sob_start();

sob_st
                                                                                                                                                                                                                                                      sign.php ×
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    ជ ⊳ 🏻
Ð
                                       ∨ MINI-PROJECT
                                                                   bg.jpgcd-icon-menu.svg
                                                  bootstrap.js
bootstrap.min.js
jquery.js
main.js
modernizr.js
                                                               account.php
                                                               dash.php
                                                                 ★ favicon.ico

 feed.php
                                                                 feedback.php
                                                                   index.php
                                                                   logout.php
                                                                 MINI PROJECT SYNOPSIS.pdf

⇒ quiz.sql 9+
                                                                                                                                                                                                                                                                                                          $q3 = mysql1_query($con, "INSERT INTO user VALUES (NULL, '$name', '$rollno', '$branch', '$gender', '$username', '$phn.
if ($q3) {
    session_start();
    $_$ESSION["username"] = $username;
    $_$ESSION["name"] = $name;
                                                                   update.php
                                       > OUTLINE
```

• 'update.php':

```
D
                                                                                                             ໝ ⊳ Ш
   > OPEN EDITORS

→ MINI-PROJECT

                             include once 'dbConnection.php':
     v 📭 image
                             bg.jpg

cd-icon-menu.svg
      bootstrap.js
bootstrap.min.js
       jquery.js
main.js
                           account.php


★ favicon.ico

      feedback.php
      login.php
      MINI PROJECT SYNOPSIS.pdf
quiz.sql 9+
      sign.php
                                        $s + $sun;
$q3 = mysqli_query($con, "UPDATE `rank` SET `score`=$sun ,time=NOW() WHERE username= '$username'") or


   > TIMELINE
```


6.2 Output Screenshots:

• Index page:





Enter your mobile number Enter your password







• Login Screens:










• Admin Pages:









• Student Pages:







7. References

We referred to the following resources:

- Our ongoing Full-Stack lectures and lab assignments
- Website for Web-development: https://www.beta-labs.in/
- Google search
- YouTube videos
- Website: https://www.w3schools.com/
- Course for Full-Stack Development on Udemy
 - 1. Course name: The Complete 2020 Web Development Bootcamp

Link: https://www.udemy.com/course/the-complete-web-

<u>development-bootcamp/</u>

Attended By: Pratibha Dixit

2. Course name: Web Development Masterclass- Complete Certificate

Course

Link: https://www.udemy.com/course/web-development-masterclass-

complete-certificate-course/

Attended By: Megha Kansal