Aadhaar Enrolment and Update Mismatch Analysis

Understanding Age, Migration, and Operational Load Patterns in India

---

From Birth to Workforce-Proactive Adhaar Governance

UIDAI DATA HACKATHON 2026 | TEAM: UIDAI_10063

TEAM LEADER: PRATIK NILESH SAVJI

1. Problem Statement and Approach

Problem Statement

Aadhaar is India's largest digital identity system and serves as a foundational infrastructure for governance, welfare delivery, and citizen services. While enrolment into Aadhaar continues to grow, residents frequently update their demographic and biometric information due to aging, migration, and life events.

However, **enrolment growth and update behaviour do not always move together** across regions, age groups, and time. Some regions show high enrolment but limited updates, while others experience disproportionately high update volumes. These mismatches can lead to:

- Uneven operational load on Aadhaar infrastructure
- Unexpected demand for biometric revalidation
- Planning challenges for enrolment and update centres
- Gaps in awareness or access to update services

Currently, there is limited visibility into **how age-wise enrolment patterns translate into future update demand**, or how demographic updates reflect **internal migration and urbanisation trends**.

Analytical Approach

To address the problem, the project follows a structured analytical approach:

1. Integrate Aadhaar enrolment, demographic update, and biometric update datasets into a unified analytical dataset
2. Perform age-wise, geographic, and temporal analysis at state and district levels
3. Apply univariate, bivariate, and trivariate analysis to uncover relationships and patterns
4. Detect anomalies such as update-dominant regions and sudden spikes
5. Translate analytical findings into **actionable insights for system planning and governance**

Why this Problem is Important?

Understanding the relationship between enrolment and update behaviour enables UIDAI and policymakers to:

- Anticipate future biometric infrastructure needs
- Identify migration-driven update hotspots
- Improve outreach in low-update regions
- Optimize staffing and service delivery planning

---

2. Datasets Used

This project uses official aggregated datasets provided by UIDAI under the hackathon. All data is anonymised and contains no personally identifiable information (PII**).**

1. Aadhaar Enrolment Dataset

Description:
Aggregated enrolment data across time and geography, segmented by age groups.

Key Columns:

- Date
- State
- District
- Pincode
- Enrolments: age_0_5, age_5_17, age_18_greater

Usage:
To analyse enrolment growth, age-wise distribution, and geographic patterns.

2. Aadhaar Demographic Update Dataset

Description:
Aggregated updates to demographic details such as address, name, gender, and date of birth.

Key Columns:

- Date
- State
- District
- Pincode
- Total demographic updates

Usage:
Used as a proxy for migration and mobility, especially address changes.

3. Aadhaar Biometric Update Dataset

Description:
Aggregated biometric update activity including fingerprints, iris, and facial data.

Key Columns:

- Date

- State
- District
- Pincode
- Total biometric updates

Usage:
To assess future biometric load and operational stress, particularly from child enrolments.

---

3. Methodology

The analysis followed a structured data pipeline to convert raw UIDAI datasets into a unified, clean, and analysis-ready dataset. The methodology ensured data consistency, scalability, and reproducibility.

Step 1: Data Ingestion

- Multiple raw files were provided for each dataset due to large data volume
- Files within each dataset (enrolment, demographic update, biometric update) were appended to form three consolidated datasets
- Python (Pandas) was used to efficiently handle large datasets

Step 2: Data Cleaning & Standardisation

To ensure reliable analysis, the following cleaning steps were applied:

- Standardised state and district names by resolving spelling variations, legacy names, and special characters
- Converted date fields into a consistent date format
- Ensured correct data types for numeric fields (counts, pincode)
- Removed duplicate records based on key identifiers

This step ensured uniform geographic and temporal representation across datasets.

Step 3: Data Integration

- The three datasets were merged using common keys:
    - Date
    - State
    - District
    - Pincode
- An outer join strategy was applied to preserve all enrolment and update records
- Missing values arising from the merge were handled using appropriate null treatment

Step 4: Data Aggregation

- Data was aggregated to state-level and district-level as required
- Monthly aggregation was applied to enable trend and seasonal analysis
- Derived metrics such as total activity and update ratios were computed

Step 5: Final Analytical Dataset

The final dataset enabled:

- Age-wise enrolment analysis
- Comparison between enrolment and update behaviour
- Geographic and temporal pattern detection
- Scalable visualisation in Power BI

Tools Used

- **Python:** Data merging, aggregation, and preparation
- **Power BI:** Visual analytics and dashboard creation

---

4. Analysis Logic

The analysis is designed to understand how Aadhaar enrolment and update behaviour interact, rather than studying them separately. The focus is on identifying signals that affect future system load and service planning.

1. Age-wise Enrolment Logic

Child enrolments (0–5 years) are treated as a future indicator, since these residents will require biometric updates as they grow.
Hence:

- Child enrolment = future biometric demand
- Biometric updates = operational load

2. Update Behaviour Interpretation

Demographic updates, especially address changes, are influenced by migration and mobility.
Therefore:

- High demographic updates → migration or urban movement
- Low updates → possible awareness or access gaps

3. Update-to-Enrolment Comparison

Update activity is analysed relative to enrolment volume to identify:

- Update-heavy regions (maintenance stress)
- Balanced regions (stable lifecycle)
- Low-update regions (potential outreach need)

4. Time-based Analysis

Monthly trends are used to:

- Detect seasonal enrolment patterns
- Identify sudden spikes or drops
- Support staffing and infrastructure planning

Why This Matters

This logic helps shift focus from reporting numbers to understanding system behaviour, enabling better planning and decision-making for Aadhaar services.

5.DATA ANALYSIS & KEY FINDINGS

The analysis combines enrolment and update data to identify **patterns, relationships, and operational signals** across age groups, geography, and time.

Univariate Findings

- Aadhaar enrolment shows a **consistent upward trend** over time.
- The **18+ age group** forms the largest share of enrolments, while child enrolment varies significantly across states.
- Update activity is **concentrated in specific regions**, not evenly distributed.

Bivariate Findings

- States with **higher child enrolment** show **higher biometric updates in later periods**.
- High demographic updates relative to enrolment indicate **migration or mobility-driven behaviour**.
- Low update activity in some regions suggests **stable populations or awareness gaps**.

Trivariate & Anomaly Insights

- Analysis across **age group, time, and update type** reveals predictable future biometric load in child-heavy states.
- Certain districts exhibit **high update-to-enrolment ratios**, indicating operational stress.
- Seasonal spikes suggest periods of increased service demand.

Key Takeaways

- Child enrolment acts as a **leading indicator** of biometric demand
- Address updates reflect **migration patterns**
- Update-heavy districts require **focused infrastructure planning**
- Seasonal trends support **staffing optimisation**

6.VISUAL COMMUNICATION

This section presents the key visualisations developed using **Power BI** to analyse Aadhaar enrolment and update behaviour across states, districts, age groups, and time. The objective of these visuals is to identify **future system load, operational stress zones, migration signals, and seasonal demand patterns**, enabling informed planning and decision-making.

Visual 1: Age-wise Aadhaar Enrolment Distribution



What the visual shows:
This visual displays Aadhaar enrolments across three age groups (0–5 years, 5–17 years, and 18+ years) for each state.

Key insight:
Several states show a disproportionately high share of enrolments in the **0–5 age group**, indicating a large cohort of children entering the Aadhaar system.

Why this matters:
Child enrolment today directly translates into **future biometric update demand**, as children require biometric re-capture as they grow. This insight helps UIDAI anticipate **long-term infrastructure and biometric device requirements**.

Visual 2: Aadhaar Activity Mix by State



What the visual shows:
A comparison of **new enrolments, demographic updates, and biometric updates** across states.

Key insight:
In several states, update activity (demographic + biometric) is comparable to or higher than new enrolments.

Why this matters:
This highlights that Aadhaar operations are not enrolment-only driven. States with high update volumes require **continuous operational capacity**, even when enrolment growth slows.

Visual 3: Address Update Activity Across States (Migration Proxy)



What the visual shows:
Geographical distribution of **demographic (address-related) updates** across Indian states.

Key insight:
Certain states exhibit significantly higher address update activity compared to others.

Why this matters:
Frequent address updates act as a **proxy indicator of migration and urbanisation**. These regions may require dynamic scaling of Aadhaar services to support population movement.

Visual 4: Monthly Aadhaar Enrolment Trend



What the visual shows:
Month-wise trend of total Aadhaar enrolments.

Key insight:
Clear peaks and troughs are visible across months, indicating **seasonal enrolment behaviour**.

Why this matters:
Seasonality in enrolment demand can guide **staffing optimisation, resource allocation, and scheduling of enrolment drives** during high-demand periods.

Visual 5: States with High Update Activity



What the visual shows:
States ranked by overall Aadhaar update activity.

Key insight:
Some states consistently show higher update volumes compared to others.

Why this matters:
High update activity suggests **frequent data corrections and revalidations**, requiring sustained infrastructure readiness and awareness campaigns.

Visual 6: Child Enrolment and Biometric Updates Over Time



What the visual shows:
A time-series comparison between **child enrolment (0–5 age group)** and **biometric update volumes**.

Key insight:
An observable relationship exists where periods of high child enrolment are followed by increased biometric update activity.

Why this matters:
This establishes early-life enrolment as a **predictive indicator of future biometric workload**, enabling proactive planning rather than reactive scaling.

Overall Analytical Summary

The dashboard demonstrates that Aadhaar system load is influenced not only by new enrolments but also by **age structure, migration-driven updates, and recurring biometric and demographic changes**. These insights collectively support **capacity planning, targeted interventions, and long-term system resilience** for UIDAI operations.



7.SOURCE CODE, LOGIC & REPRODUCIBILITY

This section explains how the raw UIDAI datasets were transformed into an analysis-ready dataset, ensuring transparency, reproducibility, and technical rigor. Python was used for data processing, while Power BI was used strictly for visual analytics.

1. Data Ingestion and Consolidation

Each Aadhaar dataset (Enrolment, Demographic Updates, Biometric Updates) was provided in multiple files due to data volume. All files belonging to the same dataset were appended to create a consolidated table.

Why this step is important:
UIDAI data is released in chunks. Appending ensures no data loss and maintains completeness before analysis.

```
import pandas as pd

import glob

enrolment_files = glob.glob("../data/enrolment/*.csv")

print("Number of enrolment files:", len(enrolment_files))

enrol_df = pd.concat(

   [pd.read_csv(f) for f in enrolment_files],

   ignore_index=True

)

enrol_df.to_csv('enrolment.csv',index=False)


demographic_files = glob.glob("../data/demographic/*.csv")

print("Number of demographic files:", len(demographic_files))

demo_df = pd.concat(

   [pd.read_csv(f) for f in demographic_files],

   ignore_index=True

)

demo_df.to_csv('demographic.csv',index=False)



biometric_files = glob.glob("../data/biometric/*.csv")
```

```
print("Number of biometric files:", len(biometric_files))

bio_df = pd.concat(
    [pd.read_csv(f) for f in biometric_files],
    ignore_index=True
)
bio_df.to_csv('biometric.csv',index=False)
```

---

2. Data Standardisation & Cleaning

Key categorical fields such as state, district, and date were standardised to remove formatting inconsistencies.

Why this step is important:
Inconsistent naming leads to incorrect joins and misleading analysis.

```
for df in [enrol_df, demo_df, bio_df]:
    df['state'] = df['state'].str.strip().str.title()
    df['district'] = df['district'].str.strip().str.title()
    df['date'] = pd.to_datetime(df['date'])
```

---

3. Dataset Integration Using Common Keys

The three datasets were merged using date, state, district, and pincode to create a unified analytical view.

Why this step is important:
This enables comparison between enrolment behaviour and update behaviour across the same geography and time period.

```
final_df = enrol_df.merge(
    demo_df,
    on=['date', 'state', 'district', 'pincode'],
    how='outer'
).merge(
    bio_df,
    on=['date', 'state', 'district', 'pincode'],
    how='outer')
```

4. Aggregation for Analytical Use

To support trend analysis and reduce noise, the data was aggregated at state, district, and monthly levels.

Why this step is important:
UIDAI planning decisions are taken at aggregated levels, not raw transaction rows.

```
final_df['month'] = final_df['date'].dt.to_period('M')


agg_df = final_df.groupby(
    ['state', 'district', 'month'],
    as_index=False
).sum()
```

---

5. Derived Metrics for Insight Generation

Custom metrics were created to quantify operational stress and update intensity.

```
agg_df['total_updates'] = agg_df['demo_updates'] + agg_df['bio_updates']

agg_df['update_dominance_ratio'] = (
    agg_df['total_updates'] / agg_df['total_enrolments']
)
```

Why this step is important:
Derived metrics enable identification of update-heavy regions, which is critical for system load planning.

6. Visualisation Layer (Power BI)

The final aggregated dataset was exported and loaded into Power BI, where all dashboards and visuals were created. Power BI was used only for visualisation, not for data transformation.

📸 Code Execution Proof (Screenshot)

```
# Path to enrolment files
enrolment_files = glob.glob("../data/enrolment/*.csv")

print("Number of enrolment files:", len(enrolment_files))

# Read & append
enrolment_df = pd.concat(
    [pd.read_csv(f) for f in enrolment_files],
    ignore_index=True
)
enrolment_df.to_csv('enrolment.csv',index=False)
enrolment_df.shape
enrolment_df.head()
```

```python
demographic_files = glob.glob("../data/demographic/*.csv")

print("Number of demographic files:", len(demographic_files))

demographic_df = pd.concat(
    [pd.read_csv(f) for f in demographic_files],
    ignore_index=True
)
demographic_df.to_csv('demographic.csv',index=False)
demographic_df.shape
```

```python
biometric_files = glob.glob("../data/biometric/*.csv")

print("Number of biometric files:", len(biometric_files))

biometric_df = pd.concat(
    [pd.read_csv(f) for f in biometric_files],
    ignore_index=True
)
biometric_df.to_csv('biometric.csv',index=False)
biometric_df.shape
```

Generate | Code | Markdown | Run All | Restart | Clear All Outputs | Jupyter Variables | Outline ... Python 3.13.

```python
final_df.head(25)
```

[35] Python

	date	state	district	pincode	age_0_5	age_5_17	age_18_greater	demo_age_5_17	demo_age_17_	bio_age_5_17	bio_age_17_
0	01-03-2025	Andaman And Nicobar Islands	Andaman	744101	0.0	0.0	0.0	0.0	0.0	16.0	193.0
1	01-03-2025	Andaman And Nicobar Islands	Nicobar	744301	0.0	0.0	0.0	32.0	360.0	101.0	48.0
2	01-03-2025	Andaman And Nicobar Islands	Nicobar	744302	0.0	0.0	0.0	0.0	0.0	15.0	12.0
3	01-03-2025	Andaman And Nicobar Islands	Nicobar	744303	0.0	0.0	0.0	0.0	0.0	46.0	27.0
4	01-03-2025	Andaman And Nicobar Islands	Nicobar	744304	0.0	0.0	0.0	0.0	0.0	16.0	14.0
5	01-03-2025	Andaman And Nicobar Islands	North And Middle Andaman	744201	0.0	0.0	0.0	0.0	0.0	41.0	40.0
6	01-03-2025	Andaman And Nicobar Islands	North And Middle Andaman	744202	0.0	0.0	0.0	20.0	402.0	167.0	131.0
7	01-03-2025	Andaman And Nicobar Islands	North And Middle Andaman	744204	0.0	0.0	0.0	0.0	0.0	103.0	76.0
8	01-03-2025	Andaman And Nicobar Islands	North And Middle Andaman	744205	0.0	0.0	0.0	0.0	0.0	122.0	69.0
9	01-03-2025	Andaman And Nicobar Islands	North And Middle Andaman	744209	0.0	0.0	0.0	0.0	0.0	20.0	14.0
10	01-03-	Andaman And Nicobar	North And Middle	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

Figure: Python-based data processing and aggregation workflow

Reproducibility Statement

The above workflow ensures that the entire analysis can be reproduced end-to-end from raw UIDAI data to final insights using standard Python libraries and Power BI.

8.IMPACT, INSIGHTS & POLICY RELEVANCE

This page summarises the actionable insights derived from the analysis and explains how UIDAI and administrators can practically use these findings to improve Aadhaar service delivery, system resilience, and planning efficiency.

Key Insights & Their Implications

1. Child Enrolment as a Predictor of Future Biometric Load

Insight:
States with higher enrolment in the 0–5 age group show a corresponding rise in biometric update activity over time.

Impact:
Early-life enrolment creates predictable future demand for biometric re-capture.

Policy Relevance:
UIDAI can proactively plan biometric device procurement, staffing, and centre capacity in child-heavy states instead of reacting after congestion occurs.

2. Update-Heavy States Indicate Continuous Operational Load

Insight:
Several states exhibit update volumes comparable to or exceeding new enrolments.

Impact:
Aadhaar workload does not decline once enrolment saturates.

Policy Relevance:
Operational planning must treat Aadhaar as a maintenance-intensive system, requiring sustained resources even in mature regions.

3. Address Update Intensity Reflects Migration Patterns

Insight:
High address update activity is concentrated in specific states.

Impact:
These regions experience higher population mobility and urbanisation pressure.

Policy Relevance:
UIDAI can use address updates as a real-time migration proxy to dynamically allocate enrolment and update infrastructure.

4. Seasonal Enrolment Peaks Affect Service Demand

Insight:
Monthly enrolment trends show clear seasonal spikes.

Impact:
Uniform staffing across months leads to inefficiencies.

Policy Relevance:
Seasonal demand forecasting enables temporary staffing, mobile enrolment camps, and scheduling optimisation.

5. Update-Dominant Regions Signal Awareness or Access Gaps

Insight:
Some regions show low enrolment but high update activity, while others show low updates overall.

Impact:
This indicates either data quality stress or low awareness/access.

Policy Relevance:
Targeted outreach and awareness campaigns can be deployed selectively, improving inclusion and data accuracy.

Administrative & Social Value

- **Enables data-driven capacity planning**
- **Reduces service bottlenecks through predictive insights**
- **Supports inclusive access by identifying underserved regions**
- **Improves system efficiency without additional data collection**

9.Conclusion

This project demonstrates that Aadhaar data can be transformed from static reporting into a decision-support system. By linking enrolment behaviour, age structure, update patterns, and geography, UIDAI can move towards anticipatory governance, ensuring scalability, efficiency, and citizen-centric service delivery.