# IT5008: Tutorial 2 — Simple Queries

#### Pratik Karmakar

School of Computing, National University of Singapore

AY25/26 S1





School of Computing, National University of Singapore

#### Scenario

Students at the National University of Ngendipura (NUN) buy, lend, and borrow books.

Solutions

NUNStA commissions Apasaja Private Limited to implement an online book exchange that records:

- Student info: name, faculty, department, email (identifier), join date (year).
- Book info: title, authors, publisher, year, edition, ISBN10, ISBN13 (industry IDs; unique).
- Loans: borrowed date, returned date (may be NULL).

Auditing keeps data for (i) copies with loans and (ii) graduated students with loaned books.

This tutorial uses the schema/data created in "Creating and Populating Tables".



## Use simple queries only

No **nested** or **aggregate** queries in answers. Focus on **single-table** and **multi-table** joins and set operators.

We'll present equivalent formulations (e.g., CROSS JOIN vs INNER JOIN, UNION/INTERSECT/EXCEPT) and discuss readability best practices.



Setup

### 1. Single-Table Queries

- (a) Print the different departments.
- (b) Print the different departments in which students are enrolled.
- (c) For each copy that has been borrowed and returned, print the ISBN13 and the loan duration. Order by ISBN13 (ASC) then duration (DESC). Use a single table.

## Questions — Multi-table

#### 2. Multi-Table Queries

- (a) For each unreturned loan of a book published by 'Wiley', print: book title, owner name+faculty, borrower name+faculty.
- (b) Print emails of students who borrowed or lent a copy before they joined the University.
- (c) Print emails of students who borrowed or lent a copy on the day they joined.
- (d) Print emails of students who borrowed and lent a copy on the day they joined.
- (e) Print emails of students who *borrowed but did not lend* a copy **on the day** they joined.
- (f) Print ISBN13 of books that have **never** been borrowed.



School of Computing, National University of Singapore

Setup

# 1(a). Different departments (single table)

Good practice: alias tables; refer to columns via the alias.

```
SELECT d.department FROM department AS d;
```

Why no DISTINCT? department is the PRIMARY KEY of table department, so duplicates cannot occur.



## 1(b). Departments with enrolled students

Query the student table; many students share the same department, so we need DISTINCT.

```
SELECT DISTINCT s.department FROM student AS s;
```

Wording matters. If we asked "department of the different students", then DISTINCT should **not** be on department (students are identified by email, not department).

# 1(c). Loan duration from a single table (returned only)

SELECT 1.book, 1.returned - 1.borrowed + 1 AS duration

```
FROM loan AS 1
WHERE 1.returned IS NOT NULL
ORDER BY 1.book ASC, duration DESC;
```

## 1(c). Loan duration including unreturned

### Using COALESCE

```
SELECT 1.book.
       (COALESCE(1.returned, CURRENT_DATE)
        - 1.borrowed + 1) AS duration
FROM loan AS 1
ORDER BY 1.book ASC, duration DESC;
```

Solutions 00000000000

### Using CASE

```
SELECT 1.book,
       ((CASE WHEN 1.returned IS NULL
              THEN CURRENT DATE
              ELSE 1.returned END)
        - 1.borrowed + 1) AS duration
FROM loan AS 1
ORDER BY 1.book ASC, duration DESC;
```

Solutions

```
SELECT b.title,
       s1.name AS ownerName, d1.faculty AS ownerFaculty,
       s2.name AS borrowerName, d2.faculty AS borrowerFaculty
FROM loan AS 1, book AS b, copy AS c,
     student AS s1, student AS s2,
     department AS d1, department AS d2
WHERE 1.book = b.TSBN13
 AND c.book = 1.book AND c.copy = 1.copy AND c.owner = 1.owner
 AND 1.owner = s1.email AND 1.borrower = s2.email
 AND s1.department = d1.department AND s2.department =
    d2.department
 AND b.publisher = 'Wiley'
 AND 1.returned IS NULL:
```

Solutions

```
SELECT b.title.
       s1.name AS ownerName, d1.faculty AS ownerFaculty,
       s2.name AS borrowerName, d2.faculty AS borrowerFaculty
FROM loan AS 1, book AS b,
     student AS s1, student AS s2,
     department AS d1, department AS d2
WHERE 1.book = b.TSBN13
  AND 1.owner = s1.email AND 1.borrower = s2.email
 AND s1.department = d1.department AND s2.department =
    d2.department
  AND b.publisher = 'Wiley' AND 1.returned IS NULL;
```

## 2(a). Using INNER JOIN (clear ON vs WHERE)

```
SELECT b.title.
      s1.name AS ownerName, d1.faculty AS ownerFaculty,
      s2.name AS borrowerName, d2.faculty AS borrowerFaculty
FROM loan AS 1
INNER JOIN book
                  AS b ON l.book = b.ISBN13
INNER JOIN student AS s1 ON 1.owner = s1.email
INNER JOIN student AS s2 ON 1.borrower = s2.email
INNER JOIN department AS d1 ON s1.department = d1.department
INNER JOIN department AS d2 ON s2.department = d2.department
WHERE b.publisher = 'Wiley' AND 1.returned IS NULL;
```

**Convention:** ON for PK-FK join predicates; WHERE for additional filters.



10

## 2(b). Borrowed or lent before joining

### **Either role** (owner or borrower) and **date check**:

```
SELECT DISTINCT s email
FROM loan AS 1, student AS s
WHERE (s.email = 1.borrower OR s.email = 1.owner)
  AND 1.borrowed < s.year;
```

### Distributed condition (equivalent):

```
SELECT DISTINCT s.email
FROM loan AS 1, student AS s
WHERE (s.email = 1.borrower AND 1.borrowed < s.year)
   OR (s.email = 1.owner AND 1.borrowed < s.year);</pre>
```



13 / 19

## 2(c). Borrowed or lent on joining day

### Direct form (needs DISTINCT):

```
SELECT DISTINCT s.email
FROM loan AS 1, student AS s
WHERE (s.email = 1.borrower OR s.email = 1.owner)
  AND 1.borrowed = s.year;
```

Solutions

000000000000

### Using UNION (deduplicates by default):

```
SELECT s.email
FROM loan AS 1, student AS s
WHERE s.email = 1.borrower AND 1.borrowed = s.year
UNION
SELECT s.email
FROM loan AS 1, student AS s
WHERE s.email = 1.owner AND 1.borrowed = s.year;
```



## (a). Dononea and rent on Jenning and

## Using INTERSECT:

```
SELECT s.email
FROM loan AS 1, student AS s
WHERE s.email = 1.borrower AND 1.borrowed = s.year
INTERSECT
SELECT s.email
FROM loan AS 1, student AS s
WHERE s.email = 1.owner AND 1.borrowed = s.year;
```

Solutions

### Without INTERSECT (two aliases of loan):

```
SELECT DISTINCT s.email
FROM loan AS 11, loan AS 12, student AS s
WHERE s.email = 11.borrower AND 11.borrowed = s.year
AND s.email = 12.owner AND 12.borrowed = s.year;
```



# 2(e). Borrowed but did not lend on joining day

```
SELECT s.email
FROM loan AS 1, student AS s
WHERE s.email = 1.borrower AND 1.borrowed = s.year
EXCEPT
SELECT s.email
FROM loan AS 1, student AS s
WHERE s.email = 1.owner AND 1.borrowed = s.year;
```

Solutions

000000000000

# 2(f). Books never borrowed

### Using EXCEPT:

```
SELECT b. ISBN13
FROM book AS b
EXCEPT
SELECT 1.book
FROM loan AS 1;
```

### Using LEFT OUTER JOIN + IS NULL:

```
SELECT b. ISBN13
FROM book AS b
LEFT OUTER JOIN loan AS 1
  ON b.ISBN13 = 1.book
WHERE 1.book IS NULL;
```



17 / 19

## Guidelines & Marking Tips

- No hardcoding. Queries must work on any dataset consistent with the schema.
- **Constants only if stated.** If the question names a constant (e.g., 'Wiley'), you may use it; otherwise avoid.
- Readable style. Use table aliases, qualify columns, and uppercase SQL keywords.
- Set operators (UNION/INTERSECT/EXCEPT) inherently deduplicate;
   DISTINCT is redundant with them.
- Partial marks: (i) query executes, (ii) correct columns (names, types, order), (iii) minimal row differences.



Questions?

Drop a mail at: pratik.karmakar@u.nus.edu

