

# Meridian Healthcare Distributors Pvt. Ltd.

Wholesale Pharmaceutical Distribution & Cold Chain Logistics

Date: 20 July 2026  
Ref: MHD/QC-COMPLAINT/2026/0417

To,  
The Quality Assurance Manager  
Vitalis Pharmaceuticals Ltd.  
API & FDF Manufacturing Division

**Subject: Product Quality Complaint — Amoxicillin Trihydrate 500mg Capsules, Batch AMX-2026-0417**

Dear Sir/Madam,

We are writing to formally report a product quality complaint received from one of our retail pharmacy customers regarding a shipment of **Amoxicillin Trihydrate 500mg Capsules** supplied by Vitalis Pharmaceuticals Ltd.

On 18 July 2026, our customer (Sunrise Pharmacy, Andheri East, Mumbai) reported that upon opening a newly received carton, approximately **15% of the capsules in strip PAC-1120** exhibited a distinct yellowish discoloration compared to the normal off-white appearance of the product. No unusual odor was detected, and the blister packaging itself was intact with no signs of tampering, moisture ingress, or physical damage. The affected strips were part of a larger consignment of **120 units (blister strips)** received by our warehouse on 5 July 2026.

Product and batch details are as follows:

|                    |                                           |
|--------------------|-------------------------------------------|
| Product Name       | Amoxicillin Trihydrate                    |
| Strength / Grade   | 500mg Capsules                            |
| Batch / Lot Number | AMX-2026-0417                             |
| Manufacturing Date | 10-Feb-2026                               |
| Expiry Date        | 09-Feb-2028                               |
| Quantity Affected  | 120 units (blister strips)                |
| Storage Conditions | Below 25°C, stored per label instructions |

Photographs of the affected strips have been retained by our customer and can be shared upon request. Given that this defect is visually apparent and may indicate a stability or manufacturing process deviation, we request that Vitalis Pharmaceuticals Ltd. initiate a formal investigation into Batch

AMX-2026-0417, including review of relevant in-process and stability data, and advise on the disposition of the remaining unaffected stock from this batch currently held in our warehouse (approx. 380 additional units).

We request an acknowledgment of this complaint within 3 business days and a root cause / corrective action update within 15 business days, in line with our standing quality agreement.

Please treat this matter as high priority given the potential product quality and patient safety implications.

Thank you for your prompt attention to this matter.

Regards,

**Rajeev Malhotra**

Quality & Compliance Officer

Meridian Healthcare Distributors Pvt. Ltd.

rajeev.malhotra@meridianhealthcare-dist.example

+91 98200 XXXXX