


**HILLS
OUTDOOR LIGHT**

Outdoor Series

hills

POWERED BY **CREE** 




| Model | Power | Luminous Flux | Colour Temp | Emitting Angle | Ra | SDCM |
|---------------|-------|---------------|-------------|----------------|-----|------|
| HL-OD-07-2042 | 7W | 327 lm | 3000K | 26° | ≥80 | <6 |

Outdoor Series

hills


POWERED BY **CREE** ▲



| Model | Power | IP Rating | Body Colour |
|------------|-------|-----------|-------------|
| HL-OD 1019 | 12W | IP65 | PKW/BK |

Outdoor Series

hills



| Model | Power | CCT | Body Colour |
|-------|-------|-----|-------------|
|-------|-------|-----|-------------|

HL-OD 888


8W

3K/4K/6K

BK

Outdoor Series

hills



| Model | Power | IP Rating | Body Colour |
|------------|-------|-----------|-------------|
| HL-OD 1414 | 7W | IP54 | BK |

Outdoor Series


hills



| Model | Power | IP Rating | Body Colour |
|---------------|-------|-----------|-------------|
| HL-OD 111 MOV | 7W | IP65 | BK |

Outdoor Series

hills



| Model | Power | IP Rating | Body Colour |
|------------|-------|-----------|-------------|
| HL-OD 2121 | 4W | IP65 | BK |

Outdoor Series

hills



Model

Power

IP Rating

Body Colour

HL-OD 222

2W

IP65

BK

hills



| Model | Power | IP Rating | Body Colour |
|-------------|-------|-----------|-------------|
| HL-OD 201/2 | 2W | IP65 | Grey |
| HL-OD 201/4 | 4W | IP65 | Grey |

Outdoor Series

hills



| Model | Power | IP Rating | Body Colour |
|------------|-------|-----------|-------------|
| HL-OD 4747 | 3W | IP54 | BK |

hills




| Model | Power | IP Rating | Body Colour |
|-------------|-------|-----------|-------------|
| HL-525SF/3W | 3W | IP65 | PKW/BK |
| HL-525SF/6W | 6W | IP65 | PKW/BK |

Outdoor Series

hills

POWERED BY **CREE** 




| Model | Power | Luminous Flux | Colour Temp | Emitting Angle | Ra | SDCM |
|------------|-------|---------------|-------------|----------------|-----|------|
| HL-OD-2212 | 7W | 162 lm | 3000K | 58° | >80 | <4 |

Outdoor Series

hills

POWERED BY **CREE** ▲



| Model | Power | IP Rating | Body Colour |
|------------------|-------|-----------|-------------|
| HL-14SF COB IP54 | 14W | IP54 | PKW/BK |

Outdoor Series

hills

POWERED BY **CREE** ▲




| Model | Power | IP Rating | Body Colour |
|-----------------|-------|-----------|-------------|
| HL-14SF SQ IP54 | 14W | IP54 | PKW/BK |

Outdoor Series

hills

POWERED BY **CREE** 




| Model | Power | Luminous Flux | Colour Temp | Emitting Angle | Ra | SDCM |
|---------------------------|------------|----------------|--------------|----------------|------------|--------------|
| HL-OD-21SF COB | 21W | 1789 lm | 3000K | 46° | ≥80 | <4 |

Outdoor Series

hills

POWERED BY **CREE** 





| Model | Power | Luminous Flux | Colour Temp | Emitting Angle | Ra | SDCM |
|------------|-------|---------------|-------------|----------------|-----|------|
| HL-OD-2171 | 7W | 550 lm | 3000K | 106° | ≥80 | <5 |

Outdoor Series

hills

POWERED BY **CREE** 




| Model | Power | Luminous Flux | Colour Temp | Emitting Angle | Ra | SDCM |
|------------|-------|---------------|-------------|----------------|-----|------|
| HL-OD-1901 | 7W | 404 lm | 3000K | 111° | ≥80 | <5 |

Outdoor Series

hills

POWERED BY **CREE** 




| Model | Power | Luminous Flux | Colour Temp | Emitting Angle | Ra | SDCM |
|------------|-------|---------------|-------------|----------------|-----|------|
| HL-OD-2211 | 14W | 337 lm | 3000K | 99 ° | ≥80 | <4 |

Outdoor Series

hills

POWERED BY **CREE** 




| Model | Power | Luminous Flux | Colour Temp | Emitting Angle | Ra | SDCM |
|---------------------|-------|---------------|-------------|----------------|-----|------|
| HL-OD-14W Garden | 14W | 810 lm | 3000K | 23° | ≥80 | <4 |

Outdoor Series

hills

POWERED BY **CREE** 





| Model | Power | Luminous Flux | Colour Temp | Emitting Angle | Ra | SDCM |
|------------|-------|---------------|-------------|----------------|-----|------|
| HL-OD-1861 | 4W | 249 lm | 3000K | 25° | ≥80 | <6 |

Outdoor Series

hills

POWERED BY




| Model | Power | Colour Temp | Body Colour | IP Rating | Chip |
|------------|-------|-------------|-------------|-----------|--------|
| HL-OD 6283 | 2x3W | 3000K | Matte Black | 65 | EDISON |

Outdoor Series

hills

POWERED BY  EDISON




| Model | Power | Colour Temp | Body Colour | IP Rating | Chip |
|-------------|-------|-------------|-------------|-----------|--------|
| HD-OD-6266L | 2x4W | 3000K | Matte Black | 65 | EDISON |

Outdoor Series

hills

POWERED BY  EDISON




| Model | Power | Colour Temp | Body Colour | IP Rating | Chip |
|------------|-------|-------------|-------------|-----------|--------|
| HD-OD-6282 | 7W | 3000K | Matte Black | 65 | EDISON |

Outdoor Series

hills

POWERED BY  EDISON




| Model | Power | Colour Temp | Body Colour | IP Rating | Chip |
|-------------|-------|-------------|-------------|-----------|--------|
| HD-OD-786UP | 3W | 3000K | Matte Black | 65 | EDISON |

Outdoor Series

hills

POWERED BY  EDISON




| Model | Power | Colour Temp | Body Colour | IP Rating | Chip |
|------------|-------|-------------|-------------|-----------|--------|
| HL-OD-2711 | 2x5W | 3000K | Matte Black | 65 | EDISON |

Outdoor Series

hills

POWERED BY  EDISON




| Model | Power | Colour Temp | Body Colour | IP Rating | Chip |
|-------------|-------|-------------|-------------|-----------|--------|
| HL-OD-1005S | 2x3W | 3000K | Matte Black | 65 | EDISON |

Outdoor Series

hills

POWERED BY  EDISON



| Model | Power | Colour Temp | Body Colour | IP Rating | Chip |
|------------|-------|-------------|-------------|-----------|--------|
| HL-OD-1002 | 10W | 3000K | Matte Black | 65 | EDISON |

Outdoor Series

hills


POWERED BY  EDISON



| Model | Power | Colour Temp | Body Colour | IP Rating | Chip |
|------------|-------|-------------|-------------|-----------|--------|
| HL-OD-1006 | 2x4W | 3000K | Matte Black | 65 | EDISON |

Outdoor Series


hills



| Model | Power | Colour Temp | Body Colour | IP Rating | Chip |
|---------------|-------|-------------|-------------|-----------|---------|
| HL-OD-786 2x3 | 2x3W | 3000K | Matte Black | 65 | EPISTAR |

hills

Outdoor Series



| Model | Power | IP Rating | Body |
|------------|-------|-----------|----------|
| HL-OD 322B | 6W | IP 65 | Sandy BK |

hills




Outdoor Series



| Model | Power | IP Rating | Body |
|------------|-------|-----------|----------|
| HL-OD 2004 | 10W | IP 65 | Sandy BK |

hills

Outdoor Series




| Model | Power | IP Rating | Body |
|------------|-------|-----------|----------|
| HL-OD 2005 | 10W | IP 65 | Sandy BK |



POWERED BY EVERLIGHT®

Outdoor Series




| Model | Wattage | IP Rating | Body Colour | CCT | Beam Angle |
|------------|---------|-----------|-------------|-----|------------|
| HL-OD 5381 | 9W | IP 54 | BK | 3K | 110° |

hills

POWERED BY EVERLIGHT®

Outdoor Series



| Model | Wattage | IP Rating | Body Colour | CCT |
|------------|---------|-----------|-------------|-----|
| HL-OD 1861 | 7W | IP 54 | BK | 3K |

hills

Outdoor Series

POWERED BY **EVERLIGHT®**

SUPPORTED WITH TUV RHeinland Certified Driver



| Model | Power | CCT | IP Rating | Body Colour | Surge Protection |
|------------|-------|------|-----------|-------------|------------------|
| HL-OD 1745 | 12W | 3000 | IP65 | BK | 470V |

hills

Outdoor Series

POWERED BY **EVERLIGHT®**

SUPPORTED WITH TUV RHeinland Certified Driver




WxL 92MM x 92mm

H 65MM

| Model | Power | CCT | IP Rating | Body Colour | Surge Protection |
|------------|-------|------|-----------|-------------|------------------|
| HL-OD 1755 | 12W | 3000 | IP65 | BK | 470V |

hills

Outdoor Series



Model

Power

IP Rating

Body

HL-OD 444

4W


IP65

AL FINISH

hills

Outdoor Series


POWERED BY **CREE** 



| Model | Power | IP Rating | Body |
|--------------|-------|-----------|----------|
| HL-OD 3199/4 | 4W | IP 65 | Sandy BK |

Outdoor Series

hills



| Model | Power | CCT | Body Colour | IP Rating |
|---------------|-------|------|-------------|-----------|
| HL - OD- 4WAY | 4x3W | 3000 | Sand BK | IP65 |

hILLS

Outdoor Series



| Model | Wattage | IP Rating | Body Colour | CCT | Dimensions (h*w*l) |
|--------------|---------|-----------|-------------|-----|------------------------|
| HL-OD 201803 | 9W | IP 65 | BK | 3K | 100MM X 110 MM X 110MM |

hills

Outdoor Series




| Model | Wattage | IP Rating | Body Colour | CCT | Dimensions |
|--------------|---------|-----------|-------------|-----|-------------------------|
| HL-OD 201802 | 9W | IP 65 | BK | 3K | 100MM (H) 110 MM (D) |

Outdoor Series

hills

POWERED BY **CREE** 




| Model | Power | Luminous Flux | Colour Temp | Emitting Angle | Ra | SDCM |
|----------------|-------|---------------|-------------|----------------|-----|------|
| HL-OD-2391-600 | 7W | 566 lm | 3000K | 21° | ≥80 | <4 |

Outdoor Series

hills

POWERED BY




| Model | Power | Colour Temp | Body Colour | IP Rating | Chip |
|------------|-------|-------------|-------------|-----------|--------|
| HD-BL-7198 | 7W | 3000K | Matte Black | 65 | EDISON |

Outdoor Series

hills

POWERED BY **CREE** 



| Model | Power | Luminous Flux | Colour Temp | Emitting Angle | Ra | SDCM |
|----------------|-------|---------------|-------------|----------------|-----|------|
| HL-OD-2212-900 | 7W | 337 lm | 3000K | 99° | >80 | <4 |

Outdoor Series

hills

POWERED BY  EDISON




| Model | Power | Colour Temp | Body Colour | IP Rating | Chip |
|------------|-------|-------------|-------------|-----------|--------|
| HD-BL-1002 | 10W | 3000K | Matte Black | 65 | EDISON |

Outdoor Series

hills

POWERED BY  EDISON



| Model | Power | Colour Temp | Body Colour | IP Rating | Chip |
|------------|-------|-------------|-------------|-----------|--------|
| HD-BL-1003 | 10W | 3000K | Matte Black | 65 | EDISON |

hills

Flood Light



| Model | Power | Surge Protection | IP Rating | Body Colour |
|--------------------|-------|------------------|-----------|-------------|
| HL-35 FLOOD LIGHT | 35W | 4KV | IP65 | WH/WW |
| HL-60 FLOOD LIGHT | 60W | 4KV | IP65 | WH/WW |
| HL-120 FLOOD LIGHT | 120W | 4KV | IP65 | WH/WW |
| HL-180 FLOOD LIGHT | 180W | 4KV | IP65 | WH/WW |
| HL-240 FLOOD LIGHT | 240W | 4KV | IP65 | WH/WW |

hills

Street Light



| Model | Power | CCT | Surge Protection | IP Rating |
|----------------------|-------|-------|------------------|-----------|
| HL - 35 Street Light | 35W | 3K/6K | - 4KV | IP 65 |
| HL - 60 Street Light | 60W | 3K/6K | - 4KV | IP 65 |