```
Group: A
mysql> create database pratik;
Query OK, 1 row affected (0.08 sec)
mysql> use pratik;
Database changed
mysql> create table Books (Acc No int, Title varchar(100), Author varchar(100), Publisher
varchar(100), Count int);
Query OK, 0 rows affected (0.61 sec)
mysql> insert into Books value('1001','DBMS','ABC','ABCD','100');
Query OK, 1 row affected (0.10 sec)
mysql> insert into Books value('1002','CNS','DEF','EFGH','150');
Query OK, 1 row affected (0.07 sec)
mysql> insert into Books value('1003','SPM','GHI','IJKL','200');
Query OK, 1 row affected (0.05 sec)
mysql> insert into Books value('1004','SPOS','JKL','MNOP','200');
Query OK, 1 row affected (0.11 sec)
mysql> insert into Books value('1005','TOC','MNO','QRST','213');
Ouery OK, 1 row affected (0.07 sec)
mysql> select * from Books;
+----+
| Acc No | Title | Author | Publisher | Count |
+----+
| 1001 | DBMS | ABC | ABCD | 100 |
 1002 | CNS | DEF | EFGH
                               | 150 |
| 1003 | SPM | GHI | IJKL
                             | 200 |
 1004 | SPOS | JKL | MNOP
                                | 200 |
 1005 | TOC | MNO | QRST
                              | 213 |
+----+
5 rows in set (0.00 \text{ sec})
mysql> create table Lib Audit (Acc No int, Title varchar(100), Author
varchar(100), Publisher varchar(100), Count int, Action varchar(100));
Query OK, 0 rows affected (0.31 sec)
mysql> Select * from Lib Audit;
Empty set (0.00 sec)
```

Assignment No.: 08

## mysql> after delete

```
mysql> create trigger Tr after delete on Books For each row Insert into Lib Audit set
action="delete", Acc No=old.Acc No, Title=old.Title, Author=old.Author,
Publisher=old.Publisher,Count=old.Count;
Query OK, 0 rows affected (0.10 sec)
mysql> delete from Books where Acc No='1001';
Query OK, 1 row affected (0.08 sec)
mysql> Select * from Books;
+----+
| Acc No | Title | Author | Publisher | Count |
+----+
| 1002 | CNS | DEF | EFGH
 1003 | SPM | GHI | IJKL
                          | 200 |
1004 | SPOS | JKL | MNOP
                          | 200 |
 1005 | TOC | MNO | QRST
                          | 213 |
+----+
4 rows in set (0.00 \text{ sec})
mysql> Select * from Lib Audit;
+----+
| Acc No | Title | Author | Publisher | Count | Action |
+----+
| 1001 | DBMS | ABC | ABCD | 100 | delete
+----+
1 row in set (0.00 \text{ sec})
mysql> after update
mysql> create trigger TT after update on Books For each row Insert into Lib Audit set
action="update", Acc No=old.Acc No, Title=old.Title, Author=old.Author,
Publisher=old.Publisher,Count=old.Count;
Query OK, 0 rows affected (0.10 sec)
mysql> update Books set Count=8 where Acc No='1004';
Query OK, 1 row affected (0.08 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> Select *From Books;
+----+
| Acc No | Title | Author | Publisher | Count |
+----+
 1002 | CNS | DEF
                 | EFGH
                           | 150 |
 1003 | SPM | GHI
                 | IJKL
                          | 200 |
| 1004 | SPOS | JKL | MNOP
                              8 |
1005 | TOC | MNO | QRST
                          | 213 |
+----+
4 rows in set (0.00 \text{ sec})
```

## mysql>before update

6 rows in set (0.00 sec)

```
mysql> create trigger SS before update on Books For each row Insert into Lib Audit set
action="update", Acc No=old.Acc No, Title=old.Title, Author=old.Author,
Publisher=old.Publisher,Count=old.Count;
Query OK, 0 rows affected (0.12 sec)
mysql> update Books set Count=7 where Acc No='1004';
Query OK, 1 row affected (0.10 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> select *from Books;
+----+
| Acc No | Title | Author | Publisher | Count |
+----+
 1002 | CNS | DEF | EFGH
                            | 150 |
 1003 | SPM | GHI
                  | IJKL
 1004 | SPOS | JKL
                  | MNOP
                                7 |
 1005 | TOC | MNO | ORST
                            | 213 |
+----+
4 rows in set (0.00 sec)
mysql>before delete
mysql> create trigger TS before delete on Books For each row Insert into Lib Audit set
action="delete", Acc No=old.Acc No, Title=old.Title, Author=old.Author,
Publisher=old.Publisher,Count=old.Count;
Query OK, 0 rows affected (0.10 sec)
mysql> delete from Books where Acc No='1002';
Query OK, 1 row affected (0.06 sec)
mysql> select * from Lib Audit;
+----+
| Acc No | Title | Author | Publisher | Count | Action |
+----+
 1001 | DBMS | ABC
                    ABCD
                             | 100 | delete |
 1004 | SPOS | JKL
                               200 | update |
                   MNOP
 1004 | SPOS | JKL
                    MNOP
                                8 | update |
 1004 | SPOS | JKL
                   | MNOP
                                8 | update
| | 1002 | CNS | DEF
                   | EFGH
                             | 150 | delete
| 1002 | CNS | DEF | EFGH | 150 | delete |
+-----+
```

```
mysql> select *from Books;

+-----+

| Acc_No | Title | Author | Publisher | Count |

+-----+

| 1003 | SPM | GHI | IJKL | 200 |

| 1004 | SPOS | JKL | MNOP | 7 |

| 1005 | TOC | MNO | QRST | 213 |

+-----+

3 rows in set (0.00 sec)
```