Assignment No.: 02 Group: A **INPUT & OUTPUT:** mysql> CREATE DATABASE Property Dealers; Query OK, 1 row affected (0.10 sec) mysql> use Property Dealers Database changed mysql> create table Branch (Branch No int ,primary key(Branch No),Street varchar(30), City varchar(30), Postcode int); Query OK, 0 rows affected (0.47 sec) mysql> create table Staff (Staff No int, primary key(Staff No),fName varchar(30),lName varchar(30), Position int, Sex varchar(30), DOB int, Salary int, Branch No int, FOREIGN KEY (Branch No) REFERENCES Branch (Branch No)); Query OK, 0 rows affected (0.43 sec) mysql> create table Property For Rent(Property No int ,primary key(Property No),Street varchar(30), City varchar(30), Postcode int, Type varchar(30), Rooms int, rent int, Owner No int ,Staff No int, Branch No int, foreign key(Branch No) references Branch(Branch No), foreign key (Staff No) references Staff(Staff No)); Query OK, 0 rows affected (0.49 sec) mysql> create table Client(CUID int ,primary key (CUID),fName varchar(30),lName varchar(30),Rent int); Query OK, 0 rows affected (0.35 sec) mysql> create table Private Owner(OUID int ,primary key (OUID),fName varchar(30), Name varchar(30), Address varchar(30)); Query OK, 0 rows affected (0.35) sec) mysql> show databases mysql> show tables +----+ | Tables in Property Dealers | +----+ Branch Client | Private Owner |

| Property For Rent |

Staff

```
5 rows in set (0.00 \text{ sec})
mysql> select * From Branch;
Empty set (0.01 sec)
mysql> select * from Branch;
Empty set (0.00 sec)
mysql> insert into Branch(100, 'Sinhgad Road', 'Pune'', 411041);
mysql> insert into Branch values(100, 'Sinhgad Road', 'Pune', 411041);
 '>;
  '>:
mysql> insert into Branch values(100, 'Sinhgad Road', 'Pune', 411041);
Query OK, 1 row affected (0.08 sec)
mysql> select * from Branch;
+----+
| Branch No | Street | City | Postcode |
+----+
    100 | Sinhgad Road | Pune | 411041 |
+----+
1 row in set (0.00 sec)
mysql> insert into Branch values(200, 'Pipeline Road', 'Nagar', 413701);
Query OK, 1 row affected (0.06 sec)
mysql> select * from Branch;
+----+
| Branch_No | Street | City | Postcode |
+----+
    100 | Sinhgad Road | Pune |
411041 | |
           200 | Pipeline Road |
Nagar | 413701 |
+----+
2 rows in set (0.00 \text{ sec})
mysql> insert into Branch values(300, 'MIDC Road', 'Baramati', 413102);
Query OK, 1 row affected (0.06 sec)
mysql> insert into Branch values(400, 'Gandichauk Road', 'Jalgaon', 425502);
Query OK, 1 row affected (0.09 sec)
```

```
mysql> select * from Branch;
+----+
| Branch_No | Street | City | Postcode | +-----+
    100 | Sinhgad Road | Pune |
411041 | |
           200 | Pipeline Road |
Nagar | 413701 |
    300 | MIDC Road
                      | Baramati | 413102 |
    400 | Gandichauk Road | Jalgaon | 425502 |
+----+
4 rows in set (0.01 \text{ sec})
mysql> select * from Staff;
Empty set (0.00 \text{ sec})
mysql> insert into Branch values(500,'MG Road','Pune',411140);
Query OK, 1 row affected (0.07 sec)
mysql> select * from Branch;
+----+
| Branch_No | Street | City | Postcode | +-----+
    100 | Sinhgad Road | Pune |
           200 | Pipeline Road |
411041 | |
Nagar | 413701 |
    300 | MIDC Road
                     | Baramati | 413102 |
    400 | Gandichauk Road | Jalgaon | 425502 |
    500 | MG Road | Pune | 411140 |
+----+
5 rows in set (0.00 \text{ sec})
mysql> alter table Staff drop Position;
Query OK, 0 rows affected (0.30 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> alter table Staff add Position varchar(30) after lName;
Query OK, 0 rows affected (0.30 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> insert into Staff values(1,'Pratik','Abhang','EmploY','Male',01/05/2003,55000,100);
Query OK, 1 row affected (0.10 sec)
```

```
+----+
| Staff No | fName | IName | Position | Sex | DOB | Salary | Branch No |
+-----+
    1 | Pratik | Abhang | EmploY | Male | 0 | 55000 | 100 |
---+ 1 row in set (0.00 sec)
mysql> insert into Staff values(2, 'Poorvesh', 'Chaudhary', 'EmploY', 'Male', 15,54000, 200);
Query OK, 1 row affected (0.08 sec)
mysql> select * from Staff;
+-----+----+-----+-----+
| Staff No | fName | IName | Position | Sex | DOB | Salary | Branch No |
+-----+
   1 | Pratik | Abhang | EmploY | Male | 0 | 55000 | 100 |
   2 | Poorvesh | Chaudhary | EmploY | Male | 15 | 54000 |
                                                200
---+ 2 rows in set (0.00 sec)
mysql> select * from Branch;
+----+
| Branch_No | Street | City | Postcode |
+-----+
   100 | Sinhgad Road | Pune |
411041 | |
         200 | Pipeline Road |
Nagar | 413701 |
   300 | MIDC Road
                  | Baramati | 413102 |
   400 | Gandichauk Road | Jalgaon | 425502 |
   500 | MG Road | Pune | 411140 |
+----+
5 rows in set (0.00 \text{ sec})
mysql> insert into Staff values(3, 'Sai', 'Dube', 'EmploY', 'Male', 25, 56000, 300);
Query OK, 1 row affected (0.05 sec)
mysql> insert into Staff values(4,'Lokesh','Doshi','EmploY','Male',25,53000,400);
Query OK, 1 row affected (0.06 sec)
mysql> insert into Staff
values(5,'Tejas','Kothawade','EmploY','Male',13,58000,500); Query OK, 1 row
affected (0.06 sec)
```

mysql> select * from Staff;

```
mysql> select * from Branch;
+----+
| Branch No | Street | City | Postcode |
+-----+
   100 | Sinhgad Road | Pune
411041 | |
         200 | Pipeline Road |
Nagar | 413701 |
   300 | MIDC Road
                 | Baramati | 413102 |
   400 | Gandichauk Road | Jalgaon | 425502 |
   500 | MG Road
              | Pune | 411140 |
+----+
5 rows in set (0.00 \text{ sec})
mysql> select * from Staff;
+-----+
| Staff No | fName | IName | Position | Sex | DOB | Salary | Branch No |
+-----+
   1 | Pratik | Abhang | EmploY | Male | 0 | 55000 |
   2 | Poorvesh | Chaudhary | EmploY | Male | 15 | 54000 |
                                           200
         Dube
               | EmploY | Male | 25 | 56000 |
   3 | Sai
   4 | Lokesh | Doshi | EmploY | Male | 25 | 53000 |
   5 | Tejas | Kothawade | EmploY | Male | 13 | 58000 |
---+ 5 rows in set (0.00 sec)
mysql> select * from Property For Rent;
| City | Postcode | Type | Rooms | rent | Owner No | Staff No
| Property No | Street
| Branch No |
| pune | 410410 | House | 4 | 17000 | 7387295014 |
    1 | MG Road
                                                       1 |
100
               | pune | 411210 | Flat | 3 | 13000 | 7387125014 |
    2 | JM Road
200 |
    3 | SP Road
               | baramati | 413702 | Office | 4 | 20000 | 9235698564 |
                                                       3 |
300 |
    4 | Sinhgad Road | narhe | 413741 | flat | 5 | 10000 | 8652631454 |
                                                      4 |
400 |
    5 | pipleline Road | nagar | 445741 | House | 4 | 19000 | 8452156328 |
                                                       5 |
500 L
----+
```

```
5 rows in set (0.00 \text{ sec})
mysql> select * from Client;
+----+
| CUID | fName | IName | Rent |
+----+
 10 | Ram | Dol | 10000 |
 20 | Shiv | Dube | 12000 |
 30 | Prachi | Kale | 17000 |
 40 | Arnav | Rane | 10000 |
 50 | Sai | Pawar | 20000 |
+----+
5 rows in set (0.00 \text{ sec})
mysql> select * from Private Owner;
+----+
| OUID | fName | IName | Address |
+----+
 11 | Pappu | Desai | Narhe |
 22 | Gotya | More | Nagar |
 33 | Mahesh | Landge | Bhosari |
 44 | Manya | Surve | Kharadi |
 55 | Rahul | Patil | Mulshi |
+----+
5 rows in set (0.00 \text{ sec})
mysql> update Staff set lName ='Shinde' where Staff No =3;
Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> select * from Staff;
+----+---+----+-----+-----+
| Staff No | fName | IName | Position | Sex | DOB | Salary | Branch No |
+-----+
    1 | Pratik | Abhang | EmploY | Male | 0 | 55000 |
    2 | Poorvesh | Chaudhary | EmploY | Male | 15 | 54000 |
                                                    200 |
    3 | Sai
           | Shinde | EmploY | Male | 25 | 56000 |
                                                300
    4 | Lokesh | Doshi | EmploY | Male | 25 | 53000 |
    5 | Tejas | Kothawade | EmploY | Male | 13 | 58000 |
                                                     500
---+ 5 rows in set (0.00 sec)
mysql> delete from Branch where Postcode=425502;
Postcode=425502;
```

```
mysql> select * from Branch;
+----+
                  | City | Postcode |
| Branch No | Street
+----+
   100 | Sinhgad Road | Pune |
          200 | Pipeline Road |
411041 | |
Nagar | 413701 |
   300 | MIDC Road
                   | Baramati | 413102 |
   400 | Gandichauk Road | Jalgaon | 425502 |
   500 | MG Road
                | Pune | 411140 |
+----+
5 rows in set (0.00 \text{ sec})
mysql> delete from Property For Rent where Branch No = 400;
Query OK, 1 row affected (0.11 sec)
mysql> delete from Staff where Branch No = 400;
Query OK, 1 row affected (0.11 sec)
mysql> delete from Branch where Postcode=425502;
Query OK, 1 row affected (0.12 sec)
mysql> select * from Staff where fName like '%a%a%';
Empty set (0.00 sec)
mysql> select * from Staff where lName like '%a%a%';
+----+----+-----+------+
| Staff No | fName | IName | Position | Sex | DOB | Salary | Branch No |
+-----+
    1 | Pratik | Abhang | EmploY | Male | 0 | 55000 | 100 |
    2 | Poorvesh | Chaudhary | EmploY | Male | 15 | 54000 |
                                                  200
---+ 2 rows in set (0.00 sec)
mysql> select * from Client where Rent>10000;
+----+
| CUID | fName | lName | Rent |
+----+
| 20 | Shiv | Dube | 12000 |
 30 | Prachi | Kale | 17000 |
| 50 | Sai | Pawar | 20000 |
+----+
3 rows in set (0.00 \text{ sec})
mysql> select * from Staff where Salary>avg(Salary);
ERROR 1111 (HY000): Invalid use of group function
```

```
mysql> select * from Staff where Salary>(select avg(Salary) from Staff); +-----+-
-----+------+
| Staff No | fName | IName | Position | Sex | DOB | Salary | Branch No |
+-----+
    3 | Sai | Shinde | EmploY | Male | 25 | 56000 |
    5 | Tejas | Kothawade | EmploY | Male | 13 | 58000 |
                                              500
+-----+
2 rows in set (0.04 \text{ sec})
mysql> select fName,lName from Staff where Salary>(select avg(Salary) from Staff); +-----
+----+
| fName | lName |
+----+
| Sai | Shinde |
| Tejas | Kothawade |
+----+
2 rows in set (0.00 \text{ sec})
mysql> select * from Staff order by Salary;
+-----+
| Staff No | fName | IName | Position | Sex | DOB | Salary | Branch No |
+-----+
    2 | Poorvesh | Chaudhary | EmploY | Male | 15 | 54000 |
                                                 200
    1 | Pratik | Abhang | EmploY | Male | 0 | 55000 |
                                              100
          | Shinde | EmploY | Male | 25 | 56000 |
    5 | Tejas | Kothawade | EmploY | Male | 13 | 58000 |
+----+---+----+-----+
4 rows in set (0.01 \text{ sec})
mysql> select * from Staff order by Salary desc;
+----+---+----+-----+-----+
| Staff No | fName | IName | Position | Sex | DOB | Salary | Branch No |
+----+---+----+----+
    5 | Tejas | Kothawade | EmploY | Male | 13 | 58000 |
                                                 500
    3 | Sai
           | Shinde | EmploY | Male | 25 | 56000 |
    1 | Pratik | Abhang | EmploY | Male | 0 | 55000 |
    2 | Poorvesh | Chaudhary | EmploY | Male | 15 | 54000 |
                                                 200
+-----+
4 rows in set (0.00 \text{ sec})
mysql> update Branch set Street='DP Road' where Branch No =300;
Query OK, 1 row affected (0.06 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

```
mysql> select * from Branch;
+----+
| Branch No | Street | City | Postcode |
+----+
   100 | Sinhgad Road | Pune |
          200 | Pipeline Road |
411041 | |
Nagar | 413701 |
   300 | DP Road
                  | Baramati | 413102 |
   500 | MG Road | Pune | 411140 |
+----+
4 rows in set (0.00 \text{ sec})
mysql> select * from Private Owner where fName like ' c%';
Empty set (0.00 sec)
mysql> select * from Private Owner where fName like ' h%';
+----+
| OUID | fName | IName | Address |
+----+
| 33 | Mahesh | Landge | Bhosari |
| 55 | Rahul | Patil | Mulshi |
+----+
2 rows in set (0.00 \text{ sec})
mysql> delete from Private Owner where fName='Rahul';
Query OK, 1 row affected (0.06 sec)
mysql> select * from Private Owner;
+----+
| OUID | fName | lName | Address |
+----+
 11 | Pappu | Desai | Narhe |
| 22 | Gotya | More | Nagar |
33 | Mahesh | Landge | Bhosari |
 44 | Manya | Surve | Kharadi |
+----+
4 rows in set (0.00 sec)
mysql> select Type from Property For Rent where City='pune';
+----+
|Type |
+----+
| House |
| Flat |
+----+
2 rows in set (0.00 \text{ sec})
```

```
mysql> select Type,Rooms from Property For Rent where City='pune';
+----+
| Type | Rooms |
+----+
| House | 4 |
| Flat | 3 |
+----+
2 rows in set (0.00 sec)
mysql> select fName,lName from Staff where Position='Employ';
+----+
| fName |
lName | +----
----+-----
+ | Pratik |
Abhang |
| Poorvesh | Chaudhary |
| Sai | Shinde |
| Tejas | Kothawade
+----+
4 rows in set (0.00 \text{ sec})
mysql> select Property No from Property For Rent where Type='Flat';
+----+
| Property No |
+----+
| 2|
+----+
1 row in set (0.00 \text{ sec})
mysql> select Property No from Property For Rent where Type='Flat,flat';
Empty set (0.01 sec)
mysql> select Property No from Property For Rent where Type='flat';
+----+
| Property No |
+----+
 2 |
+----+
1 row in set (0.01 sec)
```