

Component Design QA Documentation

Specification for an automated agent comparing Figma design components against a deployed URL. Covers visual fidelity, interactive behaviour, content accuracy, state variants, and accessibility for every component in the design system.

Components	15 groups
Check types	Visual · Behaviour · Content · State · A11y
Viewports	Desktop 1440px · Mobile 390px
Modes	Light & Dark

For each component, run every check in order. Each check has an ID (e.g. BTN-V-01), a category type, a description, and the expected outcome. Log each as PASS, FAIL, or SKIP (with reason).

Visual	Layout, spacing, colour, typography
Behaviour	Interactions, transitions, events
Content	Labels, icons, placeholders, copy
State	Default, hover, active, disabled, error, loading
Accessibility	ARIA roles, keyboard navigation, contrast

Screenshot both Figma frames and live pages at the same viewport. Desktop: 1440px. Mobile: 390px. Use Figma "Copy as PNG" at 1x for fair comparison.

01 — GLOBAL CHECKS (RUN ONCE PER PAGE)

Area	What to check	Expected
Colour tokens	All primary, secondary, semantic colour tokens match Figma styles in light and dark mode.	Same hex values rendered on page
Typography scale	Font family, size, weight, and line-height match Figma text styles for every level.	No font substitution; correct weight at all sizes
Spacing system	Component padding, gaps, and margins consistent with design token grid (4px base).	No pixel-off spacing vs Figma spec
Breakpoints	Components reflow correctly at mobile (390px), tablet (768px), desktop (1440px).	No overflow, no broken layouts at any breakpoint
Focus ring	Every interactive element shows a visible focus ring matching the Figma focus state.	Focus ring visible on Tab; matches Figma
Dark mode	All components checked in dark mode; surfaces, text, borders, icons switch correctly.	No invisible text; correct surface colours
Cursor types	pointer on clickable items, text on inputs, not-allowed on disabled.	Correct CSS cursor per element type
No overflow	No component is unexpectedly clipped or hidden by overflow at any viewport.	All content visible; no unintended scrollbars

02 — COLOUR STYLES

The Figma file defines named colour tokens for light and dark mode. Verify each token name and hex value is correctly applied on the deployed page.

Colour token verification			[Visual] [A11y]
ID	Check	Expected	Type
COL-V-01	bg/primary token — light mode	White #FFFFFF or nearest design token	Visual
COL-V-02	bg/primary token — dark mode	Near-black surface defined in Figma dark style	Visual
COL-V-03	Primary blue token	Figma "Primary blue" hex matches rendered button background	Visual
COL-V-04	Semantic colours: success/danger/warning/info	Each tag colour matches Figma semantic tokens	Visual
COL-A-01	Text contrast — body text on all backgrounds	WCAG AA minimum 4.5:1 contrast ratio	A11y
COL-A-02	Text contrast — secondary/muted text	WCAG AA minimum 4.5:1	A11y

03 — TEXT STYLES

Typography scale			[Visual] [Content]
ID	Check	Expected	Type
TXT-V-01	Title — page/section headings	Font family, size, weight, letter-spacing, line-height match Figma	Visual
TXT-V-02	Body — paragraph text	Font size and line-height match Figma body style	Visual
TXT-V-03	Secondary — supporting/caption text	Smaller size, muted colour matches Figma secondary style	Visual
TXT-V-04	Header Title — modal/drawer heading	Figma Header Title style; semi-bold weight	Visual
TXT-V-05	Page Title — top-level page header	Largest text style; font weight 700 if specified	Visual
TXT-V-06	No font substitution	Correct font family loaded; no system fallback visible	Visual

Three variants (Primary, Secondary, Ghost) x four icon configs (iconOnly, iconLeft, iconBoth, nolcon) x four states (Default, Hover, Pressed, Disabled). Check every combination visible in Figma.

Button — Visual			[Visual]
ID	Check	Expected	Type
BTN-V-01	Primary button background — Default	Solid primary blue matching Figma token	Visual
BTN-V-02	Primary button background — Hover	Slightly darker blue (Figma hover swatch)	Visual
BTN-V-03	Primary button background — Pressed	Darkest blue (Figma pressed swatch)	Visual
BTN-V-04	Primary button — Disabled	Reduced opacity or muted colour; cursor: not-allowed	Visual
BTN-V-05	Secondary button border and background	White/transparent bg, 1px border matching Figma secondary colour	Visual
BTN-V-06	Ghost button appearance	No border, no background in default state; text-only	Visual
BTN-V-07	Button border-radius	Matches Figma rounded value (6-8px)	Visual
BTN-V-08	Button internal horizontal padding	Matches Figma padding specification	Visual
BTN-V-09	Icon alignment (iconLeft, iconRight, iconOnly)	Icon vertically centred; correct gap between icon and label	Visual
BTN-V-10	Button label typography	Font size and weight match Figma button label style	Visual

Button — Behaviour & Accessibility			[Behaviour] [A11y]
ID	Check	Expected	Type
BTN-B-01	Click triggers correct action	Navigation, form submission, or callback fires as designed	Behaviour
BTN-B-02	Hover transition speed	Smooth colour transition ~150-200ms ease	Behaviour
BTN-B-03	Disabled button is non-interactive	Click event does not fire; pointer-events blocked	Behaviour
BTN-A-01	Keyboard: Tab focuses button	Visible focus ring appears	A11y
BTN-A-02	Keyboard: Enter / Space activates	Same action as mouse click	A11y
BTN-A-03	Icon-only button has accessible label	aria-label or title present; not empty	A11y

Figma shows 5 breadcrumb lengths (1-5 items). Last item is current page (non-link, bold/highlighted). Separator must match design.

Breadcrumbs			
[Visual] [Behaviour] [A11y]			
ID	Check	Expected	Type
BRD-V-01	Separator character/icon matches Figma	Same glyph, size, and colour as in design	Visual
BRD-V-02	Current page item styling	Visually distinct from ancestors (bold or different colour)	Visual
BRD-V-03	Link item colour	Matches Figma link colour token; underline on hover	Visual
BRD-V-04	Truncation for long paths	Ellipsis shown if Figma specifies truncation	Visual
BRD-B-01	Clicking ancestor link navigates correctly	Routes to the correct parent page	Behaviour
BRD-A-01	ARIA landmark	nav aria-label="Breadcrumb" wraps the list	A11y
BRD-A-02	Current item aria	aria-current="page" on the last item	A11y

06 — TABS

Horizontal tab bar with 3-4 items. Active tab has underline indicator and full-opacity label; inactive tabs are muted. Secondary row shows overflow behaviour.

Tabs [Visual] [Behaviour] [State] [A11y]			
ID	Check	Expected	Type
TAB-V-01	Active tab underline colour and thickness	Matches Figma active indicator (colour token, ~2px height)	Visual
TAB-V-02	Inactive tab text colour	Muted colour matching Figma inactive state	Visual
TAB-V-03	Tab spacing (gap between items)	Consistent horizontal gap as in Figma	Visual
TAB-V-04	Bottom border on tab bar container	1px border separating tab bar from content area	Visual
TAB-S-01	Hover state on inactive tab	Text brightens or underline appears on hover per Figma	State
TAB-B-01	Clicking inactive tab switches content	Correct panel shows; active indicator moves to clicked tab	Behaviour
TAB-B-02	Overflow / scrollable tabs	Horizontal scroll or chevron navigation if tabs exceed viewport	Behaviour
TAB-A-01	Role attributes	role="tablist", role="tab", role="tabpanel" present	A11y
TAB-A-02	Arrow key navigation	Left/Right arrows move focus between tabs	A11y

Stepper				[Visual] [Behaviour] [State]
ID	Check	Expected	Type	
STP-V-01	Step indicator size and shape	Circle/square step bubbles match Figma size	Visual	
STP-V-02	Completed step styling	Filled/checkmark state matches Figma completed variant	Visual	
STP-V-03	Active step styling	Highlighted/bordered state matches Figma active variant	Visual	
STP-V-04	Connector line between steps	Line colour changes to accent when step is completed	Visual	
STP-B-01	Increment/decrement controls (+ / -)	Value increases/decreases by 1 per click	Behaviour	
STP-B-02	Min/max boundary	Does not exceed or go below defined Figma min/max values	Behaviour	

Two variants: (A) simple input with search icon, and (B) multi-field search with dropdown/tag inputs. Check both separately.

Search bar				[Visual] [Behaviour] [State] [A11y]
ID	Check	Expected	Type	
SRH-V-01	Input border colour — default	Matches Figma border token	Visual	
SRH-V-02	Input border colour — focused	Primary blue border and/or box-shadow on focus	Visual	
SRH-V-03	Search icon position	Leading (left) icon inside input, vertically centred	Visual	
SRH-V-04	Clear/X button when input has value	Visible clear button at trailing edge matching Figma	Visual	
SRH-V-05	Placeholder text colour and copy	Placeholder matches Figma copy and muted colour	Visual	
SRH-V-06	Multi-field: tag/chip styling	Tag background, text, close icon match Figma tag component	Visual	
SRH-B-01	Typing triggers search (debounced or Enter)	Results update as designed; max 300ms debounce	Behaviour	
SRH-B-02	Clicking clear button empties input	Field resets; results reset to default	Behaviour	
SRH-A-01	Input has accessible label	aria-label or associated label element present	A11y	

Figma shows a dropdown with edit-value trigger tabs (up to 4 columns) and a list of items. Test both trigger and open menu state.

Dropdown menu			
[Visual] [Behaviour] [State] [A11y]			
ID	Check	Expected	Type
DRP-V-01	Trigger button matches Figma (dashed border, label)	Dashed outline, "Edit values" label, correct icon	Visual
DRP-V-02	Open menu panel shadow and border	Dropdown panel matches Figma elevation/shadow spec	Visual
DRP-V-03	Menu item height and padding	Each row height matches Figma; consistent left/right padding	Visual
DRP-V-04	Hover highlight on menu item	Background colour change matches Figma hover state	Visual
DRP-V-05	Selected item visual indicator	Check icon or highlight matches Figma selected state	Visual
DRP-C-01	Menu item labels match Figma copy	All item labels (Monthly summary, Quality KPI, etc.) correct	Content
DRP-B-01	Clicking trigger opens menu	Dropdown opens below trigger (or above near viewport bottom)	Behaviour
DRP-B-02	Clicking outside closes menu	Menu dismisses on outside click	Behaviour
DRP-B-03	Clicking item selects and closes	Trigger label updates; menu closes	Behaviour
DRP-A-01	ARIA: trigger button	aria-haspopup="listbox" and aria-expanded toggled correctly	A11y
DRP-A-02	Keyboard: Escape closes menu	Menu closes; focus returns to trigger	A11y
DRP-A-03	Keyboard: arrow keys navigate items	Up/Down moves focus through menu items	A11y

10 — CHECKBOX

Figma shows checkboxes in a grid with three states: unchecked, checked, indeterminate. Each has a label. Verify all three states visually and interactively.

Checkbox [Visual] [State] [A11y]			
ID	Check	Expected	Type
CHK-V-01	Unchecked box size and border	Square size matches Figma; border colour matches unchecked token	Visual
CHK-V-02	Checked box fill colour	Filled with primary blue; white checkmark icon centred	Visual
CHK-V-03	Indeterminate state visual	Horizontal dash or partial fill matching Figma design	Visual
CHK-V-04	Label alignment to checkbox	Label vertically aligned to centre of checkbox; gap matches Figma	Visual
CHK-V-05	Disabled state	Reduced opacity; non-interactive cursor	Visual
CHK-B-01	Clicking label or box toggles state	Transitions unchecked -> checked -> unchecked	Behaviour
CHK-A-01	Keyboard: Space toggles checkbox	Same as click	A11y
CHK-A-02	Indeterminate ARIA	aria-checked="mixed" on indeterminate checkbox	A11y

11 — RADIO BUTTON

Radio button [Visual] [State] [A11y]			
ID	Check	Expected	Type
RAD-V-01	Unselected radio circle size and border	Circle dimensions and border match Figma	Visual
RAD-V-02	Selected radio inner dot	Filled inner dot in primary blue; outer ring correct colour	Visual
RAD-V-03	Loading/spinner state (if shown in Figma)	Spinner animation replaces icon; matches Figma spinner	Visual
RAD-V-04	Disabled radio appearance	Muted colour; non-interactive	Visual
RAD-B-01	Selecting one deselects others in group	Only one radio selected at a time per group	Behaviour
RAD-A-01	Grouped with role="radiogroup"	ARIA radiogroup wraps related radios; group has accessible label	A11y

12 — TOGGLE (SWITCH)

Figma shows toggles in On and Off states with optional label text on both sides. Some variants show a disabled state.

Toggle [Visual] [State] [Behaviour] [A11y]			
ID	Check	Expected	Type
T0G-V-01	Off state track colour	Muted grey matching Figma off token	Visual
T0G-V-02	On state track colour	Primary blue (or success green if specified)	Visual
T0G-V-03	Thumb (knob) colour and size	White circle; diameter and position match Figma	Visual
T0G-V-04	Track width and height	Matches Figma toggle dimensions	Visual
T0G-V-05	Disabled state	Reduced opacity; non-interactive cursor	State
T0G-B-01	Click toggles on/off with animation	Smooth thumb slide 150-200ms; track colour transitions	Behaviour
T0G-A-01	Toggle has role="switch"	aria-checked="true/false" updates on toggle	A11y

13 — BANNER

Two banner variants: (A) marketing banner with CTA button, and (B) alert/notification banner (error style) with dismiss button.

Banner [Visual] [Content] [Behaviour]			
ID	Check	Expected	Type
BAN-V-01	Marketing banner background colour	Matches Figma banner background (dark or brand colour)	Visual
BAN-V-02	CTA button inside banner	Button variant, colour, and label match Figma	Visual
BAN-V-03	Alert banner background colour (error)	Red/danger background matching Figma danger token	Visual
BAN-V-04	Alert banner icon	Warning/error icon present; correct size and colour	Visual
BAN-V-05	Dismiss (x) button position	Right-aligned inside banner, vertically centred	Visual
BAN-C-01	Banner message text matches Figma copy	Exact label text as designed	Content
BAN-B-01	Dismiss button removes banner	Banner animates out or disappears; no layout jump	Behaviour
BAN-A-01	Alert banner ARIA role	role="alert" or role="status" as appropriate	A11y

14 — ICON BUTTON

Icon button				[Visual] [Behaviour] [A11y]
ID	Check	Expected	Type	
ICB-V-01	Container size (hit area)	Minimum 32x32px touch target; matches Figma size	Visual	
ICB-V-02	Icon size within container	Icon is 16-20px; visually centred within button	Visual	
ICB-V-03	Background shape variant	Border-radius matches Figma icon button shape variant	Visual	
ICB-V-04	Hover state background	Subtle background fill appears on hover per Figma	Visual	
ICB-A-01	Has accessible label	aria-label describes the action; no empty buttons	A11y	

15 — CONFIGURATION CARDS

Figma shows a card list with icon, title, and description per card. Two states: default and selected/active (blue left border or highlight).

Configuration cards				[Visual] [Content] [State]
ID	Check	Expected	Type	
CRD-V-01	Card background and border — default	White card, 1px border, border-radius matching Figma	Visual	
CRD-V-02	Card icon container colour	Blue circle/square icon background matching Figma token	Visual	
CRD-V-03	Active/selected card border accent	Left border or full border changes to primary blue when selected	Visual	
CRD-V-04	Card internal spacing	Padding and gap between icon/title/description matches Figma	Visual	
CRD-C-01	Title and description text content	"Integrations" title and description copy match Figma labels	Content	
CRD-B-01	Clicking card selects it	Card switches to active state; previous selection deactivates	Behaviour	
CRD-V-05	Card hover shadow/border	Elevation or border intensifies on hover per Figma hover state	Visual	

16 — USER COUNT

User count				[Visual] [Content] [Behaviour]
ID	Check	Expected	Type	
UCT-V-01	Avatar/counter pill size and shape	Matches Figma dimensions; overlapping stacked avatars if multiple users	Visual	
UCT-V-02	Counter number typography	Font size and weight match Figma numeric label style	Visual	
UCT-C-01	Correct count displayed	Number matches expected data source value	Content	
UCT-B-01	Increment/decrement controls (if present)	Count updates correctly; stays within defined bounds	Behaviour	

17 — AGENT OUTPUT FORMAT

Return one JSON object per component group. Include every check ID, its result, and optional notes for failures. This enables downstream diffing and reporting.

```
// Example output – one object per component group
{
  "component": "Buttons",
  "url_tested": "https://your-deployed-url.com/path",
  "figma_frame": "Buttons - Desktop",
  "viewport": "1440px",
  "mode": "light",
  "checks": [
    { "id": "BTN-V-01", "result": "PASS", "notes": null },
    {
      "id": "BTN-V-04", "result": "FAIL",
      "notes": "Disabled button has cursor:default instead of not-allowed"
    },
    { "id": "BTN-A-03", "result": "SKIP", "notes": "No icon-only button on page" }
  ],
  "summary": { "total": 16, "passed": 14, "failed": 1, "skipped": 1 }
}
```

After all components, emit a top-level summary array with component name, pass/fail/skip counts, and a status field: "ok" / "issues" / "critical".

Check IDs: {COMPONENT}-{TYPE}-{NUMBER} — V=visual, B=behaviour, C=content, S=state, A=accessibility.