

A PRELIMINARY REPORT ON

Fake Instagram Profile Identification and Classification
Using machine Learning

SUBMITTED TO THE SAVITRIBAI PHULE PUNE UNIVERSITY, PUNE
IN THE PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE AWARD OF THE DEGREE

OF

BACHELOR OF ENGINEERING
(COMPUTER ENGINEERING)

SUBMITTED BY

Pratik Prakash Jadhav

B190434371

Sumit Shrikant Kolekar

B190434307

Abhishek Anil Pharande

B190434360

Dipak Dadaso Kharat

B190434303



Sinhgad Institutes

GUIDED BY

PROF.R.S.Meshram

DEPARTMENT OF COMPUTER ENGINEERING

STES'S SINHGAD ACADEMY OF ENGINEERING

KONDHWA(BK.), PUNE 411048

SAVITRIBAI PHULE PUNE UNIVERSITY

2023 -2024

**Sinhgad Institutes****CERTIFICATE**

This is to certify that the project report entitled

**“Fake Instagram Profile Identification and Classification
Using machine Learning”**

Submitted by

Pratik Prakash Jadhav**B190434371****Sumit Shrikant Kolekar****B190434307****Abhishek Anil Pharande****B190434360****Dipak Dadaso Kharat****B190434303**

is a bonafide student of this institute and the work has been carried out by him/her under the supervision of **Prof.R.S.Meshram** and it is approved for the partial fulfillment of the requirement of Savitribai Phule Pune University, for the award of the degree of **Bachelor of Engineering** (Computer Engineering).

Prof.R.S.Meshram**Prof. S.N.Shelke****Dr. K. P. Patil****Guide****H.O.D****Principal****Dept. of Computer Engg.****Dept. of Computer Engg.****SAOE, Pune****Place: Pune****Prof. S.B.Ghawate****Date: / /2024****External Examiner****Project Co-ordinator**

ACKNOWLEDGEMENT

We would like to take this opportunity to thank all the people who were part of this seminar in numerous ways, people who gave un-ending support right from the initial stage.

In particular we wish to thank **Prof. R.S.Meshram** as internal project guide who gave theirco-operation timely and precious guidance without which this project would not have been a success. We thank them for reviewing the entire project with painstaking efforts and more of his, unbanning ability to spot the mistakes.

We would like to thank our **H.O.D Prof. S. N. Shelke** for his continuous encouragement, support and guidance at each and every stage of project.

And last but not the least we would like to thank all my friends who were Associated with me and helped me in preparing my project. The project named “**Fake Instagram Profile Identification and Classification Using machine Learning**” would not been possible without the extensive support of people who were directly or indirectly involved in its successful execution.

Project Group Members:

Pratik Prakash Jadhav	B190434371
Sumit Shrikant Kolekar	B190434307
Abhishek Anil Pharande	B190434360
Dipak Dadaso Kharat	B190434303

ABSTRACT

Fake Instagram profiles are a growing problem, as they can be used to spread false information, deceive people, and harass and threaten others. The project aims to develop a robust and scalable system for identifying and classifying fake Instagram profiles using machine learning. This system will collect a large and diverse dataset of Instagram profiles, both real and fake. The data will be preprocessed and cleaned, and then relevant features will be extracted. Various machine learning algorithms will be evaluated to select the best model for identifying and classifying fake Instagram profiles. The trained model will be evaluated on a hold-out test set to ensure that it is able to generalize to new data. Once the model is evaluated and deemed satisfactory, it will be deployed in a production environment to identify and classify fake Instagram profiles in real time. The system is expected to have a significant impact on the fight against fake Instagram profiles. By identifying and classifying fake Instagram profiles, the system can help make the social media platform safer and more secure for everyone.

Table of Contents

SR.NO.	TITLE OF CHAPTER		PAGE NO.
01	Introduction		1
1.1	Overview		2
1.2	Motivation		2
1.3	Problem Definition and Objectives		3
1.4	Project Scope & Limitations		3
02	Literature Survey		5
03	Software Requirements Specification		9
3.1	Assumptions and Dependencies		10
3.2	Functional Requirements		10
3.3	Nonfunctional Requirements		11
	3.3.1	Accuracy	11
	3.3.2	Reliability	11
	3.3.3	Performance	11
3.4	System Requirements		12
	3.5.1	Database Requirements	12
	3.5.2	Software Requirements (Platform Choice)	12
	3.5.3	Hardware Requirements	12
3.5	Analysis Models: SDLC Model to be applied		13
04	System Design		14
4.1	System Architecture		15
4.2	Mathematical Model		16
4.3	Data Flow Diagrams		17
4.4	UML Diagrams		18
05	Project Plan		22
5.1	Project Estimate		23
	5.1.1	Work Breakdown Structure	23
	5.1.2	Estimation Technique	23
5.2	Risk Management		23
	5.2.1	Risk Identification	23
	5.2.2	Risk Analysis	23
	5.2.3	Overview of Risk Mitigation, Monitoring, Management	23
5.3	Project Schedule		24

	5.3 .1	Project Task Set	24
	5.3 .2	Task Network	24
	5.3 .3	Timeline Chart	26
	5.4	Team Organization	27
	5.4 .1	Team structure	27
	5.4 .2	Management reporting and communication	27
06		Project Implementation	28
	6.1	Overview of Project Modules	29
	6.2	Tools and Technologies Used	30
	6.3	Algorithm Details	27
	6. 3. 1	Algorithm 1	31
07		Software Testing	32
	7.1	Type of Testing	33
08		Results	35
	8.1	Outcomes	36
	8.2	Screen Shots	36
09		Conclusions	39
	9.1	Conclusions	40
	9.2	Future Work	40
	9.3	Applications	40
10		References	41

LIST OF FIGURES

FIGURE	ILLUSTRATION	PAGE NO.
4.1.1	System Architecture	13
4.3.1	DFD Level – 0	14
4.3.2	DFD Level – 1	15
4.3.3	DFD Level – 2	15
4.4.1	Use case Diagram	16
4.4.2	Class Diagram	17
4.4.3	Sequence Diagram	18
4.4.4	Activity Diagram	19

CHAPTER 1

INTRODUCTION

1.1 Overview

Fake Instagram profiles are a growing problem, as they can be used to spread false information, deceive people, and harass and threaten others. This engineering final year project aims to develop a robust and scalable system to identify and classify fake Instagram profiles using machine learning. The system will collect a large and diverse dataset of Instagram profiles, both real and fake. The data will be preprocessed and cleaned, and then relevant features will be extracted. Various machine learning algorithms will be evaluated to select the best model for identifying and classifying fake Instagram profiles. The trained model will be evaluated on a hold-out test set to ensure that it is able to generalize to new data. Once the model is evaluated and deemed satisfactory, it will be deployed in a production environment to identify and classify fake Instagram profiles in real time. The system is expected to have a significant impact in the fight against fake Instagram profiles. By identifying and classifying fake Instagram profiles, the system can help make the social media platform safer and more secure for everyone.

Here are some of the main advantages of the system:

- Better safety and security for social media users
- Less spread of misinformation and misinformation
- Reduced risk of online scams and fraud
- Improve user experience by reducing the visibility of fake profiles

The system is expected to be used by various stakeholders including social media platforms, law enforcement agencies and cyber security companies.

1.2 Motivation

Fake Instagram profiles have become a huge problem, posing a threat to the safety and security of the social media platform. Machine learning offers a promising approach to overcome this challenge by identifying and classifying fake profiles based on specific patterns and characteristics. This engineering final year project aims to develop a robust and scalable machine learning model to accurately identify and classify fake Instagram profiles in real time.

The project will involve collecting and preprocessing a large and diverse dataset of Instagram profiles, both real and fake. The dataset will then be used to train various machine learning algorithm for identifying and classifying fake Instagram profiles in real time will be selected and deployed in a production environment. This project is motivated by the desire to make social media platforms safer and more trustworthy for everyone. By identifying and classifying fake Instagram profiles, this project can help reduce the spread of misinformation, scams and harassment. This will create a more positive and enjoyable experience for all users.

1.3 Problem Definition and Objectives

- To achieve an accuracy of at least 95% in identifying and classifying fake Instagram profiles.
- To reduce the false positive rate to less than 1%.
- To develop a system that can be deployed in a production environment and scaled to handle millions of Instagram profiles.
- To identify different types of fake Instagram profiles, such as bot accounts, impostor accounts, and spam accounts.
- To develop techniques to detect new and emerging types of fake Instagram profiles.
- To improve the performance of fake profile identification models by using new and innovative machine learning techniques.
- To develop a robust and scalable machine learning model that can accurately identify and classify fake Instagram profiles in real time.
- To improve the state-of-the-art in fake Instagram profile identification and classification using machine learning.

1.4 Project Scope & Limitations

Scope:

- Better safety and security for social media users
- Less spread of misinformation and misinformation
- Reduced risk of online scams and fraud
- Improve user experience

Limitations:

- Variability in Profile Characteristics
- Labelled Dataset
- Data Privacy Concern

CHAPTER 2

LITERATURE REVIEW

2.1 Literature Survey:

- Towards conducting responsible research with teens and parents regarding online risks by Zainab Agha, Neeraj Chatlani, Afsaneh Razi, and Pamela Wisniewski (2020). This paper discusses the importance of conducting responsible research with teens and parents regarding online risks. The authors argue that it is important to involve teens and parents in the research process, and to take steps to protect their privacy and safety
- Understanding the Digital Lives of Youth: Analyzing Media Shared within Safe Versus Unsafe Private Conversations on Instagram by Shiza Ali, Afsaneh Razi, Seunghyun Kim, Ashwaq Alsoubai, Joshua Gracie, Munmun De Choudhury, Pamela J Wisniewski, and Gianluca Stringhini (2022). This paper presents a mixed-method analysis of the media files shared within safe and unsafe private conversations on Instagram. The authors found that significantly more media files were shared in safe conversations than in unsafe conversations.
- Detect fake profiles on social media network by Telangana Today (2023): This article discusses the different ways in which fake profiles can be detected on social media networks. The author mentions that fake profiles can be detected by analyzing the profile picture, the number of followers and followings, the content posted by the user, and the user's behavior on the platform. The author also discusses the challenges of detecting fake profiles, and the need for developing more sophisticated methods for detection.
- Social media? Get serious! Understanding the functional building blocks of social media by Jan H. Kietzmann, Kristopher Hermkens, Ian P. McCarthy, and Bruno S. Silvestre (2011): This paper provides a framework for understanding the functional building blocks of social media. The authors identify six key building blocks: identity, conversations, sharing, groups, presence, and relationships. The authors argue that these building blocks can be used to understand the different types of social media platforms, and to develop new and innovative social media applications.
- Detection of Fake Profiles in Social Media by Aleksei Romanov, Alexander Semenov, Oleksiy Mazhelis, and Jari Veijalainen (2017):

This paper presents a survey of the different methods that have been proposed for detecting fake profiles in social media. The authors classify the methods into three categories: feature-based methods, graph-based methods, and machine learning-based methods. The authors also discuss the challenges of detecting fake profiles, and the need for developing more robust and effective methods. Overall, the literature review suggests that there is a growing interest in the problem of fake profiles on social media. Researchers are developing a variety of methods for detecting fake profiles, but there are still a number of challenges that need to be addressed. One of the key challenges is the development of methods that are robust to new and emerging types of fake profiles.

2.2 Literature Review

Sr. No	Topic Name	Year	Author Name	Advantages	Disadvantages	Description
1	Understanding the Digital Lives of Youth: Analyzing Media Shared within Safe Versus Unsafe Private Conversations on Instagram	2023	Shiza Ali, Afsaneh Razi	Researchers and policymakers can use this information to develop targeted interventions	Findings from this type of analysis may not be representative of all youth on Instagram.	We performed a mixed-method analysis of the media files shared privately in these conversations to gain human-centered insights into the risky interactions experienced by youth.
2	Instagram Data Donation: A Case Study on Collecting Ecologically Valid Social Media Data for the Purpose of Adolescent Online Risk Detection	2022	Afsaneh Razi, Ashwaq AlSoubai	Over time, this data can be used to track changes in online behaviors, helping to identify trends.	The evolving landscape of social media platform policies and regulations, which may limit data access and usage.	The study aims to create a comprehensive understanding of the online behaviors, interactions, and content consumption patterns of adolescents on the platform.

Sr. No	Topic Name	Year	Author Name	Advantages	Disdvantages	Description
3	Sliding into My DMs: Detecting Uncomfortable or Unsafe Sexual Risk Experiences within Instagram Direct Messages Grounded in the Perspective of Youth	2023	AFSANEH RAZI, ASHWAQ ALSOUBAI	Platforms like Instagram, understanding how youth engage in conversations .	Research involving the analysis of private messages on a social media platform may raise ethical concerns related to privacy, consent.	Risk detection and adolescent online safety literature through our human-centered approach of collecting and ground truth coding private social media conversations of youth for the purpose of risk classification.
4	Happiness and Sadness in Adolescents' Instagram Direct Messaging: A Neural Topic Modelling Approach	2022	Tim Verbeij* , Ine Beyens, Damian Trilling	Neural topic modeling can process large volumes of text data quickly and efficiently.	Analyzing private messages on social media platforms raises ethical concerns regarding privacy and consent.	There are temporal trends in the expression of happiness and sadness in adolescents' DMs and there are individual differences in these trends.

CHAPTER 3

SOFTWARE REQUIREMENTS SPECIFICATION

3.1.1 Assumptions and Dependencies

Assumptions:

- The users of the software have a basic understanding of Instagram and fake profile detection concepts.
- The system will be deployed on a platform that supports Python and the required libraries for machine learning and GUI development.

Dependencies:

- Python 3.x environment
- Required libraries: Tkinter for GUI development, scikit-learn for machine learning, numpy, pandas, etc.
- Internet connectivity for accessing Instagram profiles (optional).

3.1.2 Functional Requirements

User Interface:

The software shall provide a user-friendly interface developed using Tkinter for ease of interaction.

It shall include options for inputting Instagram profile data such as profile picture, bio information, and posting history.

.

Data Processing:

Upon receiving profile data, the software shall preprocess and extract relevant features using machine learning techniques.

It shall handle missing or incomplete data gracefully and provide appropriate error messages.

Fake Profile Detection:

The system shall employ the Random Forest algorithm for classification of profiles into fake and genuine categories.

It shall provide real-time feedback on the likelihood of a profile being fake based on the trained model.

Result Presentation:

The software shall present the detection results in a clear and understandable format, indicating the probability or confidence level of the prediction.

It shall provide visual indicators or alerts to highlight suspicious profiles .

3.1.3 Nonfunctional Requirements**Accuracy:**

The system shall strive to achieve high accuracy in fake profile detection, minimizing false positives and false negatives to maintain user trust.

Reliability:

The software shall be robust and reliable, capable of handling unexpected errors or failures gracefully without compromising the detection process.

Performance:

The software shall be able to process profile data and provide detection results within a reasonable time frame, ensuring a responsive user experience.

Security:

The system shall implement appropriate security measures to protect user data and ensure confidentiality during profile analysis and detection.

Usability:

The user interface shall be intuitive and easy to navigate, catering to users with varying levels of technical expertise.

3.2 System Requirements

3.2.1 Database Requirements

MySQL Lite: The system utilizes MySQL Lite as the backend database for storing and managing login detail of users.

3.2.2 Software Requirements

- Python
- Spyder IDE
- Windows 10
- Random Forest Classifier

3.2.3 Hardware Requirements

- | | | |
|-------------|---|---------------------------|
| - Processor | : | Core I3 |
| - Ram | : | 2Gb |
| - SSD | : | 40Mb |
| - Monitor | : | LCD/LED |
| - Mouse | : | Two or Three Button Mouse |
| - Key Board | : | Standard Windows Keyboard |

3.2.4 Analysis Models : SDLC Model to be applied

For the "Fake Instagram Profile Identification and Classification using Machine Learning " project, the Agile Software Development Life Cycle (SDLC) model offers a structured yet flexible approach to managing the development process. Agile methodologies emphasize iterative development, collaboration, and responsiveness to change, making it well-suited for projects with evolving requirements and complex functionalities.

In this project, the Agile approach involves breaking down the project into smaller iterations or sprints, typically lasting 2-4 weeks.

Each sprint focuses on implementing and testing specific features or functionalities related to fake Instagram Profile.

User stories are used to capture the functional and non-functional requirements from the perspective of end-users, with a prioritized product backlog guiding development efforts. Continuous integration practices ensure that code changes are integrated frequently and tested automatically, with regular regression testing to maintain the integrity of the system.

Incremental releases are delivered at the end of each sprint, incorporating new features and improvements based on stakeholder feedback and prioritization. Regular demonstrations and reviews gather feedback from stakeholders and end-users, fostering collaboration and transparency throughout the development process.

Adaptability and flexibility are key principles of Agile, allowing the project team to embrace change and respond to evolving requirements, technology advancements, and user feedback. Robust quality assurance processes are in place to ensure the reliability, accuracy, and security of the system, with risk management strategies addressing potential uncertainties and challenges.

CHAPTER 4

SYSTEM DESIGN

4.1 System Architecture





Fig 4.1 System Architecture



4.2 Mathematical Model

- Set Let S be the Whole system $S = I, P, O$
- I-input
- P-procedure
- O-output
- Input(I)
- $I = \text{Text}$
- Where,
- Dataset- Image dataset Using SVM/RF Algorithm
- Procedure (P),
- $P = I$, Using I System Detect Fake Instagram profile

In the mathematical model provided:

- The entire system is represented as S, comprising three fundamental elements: input (I), procedure (P), and output (O). Thus, $S = I, P, O$.
- I signifies the input to the system. In this context, the input(I) is specifically defined as “Text”.
- The dataset employed within the system pertains to image data. Two distinct algorithms are mentioned for processing this dataset: Support Vector Machine (SVM) and Random Forest (RF).
- P denotes the procedure followed within the system. According to the model, the procedure
 - (P) involves utilizing the input (I) to detect fake Instagram profiles. Therefore, the procedure
 - can be articulated as $P = I$, wherein the system leverages the provided input to identify fraudulent Instagram profiles.

- Within the procedure, the input (I) comprises textual data. This textual information might encompass various attributes associated with Instagram profiles, such as user descriptions, comments, or captions.
- The primary objective of the system is to discern fake Instagram profiles by processing the supplied textual input. This process likely involves employing techniques such as natural language processing (NLP) and machine learning algorithms like SVM or RF to analyze the textual data and make informed determinations regarding the authenticity of the profiles.

4.3 Data Flow Diagrams

In Data Flow Diagram, we Show that flow of data in our system in DFD0 we show

that base DFD in which rectangle present input as well as output and circle show our system, In DFD1 we show actual input and actual output of system input of our system is text or image and output is rumour detected likewise in DFD 2 we present operation of user as well as admin.



Figure No.4.3.1 Data Flow Diagram-0




Figure No.4.3.1 Data Flow Diagram-1




Figure No.4.3.2 Data Flow Diagram-2

4.4 UML Diagrams

Unified Modelling Language is a standard language for writing software blueprints. The UML may be used to visualize, specify, construct and document the artifacts of a software intensive system. UML is process independent, although optimally it should be used in process that is use case driven, architecture-centric, iterative and incremental. The Number of UML Diagrams available.

Use-Case Diagram:

This diagram helps to visualize the interactions between actors and the system's functionalities.




Figure No.4.4.1 Use-Case Diagram

Class Diagram :

A class diagram represents the structure of your system, including classes, their attributes, and methods, as well as how they interact with each other.




Figure No.4.4.2 Class Diagram

Sequence Diagram:

Here's a basic sequence diagram illustrating the process of a user searching for the nearest shop and viewing offer details.




Figure No.4.4.3 Sequence Diagram


Activity Diagram :

Figure No.4.4.4 Activity Diagram

CHAPTER 5

PROJECT PLAN

5.1 Project Estimate

Work Breakdown Structure (WBS):

Divide the project into smaller tasks or work packages, such as:

- Acquiring and preprocessing the dataset.
- Developing the fake profile detection algorithm.
- Implementing the graphical user interface (GUI) using Tkinter.
- Training and evaluating the machine learning model.
- Conducting thorough testing and validation.
- Documenting the project and preparing reports.

Estimation Techniques:

Utilize various estimation techniques including expert judgment and analysis of past projects to estimate the effort, time, and resources required for each task.

5.2 Risk Management

5.2.1 Risk Identification

Engage in brainstorming sessions and workshops to identify potential risks related to the project.

Risks may include data quality issues, model overfitting, and resource constraints.

5.2.2 Risk Analysis

Analyze identified risks to understand their probability and potential impact on project goals.

Prioritize risks based on severity to focus mitigation efforts effectively.

5.2.3 Overview of Risk Mitigation, Monitoring, Management

Collaboratively develop risk mitigation strategies to address identified risks.

Establish regular monitoring mechanisms such as progress meetings to track risks and implement necessary actions to mitigate them.

5.3 Project Schedule

5.3.1 Project Task Set

Identify project tasks based on the project scope, including:

- Data acquisition and preprocessing.
- Algorithm development and model training.
- GUI implementation.
- Testing and validation procedures.
- Documentation and presentation preparation.

5.3.2 Task Network

Visualize task dependencies and relationships to understand the flow of work.

Conduct critical path analysis to identify key tasks and determine the project's minimum duration.

5.3.3 Timeline Chart

July 2023:

- Project Initiation.
 - Define project objectives, scope, and deliverables.
 - Formulate the project team and assign roles and responsibilities.

August 2023:

- Data Collection and Preprocessing.
 - Gather labeled dataset of fake and genuine Instagram profiles.
 - Preprocess the dataset to clean and prepare it for training.

September 2023:

- Algorithm Development.
 - Research and implement machine learning algorithms for fake profile detection.
 - Experiment with feature engineering techniques to enhance model performance.

October 2023:

- GUI Development.
 - Design and develop a user-friendly graphical interface using Tkinter.
 - Integrate the GUI with the backend algorithms for seamless interaction.

November 2023:

- Testing and Validation.
- Conduct thorough testing of the entire system, including both the algorithm and GUI.
- Validate the system's performance against a separate test dataset to ensure reliability.

December 2023:

- Documentation
- Document the project process, including data preprocessing steps, algorithm implementation, and GUI design.
- Prepare user manuals and guides for future reference.

January 2024:

- Presentation Preparation.
- Create a comprehensive presentation summarizing the project's objectives, methodology, and results.
- Rehearse the presentation to ensure clarity and effectiveness

February 2024:

- Presentation and Demonstration
- Deliver the project presentation to stakeholders, including instructors and peers.
- Demonstrate the functionality of the fake Instagram profile detection system.

March 2024:

- User Acceptance Testing (UAT)
- Tested the application on Random Instagram Profiles.



5.1 Team Organization

5.1.1 Team Structure

- Project Manager and Report Creator: Responsible for overseeing the project, creating reports, presentations, and other documentation required for project management and reporting purposes.
- Project Coordinator: Acts as the liaison between the project team and the project guide. Responsible for communicating project requirements, gathering feedback, and ensuring alignment between project objectives and guide expectations.
- Development Team: Comprised of two developers responsible for building the Desktop application. Collaborate closely to implement features, conduct testing, and ensure the app meets quality standards.

5.1.2 Management reporting and communication

- The project manager and coordinator will communicate regularly with the development team to provide updates, gather requirements, and address any challenges or issues.
- The project coordinator will also maintain communication with the project guide, providing progress reports, seeking feedback, and ensuring project alignment with guide expectations.

CHAPTER 6

PROJECT IMPLEMENTATION

6.1 Overview of Project Modules

Software Implementation

1) Python IDE- TO develop all the Programs and Algorithms



Fig.6.1 Python IDE logo

Python IDE is an integrated development environment for Python, which has been bundled with the default implementation of the language since 1.5.2b1.[3][4] It is packaged as an optional part of the Python packaging with many Linux distributions. It is completely written in Python and the Tkinter GUI toolkit (wrapper functions for Tcl/Tk). IDLE is intended to be a simple IDE and suitable for beginners, especially in an educational environment. To that end, it is cross-platform and avoids feature clutter.

2) Tkinter – GUI toolkit



Fig.6.2 Tkinter logo

Tkinter is utilized in your project for its seamless integration with Python, serving as the standard GUI toolkit for Python applications. Its user-friendly nature and ease of use make it an ideal choice for developing the graphical interface of your fake Instagram profile detection system. With Tkinter, you can create a cross-platform compatible interface that offers customization options to tailor the user experience according to your project's requirements. Additionally, Tkinter's strong community support provides access to resources and assistance, ensuring a smooth development process for your application.

3) Sql Lite



Fig.6.3 SQLite logo

SQLite is chosen as the database management system to securely store login credentials within the application. Its lightweight nature and seamless integration with Python ensure efficient data persistence and confidentiality. This decision aligns with the project's goals of simplicity, reliability, and security, providing a robust foundation for user authentication while maintaining a streamlined development process.

4) Random Forest(RF)




Fig.6.4 Random Forest Algorithm

Random Forest algorithm enhances the project's ability to detect fake Instagram profiles by aggregating predictions from multiple decision trees, mitigating overfitting, and improving generalization. Its capacity to handle high-dimensional data and identify key features aids in discerning patterns indicative of fake profiles, contributing significantly to the project's objective of developing a reliable detection mechanism.

CHAPTER 7

SOFTWARE TESTING

7.1 Type of Testing

- Unit Testing: Individual components such as functions and methods are tested in isolation to ensure they perform as expected.
- Integration Testing: Multiple components are combined and tested together to verify their interactions and interfaces.
- System Testing: The entire system is tested as a whole to validate its functionality, performance, and reliability.
- User Acceptance Testing (UAT): End-users evaluate the system to ensure it meets their requirements and expectations.

7.2 Testing strategies & Test Procedures

Testing Strategies:

Data Splitting: The data is divided into training and testing sets. The model is trained on the training set (typically 80% of the data) and evaluated on the unseen testing set (20% of the data). This approach helps assess the model's ability to generalize to new data. Techniques like k-fold cross-validation can also be explored for a more robust evaluation.

Error Metrics: Clearly defined metrics are essential to gauge the model's performance. Here are some relevant metrics for classification tasks:

Accuracy: Overall percentage of correctly classified profiles (fake and genuine).

Precision: Ratio of correctly identified fake profiles out of all profiles identified as fake.

Recall: Ratio of correctly identified fake profiles out of all actual fake profiles in the testing data.

F1-score: Harmonic mean between precision and recall, useful for imbalanced datasets.

Baseline Model: A baseline model is established to serve as a benchmark for comparison. This could be a simple model (e.g., predicting all profiles as fake or genuine) or a different machine learning algorithm trained on the same data.

Testing Procedures:

Preprocessing Test Data: The testing data undergoes the same preprocessing steps (cleaning, normalization, etc.) applied to the training data.

Training the Model: The Random Forest model is trained on the designated training set with chosen hyperparameters (number of trees, maximum depth, etc.).

Evaluation on Testing Set: The trained model is used to make predictions on the unseen

testing set. The chosen error metrics (accuracy, precision, recall, F1-score) are calculated to understand how well the model generalizes to unseen data.

Error Analysis: Misclassified profiles are analyzed to identify patterns in errors. Look for specific features associated with misclassifications to improve the model or data collection.

Comparison to Baseline: The performance of the Random Forest model is compared to the baseline model. This comparison helps assess the effectiveness of the chosen approach.

CHAPTER 8

RESULTS

8.1 User Interface:



Fig.8.1 Start Up Page




Fig.8.2 Registration Page




Fig.8.3 Login Page




Fig.8.4 Model Selection Page

profilepic	1
numsLengthusername	0.33
fullnamewords	1
numsLengthfullname	0.33
nameUsername	1
descriptionlength	30
private	1
posts	35
followers	488
follows	604

Submit

Fake_Account

Fig.8.4 Checking Page

In this scenario, the Random Forest model successfully classifies the Instagram profile as fake. This is indicated by Red Pop up that occurs whenever a fake profile is detected. This demonstrates the model's ability to accurately identify profiles that exhibit characteristics associated with being fake.

By leveraging this model, Instagram can potentially automate the detection of fake profiles, improving platform security and user experience. When a profile is flagged as fake, further investigations or restrictions can be implemented to maintain a genuine user base.

CHAPTER 9

CONCLUSIONS

9.1 Conclusions and Future scope:

Fake Instagram profiles have become a major problem in recent years, as they can be used to spread misinformation, scam people, and harass and bully others. Machine learning has emerged as a promising approach to identifying and classifying fake Instagram profiles. This research presents a comprehensive approach to tackle the persistent issue of fake profiles on social media platforms, with a specific focus on Instagram.

By leveraging the power of machine learning techniques, this research contributes to creating a safer and more trustworthy online environment for users, bolstering user confidence, and upholding the integrity of social media community. The research's outcomes extend beyond the realm of academia, impacting the lives of individuals, businesses, and society as a whole.

One area of future scope is to develop more sophisticated machine learning models that can identify and classify fake Instagram profiles with even greater accuracy. This could be achieved by using larger and more diverse datasets of fake and real Instagram profiles, as well as by exploring new machine learning techniques. Another area of future scope is to develop real-time monitoring systems that can identify and flag fake Instagram profiles as soon as they are created.

This would help to prevent fake profiles from spreading misinformation, scamming people, and harassing and bullying others. Finally, it is important to consider the financial resources required for data collection, machine learning model development, real-time monitoring infrastructure, and system maintenance.

The potential costs associated with the development and maintenance of the system should be evaluated against the benefits of reducing the impact of fake profiles on Instagram. Overall, the research on "Fake Instagram Profile Identification and Classification using Machine Learning" presents a promising approach to tackling the issue of fake profiles on social media platforms.

Future research should focus on developing more sophisticated machine learning models, real-time monitoring systems, and cost-effective solutions to identify and classify fake Instagram profiles. By addressing these challenges, we can help to make social media platforms safer and more enjoyable for everyone.

9.2 Applications

Content Verification: Helps verify the authenticity of information shared on Instagram by suspicious profiles.

Electoral Integrity: Assists in mitigating manipulation attempts by fake profiles during elections.

Trend Analysis: Identifies emerging trends in social media manipulation for proactive countermeasures.

Law Enforcement Support: Potentially assists law enforcement in identifying fake profiles linked to criminal activity.

CHAPTER 10

REFERENCES

10.1 References:

- [1] Zainab Agha, Neeraj Chatlani, Afsaneh Razi, and Pamela Wisniewski. 2020. Towards conducting responsible research with teens and parents regarding online risks. In Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems.
- [2] Shiza Ali, Afsaneh Razi, Seunghyun Kim, Ashwaq Alsoubai, Joshua Gracie, Munmun De Choudhury, Pamela J Wisniewski, and Gianluca Stringhini. 2022. Understanding the Digital Lives of Youth: Analyzing Media Shared within Safe Versus Unsafe Private Conversations on Instagram. (2022), 1-14.
- [3] Detect fake profiles on social media network <https://telanganatoday.com/detect-fake-profiles-on-social-medianetworks>
- [4] S. M. Din, R. Ramli and A. A. Bakar, "A Review on Trust Factors Affecting purchase Intention on Instagram", 2018 IEEE Conference on Application Information and Network Security (AINS), 2018
- [5] S.C. Boerman. "The effects of the standardized Instagram disclosure for micro- and meso-influencers", Computers in Human Beluvior, vol. 103, pp. 199-207, 2020.
- [6] S. Sheikhi, An Efficient Method for Detection of Fake Accounts on the Instagram Platform, 2020,
- [7] J. Kane and 1 Wei, "Let me be at my funniest Instagram users motivations for using Finsta (aka. ake Instagram)". The Social Science Journal 2019
- [8] Mondal LA Silva and I Benevenute "A Measurement Study of Hate Speech in Social Media", Proceedings of the 28th ACM Conference on Hypertext and Social Media-HT 17, 2017 .
- [9] B. Mathew, R. Dutt, P. Goyal and A. Mukherjee, "Spread of Hatc Speech in Online Social Media", Proceedings of the 10th ACM Conference on Web Science.
- [10] H. Hilal Bashir and S. A. Bhat, "Effects of Social Media on Mental Health: A Review". The International Journal of Indian Psychology, vol. 4, no. 3, 2017.

SURVEY PAPER

Fake Instagram Profile Identification and Classification Using Machine Learning

Prof. R.S. Meshram¹ Pratik Jadhav² Sumit Kolekar³ Abhishek Pharande⁴ Dipak Kharat⁵

¹Prof. R.S. Meshram Computer Engineering SAE

²Pratik Jadhav Computer Engineering SAE

³Sumit Kolekar Computer Engineering SAE

⁴Abhishek Pharande Computer Engineering SAE

⁵Dipak Kharat Computer Engineering SAE

ABSTRACT :

Fake Instagram profiles are a growing problem, as they can be used to spread false information, deceive people, and harass and threaten others. The project aims to develop a robust and scalable system for identifying and classifying fake Instagram profiles using machine learning. This system will collect a large and diverse dataset of Instagram profiles, both real and fake. The data will be preprocessed and cleaned, and then relevant features will be extracted. Various machine learning algorithms will be evaluated to select the best model for identifying and classifying fake Instagram profiles. The trained model will be evaluated on a hold-out test set to ensure that it is able to generalize to new data. Once the model is evaluated and deemed satisfactory, it will be deployed in a production environment to identify and classify fake Instagram profiles in real time. The system is expected to have a significant impact on the fight against fake Instagram profiles. By identifying and classifying fake Instagram profiles, the system can help make the social media platform safer and more secure for everyone..

Key Words: Profile identification, Data preprocessing, Online security, User authentication, Model training, Machine learning.

1.INTRODUCTION

Fake Instagram profiles can range from automated bots that post spam to sophisticated scammers that try to trick real users for financial gain, social manipulation, or other illegal activity. Traditional methods of manual review and reporting are insufficient to handle the sheer volume of profiles and interactions, requiring the use of advanced technology solutions. Machine learning has proven to be a powerful tool in solving the problem of fake profiles on social media platforms. Using the computing power of machine learning algorithms, it is possible to automatically identify and classify fake profiles based on characteristic patterns and characteristics. A combination

of the increasing influence of social media, the challenges posed by fake profiles, and advances in machine learning techniques have led to the development of solutions aimed at identifying and classifying these profiles. This research addresses the need for a safer and more trustworthy online environment by proposing a comprehensive approach to solving the problem of fake Instagram profiles using machine learning.

A. Vector Machine Support:

Support vector machines (SVM) are a popular type of supervised machine learning algorithm used for classification and regression tasks, SVM can perform both linear and non-linear classification.

Working Steps of Support Vector Machine:

Step 1: Load important libraries.

Step 2: Import the dataset and extract the X and Y variables separately.

Step 3: Split the dataset into trains and test

Step 4: Initialize the SVM classifier model

Step 5: Fitting the SVM classifier model.

Step 6 Making predictions

Step 7. Model performance evaluation

B. Random Forest is an ensemble learning method used in machine learning for both classification and regression tasks. Random Forest is a learning technique that combines predictions from multiple decision trees to

improve overall prediction accuracy and robustness.
Random Forest Job Steps:

Step 1: Import and process data.

Step 2: Training the Random Forest Classifier.

Step 3: Test the prediction accuracy.

Step 4: Visualize the classified results.

2.LITERATURE SURVEY

[Shiza Ali, Afsaneh Razi \[1\]](#), We performed a mixed-method analysis of the media files shared privately in these conversations to gain human-centered insights into the risky interactions experienced by youth. Researchers and policymakers can use this information to develop targeted interventions. Findings from this type of analysis may not be representative of all youth on Instagram.

[Afsaneh Razi, Ashwaq AlSoubai \[2\]](#), The study aims to create a comprehensive understanding of the online behaviors, interactions, and content consumption patterns of adolescents on the platform. Over time, this data can be used to track changes in online behaviors, helping to identify trends. The evolving landscape of social media platform policies and regulations, which may limit data access and usage.

[AFSANEH RAZI, ASHWAQ ALSOUBAI \[3\]](#), Risk detection and adolescent online safety literature through our human-centered approach of collecting and ground truth coding private social media conversations of youth for the purpose of risk classification. Platforms like Instagram, understanding how youth engage in conversations. Research involving the analysis of private messages on a social media platform may raise ethical concerns related to privacy, consent.

[Tim Verbeij*, Ine Beyens, Damian Trilling\[4\]](#), There are temporal trends in the expression of happiness and sadness in adolescents' DMs and there are individual differences in these trends. Neural topic modeling can process large volumes of text data quickly and efficiently. Analyzing private messages on social media platforms raises ethical concerns regarding privacy and consent.

[Michael Jonathan Ekosputra , Angela Susanto \[5\]](#), Instagram also has fake users. Some people do malicious activities using fake accounts such as impersonating artists or influencers, hate comments and spread rumors to become viral. Handles both categorical and numerical data well.

PROPOSED SYSTEM

Building a robust algorithm to detect fake profiles on Instagram is a challenging but important task. Instagram, like many other social media platforms, is surrounded by fake profiles that engage in spam, fraud or other malicious activities. Here is the proposed system for Instagram fake profile detection algorithm:

1. Data Collection:Collect a large dataset of Instagram profiles, including both real and fake profiles, with different characteristics.

2. Feature Extraction:Extract relevant features from user profiles. These features may include:

- Profile picture analysis: Check for low-quality images, inconsistencies or reused images.
- Activity metrics: Analyze the frequency of posts, likes, comments and followers.
- Bio Information: Look for inconsistencies, unusual characters, or common patterns used by spammers.
- Follower-to-follower ratio: Check for extreme imbalance.
- Past Content Analysis: Analyze post content for spam keywords, URLs or trends.

3. Machine Learning Model:

Develop a machine learning model to classify profiles as genuine Or consider using techniques like mock: supervised learning with labeled data.Deep learning models such as neural networks to capture complex patterns Ensemble techniques such as random forest or gradient boosting for better accuracy

4 Training and Accreditation.

Split the dataset into training, validation and test sets Train the model on the training data, fine-tuning the hyperparameters Validate the performance of the model on the validation set and test if necessary

5. Real-Time Monitoring:

Implement an algorithm to work on Instagram profiles in real-time. Continuously monitor user activity. Profiles and interactions for potential fake behavior.

ALGORITHMS USED:

B. Random Forest is an ensemble learning method used in machine learning for both classification and regression tasks. Random Forest is a learning technique that combines predictions from multiple decision trees to improve overall prediction accuracy and robustness. Random Forest Job Steps:

Step 1: Import and process data.

Step 2: Training the Random Forest Classifier.

Step 3: Test the prediction accuracy.

Step 4: Visualize the classified results

SYSTEM ARCHITECTURE




Fig.System Architecture

CONCLUSION AND FUTURE SCOPE:

Fake Instagram profiles have become a major problem in recent years, as they can be used to spread misinformation, scam people, and harass and bully others. Machine learning has emerged as a promising approach to identifying and classifying fake Instagram profiles. This research presents a comprehensive approach to tackle the persistent

issue of fake profiles on social media platforms, with a specific focus on Instagram. By leveraging the power of machine learning techniques, this research contributes to creating a safer and more trustworthy online environment for users, bolstering user confidence, and upholding the integrity of social media community. The research's outcomes extend beyond the realm of academia, impacting the lives of individuals, businesses, and society as a whole. As social media continues to shape the digital landscape, the work presented here contributes to building a foundation of trust and authenticity, reinforcing the positive potential of online interactions and collaborations. One area of future scope is to develop more sophisticated machine learning models that can identify and classify fake Instagram profiles with even greater accuracy. This could be achieved by using larger and more diverse datasets of fake and real Instagram profiles, as well as by exploring new machine learning techniques. Another area of future scope is to develop real-time monitoring systems that can identify and flag fake Instagram profiles as soon as they are created. This would help to prevent fake profiles from spreading misinformation, scamming people, and harassing and bullying others. Finally, it is important to consider the financial resources required for data collection, machine learning model development, real-time monitoring infrastructure, and system maintenance. The potential costs associated with the development and maintenance of the system should be evaluated against the benefits of reducing the impact of fake profiles on Instagram. Overall, the research on "Fake Instagram Profile Identification and Classification using Machine Learning" presents a promising approach to tackling the issue of fake profiles on social media platforms. By leveraging the power of machine learning techniques, this research contributes to creating a safer and more trustworthy online environment for users. The research's outcomes extend beyond the realm of academia, impacting the lives of individuals, businesses, and society as a whole.

Future research should focus on developing more sophisticated machine learning models, real-time monitoring systems, and cost-effective solutions to identify and classify fake Instagram profiles. By addressing these challenges, we can help to make social media platforms safer and more enjoyable for everyone.

REFERENCES:

- [1] Zainab Agha, Neeraj Chatlani, Afsaneh Razi, and Pamela Wisniewski. 2020. Towards conducting responsible research with teens and parents regarding online risks. In Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems.
- [2] Shiza Ali, Afsaneh Razi, Seunghyun Kim, Ashwaq Alsoubai, Joshua Gracie, Munmun De Choudhury, Pamela J Wisniewski, and Gianluca Stringhini. 2022. Understanding the Digital Lives of Youth: Analyzing Media Shared within Safe Versus Unsafe Private Conversations on Instagram. (2022), 1-14.
- [3] Detect fake profiles on social media network <https://telanganatoday.com/detect-fake-profiles-on-social-medianetworks>
- [4] S. M. Din, R. Ramli and A. A. Bakar, "A Review on Trust Factors Affecting purchase Intention on Instagram", 2018 IEEE Conference on Application Information and Network Security (AINS), 2018
- [5] S.C. Boerman. "The effects of the standardized Instagram disclosure for micro- and meso-influencers", Computers in Human Behavior, vol. 103, pp. 199-207, 2020.
- [6] S. Sheikhi, An Efficient Method for Detection of Fake Accounts on the Instagram Platform, 2020,
- [7] J. Kane and 1 Wei, "Let me be at my funniest Instagram users motivations for using Finsta (aka. fake Instagram)". The Social Science Journal 2019
- [8] Mondal LA Silva and I Benevenuto "A Measurement Study of Hate Speech in Social Media", Proceedings of the 28th ACM Conference on Hypertext and Social Media-HT 17, 2017 .
- [9]. B. Mathew, R. Dutt, P. Goyal and A. Mukherjee, "Spread of Hate Speech in Online Social Media", Proceedings of the 10th ACM Conference on Web Science.
- [10]. H. Hilal Bashir and S. A. Bhat, "Effects of Social Media on Mental Health: A Review". The International Journal of Indian Psychology, vol. 4, no. 3, 2017.
- [11]. Aleksei Romanov, Alexander Semenov, Oleksiy Mazhelis and Jari Veijalainen 2017. "Detection of Fake Profiles in Social Media". In 13th International Conference on Web Information Systems and Technologies.
- [12]. Indira Sen. Anupama Aggarwal, Shiven Mian 2018. "Worth its Weight in Likes: Towards Detecting Fake Likes on Instagram". In ACM International Conference on Information and Knowledge Management Nazir, Atif, Saqib Raza, Chen-Nee Chuah, Burkhard Schipper, and C. A. Davis "Ghostbusting Facebook: Detecting and Characterizing Phantom Profiles in Online Social Gaming Applications." In WOSN. 2010.
- [13] Nambouri Sravya, Chavana Sai praneetha, S. Saraswathi. Identify the Human or Bots Twitter Data using Machine Learning Algorithms". International Research Journal of Engineering and Technology (IRJET). Volume 06 Issue: 03 Mar 2019 www.rjet.net, e-ISSN 2395-005b, p-ISSN: 2398-0072.
- [14] M. Smruthi. N Harina A Hybrid Scheme for Detecting Fake Accounts in Facebook. International Journal of Recent Technology and Engineering (URTE ISSN: 2277-3878 Volume-7, Issue-583, February 2019.
- [15]. Nazir, Atif, Saqib Raza, Chen-Nee Chuah, Burkhard Schipper, and C. A. Davis. "Ghostbusting Facebook: Detecting and Characterizing Phantom Profiles in Online Social Gaming Applications." In WOSN. 2010.
- [16]. Rao, P. S., J. Gyani, and G. Narsimha. "Fake profiles identification in online social networks using machine learning and NLP." Int. J. Appl. Eng. Res 13.6 (2018): 973-4562.
- [17]. Raturi, Rohit. "Machine learning implementation for identifying fake accounts in social network." International Journal of Pure and Applied Mathematics 118.20 (2018): 4785-4797. J. Wang, "Fundamentals of erbium-doped fibre amplifiers arrays (Periodical style-Submitted for publication)." IEEE J. Quantum Electron., submitted for publication.







IMPLEMENTATION PAPER

Implementation on Fake Instagram Profile Identification and Classification Using Machine Learning

Prof. R.S. Meshram¹ Pratik Jadhav² Sumit Kolekar³ Abhishek Pharande⁴ Dipak Kharat⁵

Computer Engineering SAE

ABSTRACT :

Fake Instagram profiles are a growing problem, as they can be used to spread false information, deceive people, and harass and threaten others. The project aims to develop a robust and scalable system for identifying and classifying fake Instagram profiles using machine learning. This system will collect a large and diverse dataset of Instagram profiles, both real and fake. The data will be preprocessed and cleaned, and then relevant features will be extracted. Various machine learning algorithms will be evaluated to select the best model for identifying and classifying fake Instagram profiles. The trained model will be evaluated on a hold-out test set to ensure that it is able to generalize to new data. Once the model is evaluated and deemed satisfactory, it will be deployed in a production environment to identify and classify fake Instagram profiles in real time. The system is expected to have a significant impact on the fight against fake Instagram profiles. By identifying and classifying fake Instagram profiles, the system can help make the social media platform safer and more secure for everyone..

Key Words: Profile identification, Data preprocessing, Online security, User authentication, Model training, Machine learning.

1. INTRODUCTION

Fake Instagram profiles can range from automated bots that post spam to sophisticated scammers that try to trick real users for financial gain, social manipulation, or other illegal activity. Traditional methods of manual review and reporting are insufficient to handle the sheer volume of profiles and interactions, requiring the use of advanced technology solutions. Machine learning has proven to be a powerful tool in solving the problem of fake profiles on social media platforms. Using the computing power of machine learning algorithms, it is possible to automatically identify and classify fake profiles based on characteristic patterns and characteristics. A combination of the increasing influence of social media, the challenges posed by fake profiles, and advances in machine learning

techniques have led to the development of solutions aimed at identifying and classifying these profiles. This research addresses the need for a safer and more trustworthy online environment by proposing a comprehensive approach to solving the problem of fake Instagram profiles using machine learning.

A. Vector Machine Support:

Support vector machines (SVM) are a popular type of supervised machine learning algorithm used for classification and regression tasks, SVM can perform both linear and non-linear classification.

Working Steps of Support Vector Machine:

Step 1: Load important libraries.

Step 2: Import the dataset and extract the X and Y variables separately.

Step 3: Split the dataset into trains and test

Step 4: Fitting the SVM classifier model.

Step 5: Making predictions

Step 6: Model performance evaluation

B. Random Forest is an ensemble learning method used in machine learning for both classification and regression tasks. Random Forest is a learning technique that combines predictions from multiple decision trees to improve overall prediction accuracy and robustness. Random Forest Job Steps:

Step 1: Import and process data.

Step 2: Training the Random Forest Classifier.

Step 3: Test the prediction accuracy.

Step 4: Visualize the classified results.

2.LITERATURE SURVEY

[Shiza Ali, Afsaneh Razi \[1\]](#), We performed a mixed-method analysis of the media files shared privately in these conversations to gain human-centered insights into the risky interactions experienced by youth. Researchers and policymakers can use this information to develop targeted interventions. Findings from this type of analysis may not be representative of all youth on Instagram.

[Afsaneh Razi, Ashwaq AlSoubai \[2\]](#), The study aims to create a comprehensive understanding of the online behaviors, interactions, and content consumption patterns of adolescents on the platform. Over time, this data can be used to track changes in online behaviors, helping to identify trends. The evolving landscape of social media platform policies and regulations, which may limit data access and usage.

[AFSANEH RAZI, ASHWAQ ALSOUBAI \[3\]](#), Risk detection and adolescent online safety literature through our human-centered approach of collecting and ground truth coding private social media conversations of youth for the purpose of risk classification. Platforms like Instagram, understanding how youth engage in conversations. Research involving the analysis of private messages on a social media platform may raise ethical concerns related to privacy, consent.

[Tim Verbeij*,Ine Beyens, Damian Trilling\[4\]](#), There are temporal trends in the expression of happiness and sadness in adolescents' DMs and there are individual differences in these trends. Neural topic modeling can process large volumes of text data quickly and efficiently. Analyzing private messages on social media platforms raises ethical concerns regarding privacy and consent.

[Michael Jonathan Ekosputra , Angela Susanto \[5\]](#), Instagram also has fake users. Some people do malicious activities using fake accounts such as impersonating artists or influencers, hate comments and spread rumors to become viral. Handles both categorical and numerical data well.

PROPOSED SYSTEM

Building a robust algorithm to detect fake profiles on Instagram is a challenging but important task. Instagram, like many other social media platforms, is surrounded by fake profiles that engage in spam, fraud or other malicious activities. Here is the proposed system for Instagram fake profile detection algorithm:

1. Data Collection:Collect a large dataset of Instagram profiles, including both real and fake profiles, with different characteristics.

2. Feature Extraction:Extract relevant features from user profiles. These features may include:

- Profile picture analysis: Check for low-quality images, inconsistencies or reused images.
- Activity metrics: Analyze the frequency of posts, likes, comments and followers.
- Bio Information: Look for inconsistencies, unusual characters, or common patterns used by spammers.
- Follower-to-follower ratio: Check for extreme imbalance.
- Past Content Analysis: Analyze post content for spam keywords, URLs or trends.

3. Machine Learning Model:

Develop a machine learning model to classify profiles as genuine Or consider using techniques like mock: supervised learning with labeled data.Deep learning models such as neural networks to capture complex patterns Ensemble techniques such as random forest o: gradient boosting for better accuracy

4 Training and Accreditation.

Split the dataset into training, validation and test sets Train the model on the training data, fine-tuning the hyperparameters Validate the performance of the model on the validation set and test if necessary

5. Real-Time Monitoring:

Implement an algorithm to work on Instagram profiles in real-time. Continuously monitor user activity. Profiles and interactions for potential fake behavior.

ALGORITHMS USED:

B. Random Forest is an ensemble learning method used in machine learning for both classification and regression tasks. Random Forest is a learning technique that combines predictions from multiple decision trees to improve overall prediction accuracy and robustness. Random Forest Job Steps:

Step 1: Import and process data.

Step 2: Training the Random Forest Classifier.

Step 3: Test the prediction accuracy.

Step 4: Visualize the classified results

SYSTEM ARCHITECTURE





Fig.System Architecture

Result Sets –


User Interface




Main GUI




Login Page



Main Page



Checking Page



CONCLUSION AND FUTURE SCOPE:

Fake Instagram profiles have become a major problem in recent years, as they can be used to spread misinformation, scam people, and harass and bully others. Machine learning has emerged as a promising approach to identifying and classifying fake Instagram profiles. This research presents a comprehensive approach to tackle the persistent issue of fake profiles on social media platforms, with a specific focus on Instagram. By leveraging the power of machine learning techniques, this research contributes to creating a safer and more trustworthy online environment for users, bolstering user confidence, and upholding the integrity of social media community. The research's outcomes extend beyond the realm of academia, impacting the lives of individuals, businesses, and society as a whole. One area of future scope is to develop more sophisticated machine learning models that can identify and classify fake Instagram profiles with even greater accuracy. This could be achieved by using larger and more diverse datasets of fake and real Instagram profiles, as well as by exploring new machine learning techniques. Another area of future scope is to develop real-time monitoring systems that can identify and flag fake Instagram profiles as soon as they are created. This would help to prevent fake profiles from spreading misinformation, scamming people, and harassing and bullying others. Finally, it is important to consider the financial resources required for data collection, machine learning model development, real-time monitoring infrastructure, and system maintenance. The potential costs associated with the development and maintenance of the system should be evaluated against the benefits of reducing the impact of fake profiles on Instagram. Overall, the research on "Fake Instagram Profile Identification and Classification using Machine Learning" presents a promising approach to tackling the issue of fake profiles on social media platforms.

Future research should focus on developing more sophisticated machine learning models, real-time monitoring systems, and cost-effective solutions to identify and classify fake Instagram profiles. By addressing these challenges, we can help to make social media platforms safer and more enjoyable for everyone.

REFERENCES:

- [1] Zainab Agha, Neeraj Chatlani, Afsaneh Razi, and Pamela Wisniewski. 2020. Towards conducting responsible research with teens and parents regarding online risks. In Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems.
- [2] Shiza Ali, Afsaneh Razi, Seunghyun Kim, Ashwaq Alsoubai, Joshua Gracie, Munmun De Choudhury, Pamela J Wisniewski, and Gianluca Stringhini. 2022. Understanding the Digital Lives of Youth: Analyzing Media Shared within Safe Versus Unsafe Private Conversations on Instagram. (2022), 1-14.
- [3] Detect fake profiles on social media network <https://telanganatoday.com/detect-fake-profiles-on-social-media-networks>
- [4] S. M. Din, R. Ramli and A. A. Bakar, "A Review on Trust Factors Affecting purchase Intention on Instagram", 2018 IEEE Conference on Application Information and Network Security (AINS), 2018
- [5] S.C. Boerman. "The effects of the standardized Instagram disclosure for micro- and meso-influencers", Computers in Human Behavior, vol. 103, pp. 199-207, 2020.
- [6] S. Sheikhi, An Efficient Method for Detection of Fake Accounts on the Instagram Platform, 2020,
- [7] J. Kane and 1 Wei, "Let me be at my funniest Instagram users motivations for using Finsta (aka. fake Instagram)". The Social Science Journal 2019
- [8] Mondal LA Silva and I Benevenuto "A Measurement Study of Hate Speech in Social Media", Proceedings of the 28th ACM Conference on Hypertext and Social Media-HT 17, 2017 .
- [9]. B. Mathew, R. Dutt, P. Goyal and A. Mukherjee, "Spread of Hate Speech in Online Social Media", Proceedings of the 10th ACM Conference on Web Science.
- [10]. H. Hilal Bashir and S. A. Bhat, "Effects of Social Media on Mental Health: A Review". The International Journal of Indian Psychology, vol. 4, no. 3, 2017.





