
Most of the algorithms that we've been dealing with have been pretty slow, and seem inefficient. However, they tend to come up a lot in computer science courses and theoretical explanations because they are often used as the naive approach, or the simplest implementation of sorting a collection.

Insertion sort is a simple sorting algorithm that works similar to the way you sort playing cards in your hands. The array is virtually split into a sorted and an unsorted part. Values from the unsorted part are picked and placed at the correct position in the sorted part.

Insertion Algorithms: Steps on how it works:


- 1. If it is the first element, it is already sorted.
- 2. Pick the next element.
- 3. Compare with all the elements in sorted sub-list.
- 4. Shift all the elements in sorted sub-list that is greater than the value to be sorted, one location on right side.
- 5. Insert the value.
- 6. Repeat until list is sorted.

Below is an array of 4 numbers, which need to be sorted. We will use Insertion Sort Algorithm, to sort this array:



Since 7 is the first element and has no other element to be compared with, it remains at its position. Now when on moving towards 4, 7 is the largest element in the sorted list and greater than 4. So, move 4 to its correct position, which is before 7. Similarly with 5, as 7 (largest element in the sorted list) is greater than 5, move 5 to its correct position. Finally for 2, all the

elements on the left side of 2 (sorted list) are moved one position forward as all are greater than 2 and then 2 is placed in the first position. Finally, the given array will result in a sorted array.



Algorithm

insertionSort(array)
mark first element as sorted
for each unsorted element X
'extract' the element X
for j < - lastSortedIndex down to 0
if current element j > X
move sorted element to the right by 1
break loop and insert X here
end insertionSort

Characteristics of Insertion Sort

- 1. It is efficient for smaller data sets, but very inefficient for larger lists.
- 2. Insertion Sort is adaptive, that means it reduces its total number of steps if given a partially sorted list, hence it increases its efficiency.
- 3. Its space complexity is less. Insertion sort requires a single additional memory space.
- 4. Overall time complexity of Insertion sort is O(n2).