Full platform map & implementation boundaries

One product experience, a shared platform core, and separate adapters where Google Ads and Meta Ads behave differently.

ONE COMMON PRODUCT Shared navigation, authentication, workspaces, client records, permissions, design system and reporting shell

IMPLEMENTATION RULE Keep provider API calls, hierarchy, targeting, creative rules, tracking and billing semantics behind provider adapters.

A. ACCOUNT & WORKSPACE

01 Authentication
Signup, login, logout, session/device handling, password reset, email verification, optional MFA

COMMON

02 Workspace
Auto-create personal workspace, workspace profile, switcher, workspace settings

COMMON

03 Clients
Client CRUD, contacts/notes, assign ad accounts, client status, client-level overview

COMMON

04 Team & permissions
Invite members, roles, workspace membership, least-privilege access, audit history

COMMON

05 SaaS settings
Profile, notifications, preferences, security, data/export requests

COMMON

B. CONNECT & OPERATE

06 Connected accounts
OAuth, discover assets, explicit account picker, assign to client, status, reconnect/disconnect

SHARED UI + ADAPTERS

07 Google Ads adapter
OAuth scopes, developer token, login-customer ID / MCC context, customer discovery, API version

GOOGLE

08 Meta Ads adapter
Meta OAuth, Business Portfolio, ad account / asset access, permissions, token lifecycle

META

09 API Health
Credential/permission checks, quota/rate limits, sync status, errors, retry guidance

SHARED OPS

10 Safety & audit
Encrypted tokens, secret redaction, workspace isolation, action logs, approval guardrails

SHARED OPS

C. CAMPAIGN WORKFLOW

11 Campaigns
Unified list, search/filter, statuses, bulk actions, pause/resume, budget edits

SHARED UI + ADAPTERS

12 Campaign builder
Guided wizard, objective, destination, budget, schedule, review/publish

SHARED WIZARD + ADAPTERS

13 Ad groups / Ad sets
Common table pattern; keywords/bids differ from Meta audiences/placements

PROVIDER-SPECIFIC

14 Ads & creatives
Preview, copy/media assets, creative validation, approval, publish/status

SHARED ASSET UI + ADAPTERS

15 Audiences & targeting
Audience library, saved segments, exclusions, locations, demographics, keywords/placements

PROVIDER-SPECIFIC

D. MEASURE & ADMIN

16 Overview dashboard
Date/provider/client filters, KPI cards, charts, top campaigns, alerts, freshness labels

SHARED UI + NORMALIZER

17 Reports
Saved reports, breakdowns, compare periods, CSV export, scheduled delivery (future)

SHARED UI + ADAPTERS

18 Conversions & tracking
Unified status/overview, diagnostics and setup flows kept separate

SEPARATE SETUP FLOWS

19 Billing
SaaS subscription/billing; provider ad spend and payment data clearly distinguished

SEPARATE DOMAINS

20 Notifications & support
Connection expiry, failed sync/actions, low balance where available, help/diagnostics

SHARED + PROVIDER EVENTS

NOT FINAL / PENDING Multi-workspace support, roles/granularity, exact write permissions, provider rollout order, campaign creation scope, report scheduling, subscriptions, and data retention are open decisions.

Overview 01
Clients 02
Connected Accounts 03
Campaigns 04
Ad Groups / Ad Sets 05
Ads & Creatives 06
Audiences & Targeting 07
Conversions & Tracking 08
Reports 09
Billing 10
Team & Permissions 11
API Health 12
Settings 13

Overview

Performance across selected clients and connected advertising accounts


LAST 30 DAYS ▾ ALL CLIENTS ▾ COMPARE

Ad spend	Impressions	Clicks	Conversions	ROAS
$24,830	1.82M	42,618	1,284	3.42x
↑ 12.8% vs prior period	↑ 8.4% vs prior period	↑ 5.1% vs prior period	↑ 9.7% vs prior period	↓ 1.2% vs prior period

Spend & conversions

Normalized daily trend - selected providers and date range

SPEND CONVERSIONS



Provider performance

Compare like-for-like metrics where available

Google Ads $15.4k

Spend share

Meta Ads $9.4k

Spend share

Metric comparability

Currency, attribution window, conversion definition and data freshness can differ by provider.

Top campaigns

Sortable summary across Google Ads and Meta Ads

Campaign	Provider	Status	Spend	Clicks	Conversions	ROAS
Brand Search	Google	● Active	$4,820	8,442	312	4.1x
Spring Retarget	Meta	● Active	$3,660	6,240	228	3.0x
Product Leads	Google	● Paused	$2,410	4,018	164	3.5x
Prospecting V2	Meta	● Active	$1,980	3,771	102	2.8x
Demo Requests	Google	● Active	$1,630	3,206	98	4.0x

Needs attention

Operational alerts and recent activity

WARNING **Meta token expires soon**

Reconnect before scheduled sync stops.

ACTION **1 campaign update failed**

Open action log to review provider response.

INFO **Google sync completed**

Last successful refresh: 8 minutes ago.

Campaigns

Find, filter and manage campaigns across connected providers

+ Create campaign

Search Name or ID...

Provider All providers ▾

Client All clients ▾

Status Any status ▾

RESET

Campaign list

Actions should report success/failure per campaign; do not imply bulk success when some items fail

	Campaign	Provider	Client	Status	Daily budget	Spend (30d)	Clicks	Conversions	Actions
☐	Brand Search	Google	Acme Co.	● **Enabled**	$120	$4,820	8,442	312	Pause · Edit
☐	Spring Retarget	Meta	Acme Co.	● **Active**	$95	$3,660	6,240	228	Pause · Edit
☐	Product Leads	Google	Northstar	● **Paused**	$70	$2,410	4,018	164	Resume · Edit
☐	Prospecting V2	Meta	Northstar	● **Active**	$85	$1,980	3,771	102	Pause · Edit
☐	Demo Requests	Google	Orbit Labs	● **Active**	$60	$1,630	3,206	98	Pause · Edit
☐	Awareness Q4	Meta	Orbit Labs	● **Draft**	$45	$0	0	0	Review · Edit

Create campaign - guided wizard

Shared steps; provider-specific options and validation appear inside the relevant step

1 Provider & account
Choose Google Ads or Meta Ads and an authorized account.

2 Objective & destination
Sales, leads, traffic, awareness; options vary by provider.

3 Budget & schedule
Daily/lifetime budget, dates, bidding or optimization.

4 Structure & targeting
Google: ad groups + keywords; Meta: ad sets + audiences/placements.

5 Creative & tracking
Copy/media, destination URL, identity, conversion event.

6 Review & publish
Preview, validate permissions/budget, submit and show result.

Provider campaign hierarchy

Do not force different platform structures into identical fields

GOOGLE ADS
- Campaign
- Ad groups
- Keywords / assets
- Ads

META ADS
- Campaign
- Ad sets
- Audiences / placements
- Ads & creatives

Basic actions: pause/resume, edit budget where supported, inspect status, duplicate where supported, and view provider error details.

WRITE ACTIONS REQUIRE PERMISSION CHECKS

Overview 01
Clients 02
Connected Accounts 03
Campaigns 04
Ad Groups / Ad Sets 05
Ads & Creatives 06
Audiences & Targeting 07
Conversions & Tracking 08
Reports 09
Billing 10
Team & Permissions 11
API Health 12
Settings 13

Connected accounts

Connect authorized advertising assets to the correct workspace and client

CONNECTION HEALTH
REFRESH ALL

Google Ads

OAuth identity + developer token + customer/manager context

CONNECTED

Signed in as

ads-admin@example.com

Access path

Manager account (MCC) / direct customer

API / permissions

Developer token configured • Read + write scope to verify

Discover accounts | Test access | Reauthorize / Disconnect

Meta Ads

OAuth identity + Business Portfolio + assigned assets and permissions

ACTION NEEDED

Signed in as

meta-admin@example.com

Business access

Orbit Media Business Portfolio

Permissions

Ad account access + required Marketing API permissions

Continue setup | Test access | Reauthorize / Disconnect

Discovered advertising accounts

Explicit selection is safer than automatically connecting every account visible to the OAuth identity

Search account: Name or ID...

Provider: Google Ads ▾

Assign to client: Select client ▾

	Account	Account ID	Currency	Client
☐	Acme Search	123-456-7890	USD	Acme Co.
☐	Northstar Main	234-567-8901	INR	Northstar
☐	Orbit Retail	345-678-9012	USD	Unassigned
☐	Meta - Acme	act_123456789	USD	Acme Co.
☐	Meta - Northstar	act_234567890	INR	Northstar

Connect selected | Assign client

5 accounts discovered • 3 selected

Connection lifecycle & safeguards

Shared platform controls around different provider flows

1. **Authorize** — OAuth consent and provider scopes
2. **Discover** — List only assets user can access
3. **Select** — User explicitly picks accounts
4. **Assign** — Optional client mapping in workspace
5. **Verify** — Test permissions and API read
6. **Maintain** — Refresh token, monitor health, reconnect

Token values never appear in UI, logs, or screenshots.

Overview 01
Clients 02
Connected Accounts 03
Campaigns 04
Ad Groups / Ad Sets 05
Ads & Creatives 06
Audiences & Targeting 07
Conversions & Tracking 08
Reports 09
Billing 10
Team & Permissions 11
API Health 12
Settings 13

Manage the building blocks

These screens share table patterns, search, filters, bulk-action feedback and detail drawers.

Ad groups / Ad sets

SCREEN MAP

Shared list shell; distinct provider models

- Google: ad groups, keywords, bids, assets
- Meta: ad sets, audience, placements, optimization
- Status, budget, dates, delivery diagnostics
- Detail view, supported edit actions

Implementation: Shared shell + provider-specific API rules

Ads & creatives

SCREEN MAP

Asset library + preview + publish status

- Text/copy, media, CTA, destination URL
- Google: ad formats/assets and policy checks
- Meta: page identity, media specs, creative fields
- Preview, validation, approval and errors

Implementation: Shared shell + provider-specific API rules

Audiences & targeting

SCREEN MAP

Common library with provider-specific targeting rules

- Saved audiences / segments and exclusions
- Geo, age/demographic controls where available
- Google: keywords, topics, placements and signals
- Meta: custom/lookalike audiences and placements

Implementation: Shared shell + provider-specific API rules

Conversions & tracking

SCREEN MAP

Common status overview; separate setup flows

- Conversion/event list, source, status and diagnostics
- Google: conversion actions, tags, imports
- Meta: Pixel, Conversions API, events, domains
- Check permissions, deduplication and data freshness

Implementation: Shared shell + provider-specific API rules

Reports & exports

SCREEN MAP

Unified report builder, provider-shaped query adapters

- Select metrics, date range, client, campaign
- Breakdowns: campaign / ad group or ad set / ad
- Compare periods; table/chart visualization
- CSV export; scheduled delivery remains pending

Implementation: Shared shell + provider-specific API rules

Clients & workspace

SCREEN MAP

Organization layer is not the external ad account

- Client record, contacts, notes and active status
- Assign authorized accounts to client
- Client-level performance and recent activity
- No client SaaS login in MVP; team access separate

Implementation: Shared shell + provider-specific API rules

Overview 01
Clients 02
Connected Accounts 03
Campaigns 04
Ad Groups / Ad Sets 05
Ads & Creatives 06
Audiences & Targeting 07
Conversions & Tracking 08
Reports 09
Billing 10
Team & Permissions 11
API Health 12
Settings 13

Operations, access & platform settings

The product shell is shared, but financial domains and tracking setup must remain semantically separate.

Reports & exports

Example report configuration

Report name
Campaign performance

Date range
Last 30 days ▾

Provider
Google + Meta ▾

Breakdown
Campaign ▾

Metrics

Spend | Clicks | Conversions | CPA | ROAS

Run report | Export CSV

Billing - keep the domains separate

Do not mix SaaS subscription billing with advertising spend paid to Google or Meta

SAAS SUBSCRIPTION

Plan

Starter / Agency / Enterprise (proposed)

Invoices & payment method

Plan renewal, invoice history, seats/limits

PROVIDER AD SPEND

Display account-level spend/payment details only where provider APIs expose them. Actual ad charges generally remain within provider billing systems.

Team & permissions

Shared platform authorization

Members
Invite, accept/expire invite, deactivate

Roles
Owner, admin, analyst, operator - proposed

Scoped access
Workspace, clients and supported write actions

Audit log
Who did what, when, provider response

Approval guardrails
Optional confirmation for bulk or risky edits

API health & sync

Shared monitoring + provider diagnostics

- **Google Ads API**
  Auth, developer token, customer context
- **Meta Marketing API**
  Auth, app permissions, assigned assets
- **Sync jobs**
  Last success, duration, next retry
- **Quota / rate limits**
  Backoff, throttling, safe retries
- **Action result log**
  Success / partial / failure per item

Settings, alerts & security

Cross-cutting requirements

Profile & workspace
Name, locale, timezone, defaults

Notifications
Token expiry, sync failure, action failure

Security
Encrypt tokens, redact logs, rotate secrets

Data quality
Currency, attribution, freshness, definitions

Reliability
Retries, idempotency, partial API outages