



Setting up a Zobot (chatbot) on your website

05:49

There are two ways to set up a chatbot (Zobot) on your website:

- **Import a bot:** If you already have a chatbot in another SalesIQ portal, you can easily export and import it on your current portal. Learn more [here](#).
- **Build from scratch:** You can create a new bot from the ground up or use a pre-built template. To get started, navigate *Settings > Bots > Zobot > Add*.

Platform

1. Inside the bot builder, give your bot a **Name**.
2. Then, [Choose a platform](#) to structure, configure, and create your bot. These are the available platforms:

SalesIQ Platforms

- Codeless Bot Builder,
- SalesIQ Scripts,
- Zia Skills,

← 1 Bot builder 2 Bot Profile 3 Configurations 4 Codeless bot builder ×

Name your bot

Zoe

Choose a platform

SalesIQ platforms Third-party platforms Vendor platforms

Build a compelling chatbot with our in-house bot-building platforms to suit your business needs.

Codeless bot builder

A no coding bot builder platform. Just drag and drop and build a powerful bot to assist your website visitors.

[Learn More](#)

SalesIQ Scripts

An advanced bot builder for developers powered by Zoho Creator Deluge Scripts.

[Learn More](#)

Zia Skills

Build a conversational bot assistant with Zia Skills platform.

[Learn More](#)

Cancel Next

My colleagues Internal chat Help

Third-party platforms: If you have chatbots set up in any one of these platforms, you can connect the same bot with SalesIQ.

- Dialogflow,
- Watson Assistant,
- Azure Bot Service.
- Webhooks

← 1 Bot builder 2 Bot Profile 3 Configurations 4 Dialogflow ×

Name your bot

Zoe

Choose a platform

SalesIQ platforms Third-party platforms Vendor platforms

Build bots using our supported third-party platforms.

Dialogflow

Create a bot for your website using Dialogflow Platform - powered by Google.

[Learn More](#)

Watson Assistant

Create a bot for your website using the Watson Assistant Platform - Powered by IBM.

[Learn More](#)

Azure Bot Service

Build a bot for your website on Azure Bot Services powered by Microsoft.

[Learn More](#)

Webhook

Create your own bot using webhooks.

[Learn More](#)

Cancel Next

My colleagues Internal chat Help

- Click **Next**.

Profile

- Give a **description** for the bot that will help visitors understand the characteristics of the bot.
- Choose the **brand** on which you would like to deploy the bot.

Associate departments

- Next, associate the bot with a department. The bot will handle only those chats that are routed to the configured department.
- Select **All departments**, to allow the bot to handle all incoming chats, regardless of department.

The screenshot shows the 'Associate departments' step in the Zobot configuration interface. At the top, there's a progress bar with four steps: 'Bot builder' (completed), 'Bot Profile' (current step), 'Configurations', and 'Codeless bot builder'. Below the progress bar, the section is titled 'Describe your bot' with a text input field labeled 'Your virtual assistance'. The next section is 'Choose a brand', with a note stating 'The bot you build will be deployed and assist visitors on the website where the chosen brand is configured.' There are two brand options: 'Zillium' (selected with a blue border) and 'Zyker'. The 'Associate departments' section follows, with a note 'The bot will communicate only to visitors from the departments selected here.' It features a search bar with the placeholder 'choose a department'. Below the search bar is a list of department options: 'All departments' (selected with a blue icon), 'Zillium', 'Support', 'Sales', and 'Marketing'. At the bottom of this list are 'Back' and 'Next' buttons. The footer of the interface includes links for 'My colleagues', 'Internal chat', 'Help', and a search icon.

Channels

- Choose the channels where the bot should be active. Currently, the bot can be deployed on **websites, mobile SDK, Facebook Messenger, Instagram, WhatsApp, Telegram, and LINE**. These work based on the channels you've connected with SalesIQ.

[Learn more - SalesIQ Channels](#)

Languages

In the Languages section of your Zobot setup, you'll configure how the bot handles multilingual conversations. This is applicable only for bots built using the **Codeless Bot Builder**.

- **Supported Languages:** Select the languages you want the bot to support from the dropdown. Zoho SalesIQ currently supports [30 different languages](#).
- **Default Language:** From the selected supported languages, choose one as the default. This will be used if the visitor's language isn't recognized or supported.

① Bot content (text, responses, and labels) must be configured separately for each supported language (auto-translation is not currently supported).


Language detection

- The bot automatically detects the language of the visitor's first message.
- If the detected language is one of the configured supported languages, the bot will use it throughout the conversation, even if proactive engagement is enabled.
- If the detected language is not supported, the bot will fall back to the default language.

Example Scenario

- Let's say your bot is configured with French, German, and English as supported languages, and English is set as the default.
- If a visitor starts the conversation in French, the bot will respond in French.
- If the visitor's first message is in Spanish (which isn't supported), the bot will fall back to English, the default language.

 **Note:** Once a language is selected at the start of a session, the bot will not switch languages mid-conversation.



← Bot builder Bot Profile Configurations Codeless bot builder

Marketing Sales Support

Channels *
Choose channels to deploy your bot

Supported languages
Select the languages for your bot to converse.

Q Select

English	-
French	-
Georgian	-
German	+
Greek	+
Unknown	+
English	-

ded in the supported languages, the bot will automatically switch to the default

Choose bot working hours

☒ When operators online during business hours

☒ When operators offline during business hours

☒ When operators online during non business hours

☒ When operators offline during non business hours

Back Next

My colleagues Internal chat Help

Working hours

Set Working Hours for your bots to engage.

- The bot's working hours can be chosen based on your [business hours](#) and the operator's availability.
- To allow the bot to take up all the chat regardless of business hours or operator or operator's availability, check all the boxex.
- Click, Next.

← | **Bot builder** | **2 Bot Profile** | 3 Configurations | 4 Codeless bot builder | ✕

CHOSEN DEPARTMENTS (3) [Clear All](#)

Marketing ✕ Sales ✕ Support ✕

Channels *
Choose channels to deploy your bot

Supported languages
Select the languages for your bot to converse.

Select

Selected languages (3)

English ✕ French ✕ Georgian ✕

Default language
If the visitor uses a language that is not included in the supported languages, the bot will automatically switch to the default language.

English ☒ French ☐ Georgian ☐

☒ When operators online during non business hours
☒ When operators offline during non business hours

[Back](#) [Next](#)

My colleagues Internal chat Help

Configurations

Bot audience for proactive engagement

The bot can be proactive/automatically engage with the visitor based on the audience configured here. You have the following options,

- **All visitors:** The bot engages proactively with all your website visitors.
- **Custom visitors:** The bot engages proactively to a selected or targeted audience based on your custom rules.

← | **Bot builder** | **Bot Profile** | **3 Configurations** | 4 Codeless bot builder | ✕

Choose bot audience

When should the bot initiate chat?
Response Interval
Chat Inactivity
Operator handoff
Forward message
Actions

Choose bot audience
Select the type of visitor to initiate proactive conversation.

All visitors
The bot will assist all visitors who land on your website.
Visitor type is All

Custom visitors
The bot will assist visitors if they match the set condition and criteria.
[Add rule](#)

When should the bot initiate chat?

☐ When visitors land on the site ⓘ
☐ When visitors click the chat widget ⓘ
☐ When visitors perform the custom action ⓘ

Response interval
Add an interval to your bot's response time during interactive chats for a more natural conversational flow.

2 Seconds

Idle chat handling
Configure follow-up actions if the bot did not receive a reply for the specified duration.

Reminder
Send first message in:

[Back](#) [Create](#)

My colleagues Internal chat Help

- To make your bot proactively engage with a specific audience, select **Custom Visitor** under the audience configuration and click **Add Rule** to define your targeting criteria.

- For example, if you configure a rule to target visitors on the **Payment** page, the bot will automatically initiate conversations with those visitors.
- For all other visitors, the bot will remain reactive, it will only respond if the visitor starts the conversation.

14. Next, define when the bot should initiate a conversation with visitors. In the previous step, you set the audience criteria for proactive engagement, now you're configuring when that engagement should happen upon visitor satisfying the rules set.

- **When visitor lands on your site:** The bot will automatically engage after a defined time delay (in seconds, minutes, or hours) once the visitor arrives.
- **When visitors click the chat widget:** The bot will initiate the conversation only when the visitor manually clicks the live chat widget.
- **When visitor performs a custom action:** The bot will trigger when the visitor completes a specific action (e.g., clicking a button). This requires tracking the action using a [visitor.customaction JavaScript API](#).

① Language detection with proactive engagement:

When both multiple languages and a proactive audience are configured, SalesIQ will first detect the visitor's website language.

- If the detected language is one of the **supported languages** configured in the bot, the bot will proactively engage the visitor in that language.
- If the detected language is not supported, the bot will default to the **default language** for the conversation.

← Bot builder Bot Profile **3 Configurations** 4 Codeless bot builder ×

Choose bot audience

When should the bot initiate chat?

Response Interval

Chat Inactivity

Operator handoff

Forward message

Actions

When should the bot initiate chat?

☒ When visitors land on the site ⓘ

4 Seconds

☐ When visitors click the chat widget ⓘ

☐ When visitors perform the custom action ⓘ

Response interval

Add an interval to your bot's response time during interactive chats for a more natural conversational flow.

2 Seconds

Idle chat handling

Configure follow-up actions if the bot did not receive a reply for the specified duration.

☐

Reminder

Send first message in:

1 Minute

Language

Default

Message :

{

Back Create

My colleagues Internal chat Help

- Then, set the **Response interval** to bot's reply to provide a natural human-like conversation.

← Bot builder Bot Profile **3 Configurations** 4 Codeless bot builder ×

Choose bot audience

When should the bot initiate chat?

Response Interval

Chat Inactivity

Operator handoff

Forward message

Actions

Response interval

Add an interval to your bot's response time during interactive chats for a more natural conversational flow.

2 Seconds

Idle chat handling

Configure follow-up actions if the bot did not receive a reply for the specified duration.

☒

Reminder

Send first message in:

1 Minute

Language

Default

Message :

```
{
  "replies": [
    {
      "text": "Is there anything else I might help you with today"
    }
  ]
}
```

[Add another message](#)

Chat timeout

Select an action for the bot to initiate when the user fails to respond to the reminders.

Back Create

My colleagues Internal chat Help

Handle inactive bot chats

Followed by this, you can set up chat inactivity rules to notify the visitor that he has been idle on the website for a considerable amount of time during the chat. Based on the inactivity time set in this section, the bot can send out messages to the visitor and end the corresponding conversation.

- Idle chat handling:
 - Set up automated alerts when a visitor remains idle for a specific duration during a chat.
 - Define the idle time after which the bot should send a first alert message to the visitor.
 - Customize the alert message, with support for multiple languages.
 - You can configure multiple alerts to be sent at different intervals.
- Chat timeout

- If the visitor still doesn't respond after the idle alerts:
- Choose how the bot should handle the session,
- End the conversation
- Forward the chat to an operator
- Mark the chat as missed

← Bot builder Bot Profile **3 Configurations** 4 Codeless bot builder ×

Choose bot audience

When should the bot initiate chat?

Response Interval

Chat Inactivity

Add another message

Operator handoff

Forward message

Actions

Chat timeout

Select an action for the bot to initiate when the user fails to respond to the reminders.

☒ End chat ☐ Forward chat ☐ Convert to missed chat

End chat in:

5 Minutes

Language

Default

Message : ⓘ

```
{
  "replies": [
    {
      "text": "Thank you for contacting us. Please feel free to reach out to us for any assistance."
    }
  ]
}
```

Back Create

My colleagues Internal chat Help

Handoff to operator

Enable this option to allow visitors to request human assistance at any point during the conversation. A persistent label, such as “Connect with a human?”, will appear at the bottom of the chat widget throughout the chat session.

- When the visitor clicks "Yes", the bot will automatically forward the chat to an available operator.
- You can customize both:
 - The label message (e.g., "Need help from a human?")
 - The forwarding message shown while connecting the visitor to the operator.

← | Bot builder Bot Profile **3** Configurations 4 Codeless bot builder ×

Choose bot audience

When should the bot initiate chat?

Response Interval

Chat Inactivity

Operator handoff

Forward message

Actions

Allow hand off to operators
Let visitors opt to connect with human operators during an ongoing bot conversation. Toggle on

Connect with a human?

Yes

☒ Hide outside business hours

Forward message Toggle on
Display a message right after the chat is forwarded to a human operator

Language *
Default

Message
Transferring chat to the sales team... 38/100

Type % for dynamic text suggestions

Bot conversation actions
Allow visitors to go back to the previous message in the bot conversation or restart the conversation if required.

☐ Rollback to the previous message

Back Create

My colleagues Internal chat Help

Conversation actions

In addition to the operator handoff, you can enable two more visitor actions, Rollback and Restart. These options will appear persistently at the bottom of the chat widget during the conversation.

- **Rollback:** Lets the visitor go back to the previous step in the conversation. Useful if they made a typo or want to change their response.
- **Restart:** Resets the entire chat flow and restarts the bot from the beginning.

Note: This configuration is only available for the [Codeless bot builder](#).

- Finally, click **Create**. You will be directed to the bot builder platform that been selected on **Profile**.

← | Bot builder Bot Profile 3 **Configurations** 4 Codeless bot builder ×

Choose bot audience

When should the bot initiate chat?

Response Interval

Chat Inactivity

Operator handoff

Forward message

Actions

Connect with a human?

Yes

☒ Hide outside business hours

Forward message Toggle on
Display a message right after the chat is forwarded to a human operator

Language *
Default

Message
Transferring chat to the sales team... 38/100

Type % for dynamic text suggestions

Bot conversation actions
Allow visitors to go back to the previous message in the bot conversation or restart the conversation if required.

☒ Rollback to the previous message

☐ Restart conversation

Back Create

My colleagues Internal chat Help


Bot builder

You will be redirected to the bot building platform which is selected in the "Profile".


Prebuilt Templates

If you're creating a bot for the first time, a template selection screen will appear. This includes a range of **ready-to-use multilingual templates** and an option to start from scratch.

- Hover over a template and click "Show Details" to view its purpose and flow.
- To apply a template, click "Use Template", the flow will be loaded directly into the builder.




- Once applied, you can:
 - Click **"Test your bot"** to preview the flow.
 - The template comes with multi-language support. To view and edit content in a different language, click the language dropdown at the top of the bot builder and select the desired language.
 - Make changes or edit the bot flow to suit your business requirements.



- A warning icon at the top-left highlights any errors or unresolved issues in the flow. Click it to review and fix them.
- After resolving all issues, click **"Publish"** to deploy the bot to your live chat.


❗ No changes are needed to your website installation code.




Create a new bot

To build a bot from the Scratch:


- Click "Create from Scratch" in the template screen.
- By default, there will a welcome card, click on it's plus (+) icon to view the card gallery.



- The gallery has many cards, categorized based on its usability.
- Drag a card to the plus icon or, click a card that you want to add it to the bot, provide the card contents and click save. The card will appear on the bot builder.



- Next, you can test your bot right here, click on "Test your bot", a preview tab will open, displaying the bot flow you've built thus far.



Useful links


- [Cards Gallery](#)
- [Codeless bot builder controls](#)

Configure bot for multiple languages

25. Initially, set up the bot for the chosen default language in the bot profile.

26. The chosen supported languages will appear at the top. Click on them to configure the bot for other languages.

⚠ The bot flow/cards can only be created/edited/deleted in the **default language**. In other supported languages, only the content of the cards can be edited.



Note

- When switching cards to other languages, only the default language contents are displayed.
- Card contents for other languages must be manually updated since auto-translation isn't supported.
- For instance, if English is set as the default language and French or Georgian is chosen as a supported language, switching cards to French/Georgian will display card contents in English, requiring manual language update.

27. The card's contents, which are yet to be updated in other supported languages, will show a warning.

The screenshot displays the Zoho SalesIQ chatbot builder interface. On the left, a workflow diagram shows a sequence of cards: 'Welcome card' (containing 'Bienvenue chez Zylker!'), 'Button Card 2' (with a warning 'Card is not configured for this language'), and 'Calendar Card 6' (with 'Choose your preferred date'). A 'Default' path is also indicated. On the right, the 'Send Message' configuration panel is open for the French language. It shows the message content 'Bienvenue chez Zylker!' and a warning for 'Georgian' as it is not configured. The panel also includes settings for 'Card wait time' (set to 5 seconds) and 'Delay info message' (set to Random order).

20. Finally, click **Publish** to deploy the bot on the site.

Points to remember

- The bot will analyse the visitor's first message language and use that language (if configured) throughout the conversation. Else, the bot will use the default language.
- For example, if Spanish language is configured and the visitor messages, "Hola!" the bot will use Spanish the entire conversation. If Spanish is not configured, the bot will use the default language.
- The bot will not switch languages during the ongoing conversation.
- When the bot trigger is set up, SalesIQ will analyse the website's language and checks if the respective language is configured on the bot. If it does, the bot gets triggered in the website language.
- If the website's language is not supported in the bot, the bot will trigger in the default language.

<https://help.zoho.com/portal/en/kb/salesiq-2-0/build-chatbots/codeless-bot-implementation-guide/articles/zobots-chatbot-building-platform>