

Cucumber Report

Sep. 9, 2023, 2:25:02 a.m.

Start : Sep. 09, 2:24:41.697 a.m.

End : Sep. 09, 2:25:02.421 a.m.

Duration : 20.724 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 1

SKIPPED - 0

PASSED - 1


FAILED - 2


SKIPPED - 0

PASSED - 9


FAILED - 2

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	test afterSignInPage	2	0	2	0	20.724 s
2	Crm login	1	1	0	0	3.930 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>test afterSignInPage</u>	<u>test contacts page</u>	4	3	1	0	20.722 s
2	<u>test afterSignInPage</u>	<u>test deals page</u>	4	2	1	1	15.080 s
3	<u>Crm login</u>	<u>login into crm account</u>	4	4	0	0	3.930 s


(F)- test afterSignInPage

FAILED	DURATION - 20.724 s	Scenarios		Steps	
/ 2:24:41.697 a.m. // 2:25:02.421 a.m. /		Total - 2		Total - 8	
		Pass - 0		Pass - 5	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 1	



(S)- test contacts page

<div>FAILED</div> <div>DURATION - 20.722 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:24:41.699 a.m. // 2:25:02.421 a.m. /				
test afterSignInPage				
@Smoke				


#	Step / Hook Details	Status	Duration	
1	Given - Given user is already logged in	PASSED	13.434 s	
	username			password
	pratiksandhu6162@gmail.com			Pratik@123
2	Given - Given user is on AfterSignInPage	PASSED	0.010 s	
3	When - When user clicks on contacts	PASSED	6.059 s	
4	Then - Then contacts page is opened	FAILED	0.011 s	
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'Contacs')]} (Session info: headless chrome=116.0.5845.179) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MBP', ip: 'fe80:0:0:0:101c:8389:5eb:640e%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.179, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/kl/x7sg3c3s7w5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51930}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e628ef16edc438ae531211115c52e118 *** Element info: {Using=xpath, value="//span[contains(text(),'Contacs')]} <			

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy21.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.isDisplayed(Unknown Source) at com.pages.ContactsPage.verifyContactsPage(ContactsPage.java:20) at parallelExecution.AfterSignInStepDef.contacts_page_is_opened(AfterSignInStepDef.java:52) at ?.contacts page is opened(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn.feature:12) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.341 s
	test_contacts_page		
			



(S)- test deals page


<div>FAILED</div> <div>DURATION - 15.080 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 2:24:41.701 a.m. // 2:24:56.781 a.m. /</div>			
<div>test afterSignInPage</div>			
<div>@Smoke</div>			

#	Step / Hook Details	Status	Duration	
1	Given - Given user is already logged in	PASSED	13.809 s	
	username			password
	pratiksandhu6162@gmail.com			Pratik@123
2	Given - Given user is on AfterSignInPage	PASSED	0.004 s	
3	When - When user clicks on deals	FAILED	0.023 s	
	<div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"//span[text()='Deas']\"} (Session info: headless chrome=116.0.5845.179) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MBP', ip: 'fe80:0:0:0:101c:8389:5eb:640e%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.179, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/kl/x7sg3c3s7w5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51928}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1cd456f7d885334db8b92e0009cdfa58 *** Element info: {Using=xpath, value=//span[text()='Deas']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</div>			

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy21.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.click(Unknown Source) at com.pages.AfterSignInPage.deals(AfterSignInPage.java:26) at parallelExecution.AfterSignInStepDef.user_clicks_on_deals(AfterSignInStepDef.java:59) at ?.user clicks on deals(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn. feature:17) * Not displayable characters are replaced by '?'. </pre>		
4	Then - Then deals page is opened	SKIPPED	0.000 s
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.377 s
	test_deals_page		
			

(F)- Crm login

PASSED	DURATION - 3.930 s	Scenarios		Steps	
/ 2:24:41.703 a.m. // 2:24:45.633 a.m. /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- login into crm account

#	Step / Hook Details	Status	Duration
1	Given - Given user is on home page	PASSED	0.950 s
2	When - When user clicks on LogIN	PASSED	1.964 s
3	When - When user enters username "Pratiksandhu6162@gmail.com" and password "Pratik@123" and clicks on login button	PASSED	0.146 s
4	Then - Then user is signed in and verify title.	PASSED	0.004 s

(Step) AFTER - parallelExecution.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) test contacts page

(F) test afterSignInPage

The screenshot displays the COGMENTO CRM interface. The top navigation bar includes the logo, user name 'pratik sandhu', account type 'Free account', a search bar, and icons for home, settings, and notifications. A left sidebar contains a menu with options: Home, Calendar, Contacts (selected), Companies, Deals, Tasks, Cases, Calls, Documents, Email, Campaigns, Forms, and Reports. The main content area shows a table of contacts with columns: Address, Category, Status, Phone, Email, and Options. The table contains six rows of data, alternating between 'Lead' and 'Customer' categories. At the bottom right of the table, there is a pagination control showing '1'.

(Step) AFTER - parallelExecution.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) test deals page

(F) test afterSignInPage

The screenshot shows the COGMENTO CRM interface with a different layout. The top navigation bar is consistent with the previous screenshot. The left sidebar menu is also present. The main content area is divided into several sections: 'Contacts activity stream' on the left, 'Deals' in the top right, 'Call Queue' in the middle right, 'Upcoming calls' in the bottom left, and 'Twitter' in the bottom right. The 'Contacts activity stream' section shows a list of updates from users: pratik sandhu, saman sandhu, kamal jalota, and guri kwatra. The 'Deals' section displays the message 'No deal data is available.' The 'Call Queue' section shows 'Call Queue Empty'. The 'Upcoming calls' section has a table with columns 'Date' and 'Contact'. The 'Twitter' section shows 'Twitter not set up'. At the bottom left, there is a 'Today' section with a calendar view showing times from 3:00 to 9:00.