

Cucumber Report

Sep. 5, 2023, 10:27:37 p.m.

Start : Sep. 05, 10:27:16.979 p.m.

End : Sep. 05, 10:27:37.375 p.m.

Duration : 20.396 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 1

SKIPPED - 0

PASSED - 1


FAILED - 2


SKIPPED - 0

PASSED - 9


FAILED - 2

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>test afterSignInPage</u>	2	0	2	0	20.396 s
2	<u>Crm login</u>	1	1	0	0	4.326 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>test afterSignInPage</u>	<u>test contacts page</u>	4	3	1	0	20.394 s
2	<u>test afterSignInPage</u>	<u>test deals page</u>	4	2	1	1	14.697 s
3	<u>Crm login</u>	<u>login into crm account</u>	4	4	0	0	4.326 s


(F)- test afterSignInPage

FAILED	DURATION - 20.396 s	Scenarios		Steps	
/ 10:27:16.979 p.m. // 10:27:37.375 p.m. /		Total - 2		Total - 8	
		Pass - 0		Pass - 5	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 1	



(S)- test contacts page

<div>FAILED</div> <div>DURATION - 20.394 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:27:16.981 p.m. // 10:27:37.375 p.m. /				
test afterSignInPage				


#	Step / Hook Details	Status	Duration	
1	Given - Given user is already logged in	PASSED	13.067 s	
	username			password
	pratiksandhu6162@gmail.com			Pratik@123
2	Given - Given user is on AfterSignInPage	PASSED	0.009 s	
3	When - When user clicks on contacts	PASSED	6.061 s	
4	Then - Then contacts page is opened	FAILED	0.010 s	
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'Contacs')]} (Session info: headless chrome=116.0.5845.140) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MBP', ip: 'fe80:0:0:0:4d3:10f9:ec91:c1d1%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.140, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/kl/x7sg3c3s7w5..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63638}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 94bb683709e4e7dbda52f9a28e902667 *** Element info: {Using=xpath, value="//span[contains(text(),'Contacs')]}]				

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy21.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.isDisplayed(Unknown Source) at com.pages.ContactsPage.verifyContactsPage(ContactsPage.java:20) at parallelExecution.AfterSignInStepDef.contacts_page_is_opened(AfterSignInStepDef.java:52) at ?.contacts page is opened(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.346 s
	test_contacts_page		
			



(S)- test deals page


FAILED	DURATION - 14.697 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 10:27:16.983 p.m. // 10:27:31.680 p.m. /				
test afterSignInPage				
@Deals				

#	Step / Hook Details	Status	Duration	
1	Given - Given user is already logged in	PASSED	13.371 s	
	username			password
	pratiksandhu6162@gmail.com			Pratik@123
2	Given - Given user is on AfterSignInPage	PASSED	0.004 s	
3	When - When user clicks on deals	FAILED	0.020 s	
	<div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Deas']"} (Session info: headless chrome=116.0.5845.140) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MBP', ip: 'fe80:0:0:0:4d3:10f9:ec91:c1d1%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.140, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/kl/x7sg3c3s7w5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63636}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7a08678d7c0c83622168529eeefc969d *** Element info: {Using=xpath, value=//span[text()='Deas']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</div>			

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy21.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.click(Unknown Source) at com.pages.AfterSignInPage.deals(AfterSignInPage.java:26) at parallelExecution.AfterSignInStepDef.user_clicks_on_deals(AfterSignInStepDef.java:59) at ?.user clicks on deals(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn. feature:16) * Not displayable characters are replaced by '?'. </pre>		
4	Then - Then deals page is opened	SKIPPED	0.000 s
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.402 s
	test_deals_page		
			

(F)- Crm login

PASSED	DURATION - 4.326 s	Scenarios		Steps	
/ 10:27:16.985 p.m. // 10:27:21.311 p.m. /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- login into crm account

#	Step / Hook Details	Status	Duration
1	Given - Given user is on home page	PASSED	0.772 s
2	When - When user clicks on LogIN	PASSED	2.495 s
3	When - When user enters username "Pratiksandhu6162@gmail.com" and password "Pratik@123" and clicks on login button	PASSED	0.154 s
4	Then - Then user is signed in and verify title.	PASSED	0.003 s

(Step) AFTER - parallelExecution.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) test contacts page

(F) test afterSignInPage

The screenshot displays the COGMENTO CRM interface. On the left is a dark sidebar with navigation icons for Home, Calendar, Contacts, Companies, Deals, Tasks, Cases, Calls, Documents, Email, Campaigns, Forms, and Reports. The main area shows a table of contacts with columns: Address, Category, Status, Phone, Email, and Options. The table contains six rows of data, alternating between 'Lead' and 'Customer' categories. At the top right, there's a header with the user 'pratik sandhu', a 'Free account' label, a search bar, and buttons for 'Show Filters', 'Export', and 'Create'. A 'View' dropdown is also present. At the bottom right of the table, there's a pagination control showing '1'.

(Step) AFTER - parallelExecution.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) test deals page

(F) test afterSignInPage

The screenshot shows the COGMENTO CRM interface with a different layout. The left sidebar is identical. The main area is divided into several sections. At the top left is the 'Contacts activity stream' showing a timeline of updates for 'pratik sandhu', 'saman sandhu', 'kamal jalota', and 'guri kwatra'. To its right is the 'Deals' section, which states 'No deal data is available.'. Further right is the 'Call Queue' section, stating 'Call Queue Empty'. Below the activity stream is the 'Upcoming calls' section with a table for 'Date' and 'Contact'. At the bottom left is a 'Today' section showing a calendar view for the current day. On the right side, there's a 'Twitter' section stating 'Twitter not set up'.