

Cucumber Report

Sep. 5, 2023, 1:07:14 p.m.

Start : Sep. 05, 1:06:53.017 p.m.

End : Sep. 05, 1:07:14.456 p.m.

Duration : 21.439 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0


PASSED - 2
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>test afterSignInPage</u>	2	1	1	0	21.439 s
2	<u>Crm login</u>	1	1	0	0	5.156 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>test afterSignInPage</u>	<u>test deals page</u>	4	2	1	1	15.998 s
2	<u>test afterSignInPage</u>	<u>test contacts page</u>	4	4	0	0	21.434 s
3	<u>Crm login</u>	<u>login into crm account</u>	4	4	0	0	5.156 s


(F)- test afterSignInPage

FAILED	DURATION - 21.439 s	Scenarios		Steps	
/ 1:06:53.017 p.m. // 1:07:14.456 p.m. /		Total - 2		Total - 8	
		Pass - 1		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	



(S)- test deals page

<div>FAILED</div> <div>DURATION - 15.998 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>		<div></div>
<div>/ 1:06:53.018 p.m. // 1:07:09.016 p.m. /</div>					
<div>test afterSignInPage</div>					
<div>@Deals</div>					

#	Step / Hook Details	Status	Duration	
1	Given - Given user is already logged in	PASSED	14.524 s	
	username			password
	pratiksandhu6162@gmail.com			Pratik@123
2	Given - Given user is on AfterSignInPage	PASSED	0.004 s	
3	When - When user clicks on deals	FAILED	0.021 s	
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Deas']} (Session info: headless chrome=116.0.5845.140) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MacBook-Pro.local', ip: 'fe80:0:0:0:4d3:10f9:ec91:c1d1%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.140, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/kl/x7sg3c3s7w5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52117}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 473ae98a1aa6f94f126ada7a2d5bab3a *** Element info: {Using=xpath, value=//span[text()='Deas']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)				




#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy21.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.click(Unknown Source) at com.pages.AfterSignInPage.deals(AfterSignInPage.java:26) at parallelExecution.AfterSignInStepDef.user_clicks_on_deals(AfterSignInStepDef.java:59) at ?.user clicks on deals(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn. feature:16) * Not displayable characters are replaced by '?'. </pre>		
4	Then - Then deals page is opened	SKIPPED	0.000 s
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.386 s
	test_deals_page		
			

(S)- test contacts page



PASSED	DURATION - 21.434 s		Steps	
/ 1:06:53.022 p.m. // 1:07:14.456 p.m. /			Total - 4	
test afterSignInPage			Pass - 4	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details		Status	Duration
1	Given - Given user is already logged in		PASSED	14.278 s
	username	password		
	pratiksandhu6162@gmail.com	Pratik@123		
2	Given - Given user is on AfterSignInPage		PASSED	0.008 s
3	When - When user clicks on contacts		PASSED	6.058 s
4	Then - Then contacts page is opened		PASSED	0.028 s

(F)- Crm login

PASSED	DURATION - 5.156 s		Scenarios		Steps	
/ 1:06:53.021 p.m. // 1:06:58.177 p.m. /			Total - 1		Total - 4	
			Pass - 1		Pass - 4	
			Fail - 0		Fail - 0	
			Skip - 0			

(S)- login into crm account

PASSED	DURATION - 5.156 s		Steps	
/ 1:06:53.021 p.m. // 1:06:58.177 p.m. /			Total - 4	
Crm login			Pass - 4	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given - Given user is on home page	PASSED	1.096 s
2	When - When user clicks on LogIN	PASSED	2.852 s
3	When - When user enters username "Pratiksandhu6162@gmail.com" and password "Pratik@123" and clicks on login button	PASSED	0.144 s
4	Then - Then user is signed in and verify title.	PASSED	0.005 s

(Step) AFTER - parallelExecution.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) test deals page

(F) test afterSignInPage

The screenshot displays the COGMENTO CRM dashboard. The top navigation bar includes the logo, user name 'pratik sandhu', account type 'Free account', and a search bar. A left sidebar contains icons for home, contacts, deals, call queue, and settings. The main content area is divided into several sections:

- Contacts activity stream:** A vertical timeline showing updates for four contacts: pratik sandhu (04.20), saman sandhu (04.20), kamal jalota (04.20), and guri kwatra (04.27).
- Deals:** A section stating 'No deal data is available.'
- Call Queue:** A section stating 'Call Queue Empty'.
- Upcoming calls:** A table with columns 'Date' and 'Contact'.
- Twitter:** A section stating 'Twitter not set up'.
- Today:** A calendar view showing a timeline from 1:00 to 8:00.