
Cucumber Report


Sep. 4, 2023, 4:28:30 p.m.



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	test afterSignInPage	2	1	1	0	20.210 s
2	Crm login	1	1	0	0	4.202 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	test afterSignInPage	test deals page	4	2	1	1	14.562 s
2	test afterSignInPage	test contacts page	4	4	0	0	20.206 s
3	Crm login	login into crm account	4	4	0	0	4.202 s

DETAILED SECTION -- 4 --

(F)- test afterSignInPage

FAILED	DURATION - 20.210 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 4:28:10.254 p.m	n. // 4:28:30.464 p.m. /	Pass - 1	2	Pass - 6	8
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 1	


(S)- test deals page



#	Step / Hook Details	Status	Duration
1	Given - Given user is already logged in	PASSED	13.279 s
	username password pratiksandhu6162@gmail.com Pratik@123		
2	Given - Given user is on AfterSignInPage	PASSED	0.005 s
3	When - When user clicks on deals	FAILED	0.023 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Deas']"} (Session info: headless chrome=116.0.5845.140) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MBP', ip: 'fe80:0:0:0:0:4d3:10f9:ec91:c1d1%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os. version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.140, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880, userDataDir: /var/folders/kl/x7sg3c3s7w5}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58928}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85ebe9e0f760169ea76f1e846e6ceb4e *** Element info: {Using=xpath, value=//span[text()='Deas']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.Http.CommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.PeriorEormandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.semote.RemoteWebDriver.findElement(RemoteWebDriver.java:428) at org.openqa.selenium.semote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke(DelegatingMethodAccessorImpLjava:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke(NativeMethodAccessorImpLjava:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke(DelegatingMethodAccessorImpLjava:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke(DelegatingMethodAccessorImpLjava:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke(DelegatingMethodAccessorImpLjava:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke(DelegatingMethodAccessorImpLjava:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke(DelegatingMethodAccessorImpLjava:43) at java.base/jdk.internal.reflect.NativeMethodAccessorI		
4	Then - Then deals page is opened	SKIPPED	0.000 s
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario) test_deals_page +	PASSED	0.387 s

(S)- test contacts page




#	Step / Hook Details	Status	Duration
1	Given - Given user is already logged in	PASSED	13.249 s
	username password pratiksandhu6162@gmail.com Pratik@123		
2	Given - Given user is on AfterSignInPage	PASSED	0.009 s
3	When - When user clicks on contacts	PASSED	6.055 s
4	Then - Then contacts page is opened	PASSED	0.025 s

(F)- Crm login

PASSED	DURATION - 4.202 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 4:28:10.259 p.	.m. // 4:28:14.461 p.m. /	Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- login into crm account



DETAILED SECTION --- 7 -

#	Step / Hook Details	Status	Duration
1	Given - Given user is on home page	PASSED	0.959 s
2	When - When user clicks on LogIN	PASSED	2.226 s
3	When - When user enters username "Pratiksandhu6162@gmail.com" and password "Pratik@123" and clicks on login button	PASSED	0.151 s
4	Then - Then user is signed in and verify title.	PASSED	0.003 s

EXPANDED SECTION -- 8 --

