

# Cucumber Report

Sep. 7, 2023, 11:40:17 p.m.

**Start : Sep. 07, 11:39:56.013 p.m.**

**End : Sep. 07, 11:40:16.697 p.m.**

**Duration : 20.684 s**

Features


PASSED - 1  
FAILED - 1  
SKIPPED - 0


Scenarios

PASSED - 1  
FAILED - 2  
SKIPPED - 0


Steps

PASSED - 9  
FAILED - 2  
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	test afterSignInPage	2	0	2	0	20.684 s
2	Crm login	1	1	0	0	4.217 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>test afterSignInPage</u>	<u>test deals page</u>	4	2	1	1	14.842 s
2	<u>test afterSignInPage</u>	<u>test contacts page</u>	4	3	1	0	20.680 s
3	<u>Crm login</u>	<u>login into crm account</u>	4	4	0	0	4.217 s


**(F)- test afterSignInPage**

<b>FAILED</b>	<b>DURATION - 20.684 s</b>	Scenarios		Steps	
/ 11:39:56.013 p.m. // 11:40:16.697 p.m. /		Total - 2		Total - 8	
		Pass - 0		Pass - 5	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 1	



**(S)- test deals page**

<b>FAILED</b>	<b>DURATION - 14.842 s</b>		Steps	
/ 11:39:56.014 p.m. // 11:40:10.856 p.m. /			Total - 4	
test afterSignInPage			Pass - 2	
@Deals			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration	
1	Given - Given user is already logged in	PASSED	13.314 s	
	username			password
	pratiksandhu6162@gmail.com			Pratik@123
2	Given - Given user is on AfterSignInPage	PASSED	0.004 s	
3	When - When user clicks on deals	FAILED	0.022 s	
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Deas']} (Session info: headless chrome=116.0.5845.140) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MBP', ip: 'fe80:0:0:0:4d3:10f9:ec91:c1d1%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.140, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/kl/x7sg3c3s7w5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52060}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8d02ed34e41098647a32d7f5bdf50e16 *** Element info: {Using=xpath, value=//span[text()='Deas']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)				

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy22.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy25.click(Unknown Source) at com.pages.AfterSignInPage.deals(AfterSignInPage.java:26) at parallelExecution.AfterSignInStepDef.user_clicks_on_deals(AfterSignInStepDef.java:59) at ?.user clicks on deals(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn. feature:16) * Not displayable characters are replaced by '?'. </pre>		
4	Then - Then deals page is opened	SKIPPED	0.000 s
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.383 s
	test_deals_page		
			



**(S)- test contacts page**


<div>FAILED</div> <div>DURATION - 20.680 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:39:56.017 p.m. // 11:40:16.697 p.m. /</div>				
<div>test afterSignInPage</div>				

#	Step / Hook Details	Status	Duration	
1	Given - Given user is already logged in	PASSED	13.134 s	
	<table><tr><td>username</td><td>password</td></tr><tr><td>pratiksandhu6162@gmail.com</td><td>Pratik@123</td></tr></table>			username
username	password			
pratiksandhu6162@gmail.com	Pratik@123			
2	Given - Given user is on AfterSignInPage	PASSED	0.009 s	
3	When - When user clicks on contacts	PASSED	6.063 s	
4	Then - Then contacts page is opened	FAILED	0.010 s	
<div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'Contacts')]} (Session info: headless chrome=116.0.5845.140) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MBP', ip: 'fe80:0:0:0:4d3:10f9:ec91:c1d1%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.140, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/kl/x7sg3c3s7w5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52061}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 14836ddb6a803414c1845443e03a264d *** Element info: {Using=xpath, value=//span[contains(text(),'Contacts')]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</div>				

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy22.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy25.isDisplayed(Unknown Source) at com.pages.ContactsPage.verifyContactsPage(ContactsPage.java:20) at parallelExecution.AfterSignInStepDef.contacts_page_is_opened(AfterSignInStepDef.java:52) at ?.contacts page is opened(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.349 s
	test_contacts_page		
			

## (F)- Crm login

PASSED		DURATION - 4.217 s		Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0					
/ 11:39:56.018 p.m. // 11:40:00.235 p.m. /											

**(S)- login into crm account**

#	Step / Hook Details	Status	Duration
1	Given - Given user is on home page	PASSED	1.074 s
2	When - When user clicks on LogIN	PASSED	1.857 s
3	When - When user enters username "Pratiksandhu6162@gmail.com" and password "Pratik@123" and clicks on login button	PASSED	0.166 s
4	Then - Then user is signed in and verify title.	PASSED	0.004 s



(Step) AFTER - parallelExecution.Hooks.  
tearDown(io.cucumber.java.Scenario)

(S) test deals page

(F) test afterSignInPage

The screenshot displays the COGMENTO CRM interface. The top navigation bar includes the logo, user name 'pratik sandhu', and account type 'Free account'. The main content area is divided into several sections: 'Contacts activity stream' on the left, 'Deals' in the center, and 'Call Queue' on the right. The 'Deals' section shows a message 'No deal data is available.' Below the 'Deals' section, there are 'Upcoming calls' and 'Twitter' widgets. The 'Upcoming calls' widget has a table with columns 'Date' and 'Contact'. The 'Twitter' widget shows 'Twitter not set up'. At the bottom, there is a 'Today' section with a calendar view.

(Step) AFTER - parallelExecution.Hooks.  
tearDown(io.cucumber.java.Scenario)

(S) test contacts page

(F) test afterSignInPage

The screenshot displays the COGMENTO CRM interface with the 'Contacts' page selected. The left sidebar shows a navigation menu with options like Home, Calendar, Contacts, Companies, Deals, Tasks, Cases, Calls, Documents, Email, Campaigns, Forms, and Reports. The main content area shows a table of contacts with columns: Address, Category, Status, Phone, Email, and Options. The table contains several rows of data, including leads and customers. At the bottom, there is a pagination bar showing '1' out of a total of 1 contact.