

Cucumber Report

Sep. 2, 2023, 3:55:10 a.m.

Start : Sep. 02, 3:54:49.486 a.m.

End : Sep. 02, 3:55:09.776 a.m.

Duration : 20.290 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 1

SKIPPED - 0

PASSED - 2



FAILED - 1

SKIPPED - 0

PASSED - 10


FAILED - 1

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	test afterSignInPage	2	1	1	0	20.290 s
2	Crm login	1	1	0	0	4.136 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>test afterSignInPage</u>	<u>test contacts page</u>	4	4	0	0	20.288 s
2	<u>test afterSignInPage</u>	<u>test deals page</u>	4	2	1	1	14.651 s
3	<u>Crm login</u>	<u>login into crm account</u>	4	4	0	0	4.136 s

(F)- test afterSignInPage



FAILED	DURATION - 20.290 s	Scenarios		Steps	
/ 3:54:49.486 a.m. // 3:55:09.776 a.m. /		Total - 2	2	Total - 8	8
		Pass - 1		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- test contacts page


<div>PASSED</div> <div>DURATION - 20.288 s</div>		<div></div>	Steps		<div></div>
/ 3:54:49.488 a.m. // 3:55:09.776 a.m. /			Total - 4		
test afterSignInPage			Pass - 4		
			Fail - 0		
				Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given - Given user is already logged in	PASSED	13.354 s
	username		
	pratiksandhu6162@gmail.com		
	password		
	Pratik@123		
2	Given - Given user is on AfterSignInPage	PASSED	0.010 s
3	When - When user clicks on contacts	PASSED	6.061 s
4	Then - Then contacts page is opened	PASSED	0.033 s



(S)- test deals page


FAILED	DURATION - 14.651 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 3:54:49.490 a.m. // 3:55:04.141 a.m. /				
test afterSignInPage				
@Deals				

#	Step / Hook Details	Status	Duration	
1	Given - Given user is already logged in	PASSED	13.409 s	
	username			password
	pratiksandhu6162@gmail.com			Pratik@123
2	Given - Given user is on AfterSignInPage	PASSED	0.004 s	
3	When - When user clicks on deals	FAILED	0.023 s	
	<div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"//span[text()='Deas']\"} (Session info: headless chrome=116.0.5845.140) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MBP', ip: 'fe80:0:0:0:4d3:10f9:ec91:c1d1%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.140, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/kl/x7sg3c3s7w5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64351}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5bb823b2ea64907cc5616bc3fac99780 *** Element info: {Using=xpath, value=//span[text()='Deas']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</div>			

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy21.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.click(Unknown Source) at com.pages.AfterSignInPage.deals(AfterSignInPage.java:26) at parallelExecution.AfterSignInStepDef.user_clicks_on_deals(AfterSignInStepDef.java:59) at ?.user clicks on deals(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn. feature:16) * Not displayable characters are replaced by '?'. </pre>		
4	Then - Then deals page is opened	SKIPPED	0.000 s
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.385 s
	test_deals_page		
			

(F)- Crm login

PASSED	DURATION - 4.136 s	Scenarios		Steps	
/ 3:54:49.492 a.m. // 3:54:53.628 a.m. /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- login into crm account

#	Step / Hook Details	Status	Duration
1	Given - Given user is on home page	PASSED	0.905 s
2	When - When user clicks on LogIN	PASSED	2.223 s
3	When - When user enters username "Pratiksandhu6162@gmail.com" and password "Pratik@123" and clicks on login button	PASSED	0.182 s
4	Then - Then user is signed in and verify title.	PASSED	0.003 s

(Step) AFTER - parallelExecution.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) test deals page

(F) test afterSignInPage

The screenshot displays the COGMENTO CRM interface. The top navigation bar includes the user name 'pratik sandhu', account type 'Free account', and a search bar. The sidebar on the left contains icons for home, contacts, deals, call queue, and upcoming calls. The main content area is divided into several widgets:

- Contacts activity stream:** A vertical timeline showing updates for four contacts: pratik sandhu (04.20), saman sandhu (04.20), kamal jalota (04.20), and guri kwatra (04.27).
- Deals:** A section indicating 'No deal data is available.'
- Call Queue:** A section indicating 'Call Queue Empty.'
- Upcoming calls:** A table with columns for 'Date' and 'Contact'.
- Twitter:** A section indicating 'Twitter not set up.'
- Today:** A calendar view showing the current day's schedule from 4:00 to 11:00.