

Cucumber Report

Sep. 6, 2023, 11:44:59 p.m.

Start : Sep. 06, 11:44:37.060 p.m.

End : Sep. 06, 11:44:59.359 p.m.

Duration : 22.299 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 1

SKIPPED - 0

PASSED - 1


FAILED - 2


SKIPPED - 0

PASSED - 9


FAILED - 2

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	test afterSignInPage	2	0	2	0	22.299 s
2	Crm login	1	1	0	0	5.992 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>test afterSignInPage</u>	<u>test deals page</u>	4	2	1	1	16.154 s
2	<u>test afterSignInPage</u>	<u>test contacts page</u>	4	3	1	0	22.294 s
3	<u>Crm login</u>	<u>login into crm account</u>	4	4	0	0	5.992 s


(F)- test afterSignInPage

FAILED	DURATION - 22.299 s	Scenarios		Steps	
/ 11:44:37.060 p.m. // 11:44:59.359 p.m. /		Total - 2		Total - 8	
		Pass - 0		Pass - 5	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 1	



(S)- test deals page

<div>FAILED</div> <div>DURATION - 16.154 s</div>			Steps	
/ 11:44:37.062 p.m. // 11:44:53.216 p.m. /			Total - 4	
test afterSignInPage			Pass - 2	
@Deals			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration	
1	Given - Given user is already logged in	PASSED	13.910 s	
	username			password
	pratiksandhu6162@gmail.com			Pratik@123
2	Given - Given user is on AfterSignInPage	PASSED	0.003 s	
3	When - When user clicks on deals	FAILED	0.018 s	
	<div>org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[text()='Deas'] For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MBP', ip: 'fe80:0:0:0:4d3:10f9:ec91:c1d1%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 117.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20230824132758, moz:geckodriverVersion: 0.33.0, moz:headless: true, moz:platformVersion: 22.6.0, moz:processID: 83587, moz:profile: /var/folders/kl/x7sg3c3s7w5..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 3dc0766d-ba26-421e-99be-ce4b7de1c05e *** Element info: {Using=xpath, value=//span[text()='Deas']}</div> <div>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</div> <div>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</div> <div>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</div>			

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy21.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.click(Unknown Source) at com.pages.AfterSignInPage.deals(AfterSignInPage.java:26) at parallelExecution.AfterSignInStepDef.user_clicks_on_deals(AfterSignInStepDef.java:59) at ?.user clicks on deals(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn.feature:16) * Not displayable characters are replaced by '?'. </pre>		
4	Then - Then deals page is opened	SKIPPED	0.001 s
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.058 s
	test_deals_page		
			



(S)- test contacts page


<div>FAILED</div> <div>DURATION - 22.294 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div> <div></div>
<div>/ 11:44:37.065 p.m. // 11:44:59.359 p.m. /</div>		
<div>test afterSignInPage</div>		

#	Step / Hook Details	Status	Duration	
1	Given - Given user is already logged in	PASSED	13.720 s	
	username			password
	pratiksandhu6162@gmail.com			Pratik@123
2	Given - Given user is on AfterSignInPage	PASSED	0.006 s	
3	When - When user clicks on contacts	PASSED	6.264 s	
4	Then - Then contacts page is opened	FAILED	0.008 s	
<div>org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[contains(text(),'Contacs')] For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MBP', ip: 'fe80:0:0:0:4d3:10f9:ec91:c1d1%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 117.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20230824132758, moz:geckodriverVersion: 0.33.0, moz:headless: true, moz:platformVersion: 22.6.0, moz:processID: 83589, moz:profile: /var/folders/kl/x7sg3c3s7w5..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 46331c95-3148-4884-aa4c-c73e8faad372 *** Element info: {Using=xpath, value=//span[contains(text(),'Contacs')]}</div> <div>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</div> <div>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</div> <div>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</div> <div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</div> <div>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</div> <div>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</div> <div>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)</div> <div>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</div>				

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy21.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.isDisplayed(Unknown Source) at com.pages.ContactsPage.verifyContactsPage(ContactsPage.java:20) at parallelExecution.AfterSignInStepDef.contacts_page_is_opened(AfterSignInStepDef.java:52) at ?.contacts page is opened(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.133 s
	test_contacts_page		
			

(F)- Crm login

PASSED		DURATION - 5.992 s		Scenarios		Steps	
/ 11:44:37.065 p.m. // 11:44:43.057 p.m. /				Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 4 Pass - 4 Fail - 0 Skip - 0	
							

(S)- login into crm account

#	Step / Hook Details	Status	Duration
1	Given - Given user is on home page	PASSED	1.077 s
2	When - When user clicks on LogIN	PASSED	2.464 s
3	When - When user enters username "Pratiksandhu6162@gmail.com" and password "Pratik@123" and clicks on login button	PASSED	0.279 s
4	Then - Then user is signed in and verify title.	PASSED	0.002 s

(Step) AFTER - parallelExecution.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) test deals page

(F) test afterSignInPage

COGMENTO abc pratik sandhu Free account

Contacts activity stream

- 2023. 04.20 ! pratik sandhu Updated
- 2023. 04.20 ! saman sandhu Updated
- 2023. 04.20 ! kamal jalota Updated
- 2023. 04.27 ! guri kwatra Updated

Deals

No deal data is available.

Call Queue

Call Queue Empty

Upcoming calls

Date	Contact
------	---------

Twitter

Twitter not set up

Today

Time	Event
3:00	
4:00	

(Step) AFTER - parallelExecution.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) test contacts page

(F) test afterSignInPage

COGMENTO abc pratik sandhu Free account

Home Calendar Contacts Companies Deals Tasks Cases Calls Documents Email Campaigns Forms Reports

View Show Filters Export Create

Address	Category	Status	Phone	Email	Options
	Lead				View Edit Call Delete
	Customer				View Edit Call Delete
	Lead				View Edit Call Delete
	Customer				View Edit Call Delete
	Lead				View Edit Call Delete
	Customer				View Edit Call Delete

1