

# Cucumber Report

Sep. 4, 2023, 11:25:49 p.m.

Start : Sep. 04, 11:25:28.642 p.m.

End : Sep. 04, 11:25:48.688 p.m.

Duration : 20.046 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0


PASSED - 2  
FAILED - 1  
SKIPPED - 0

PASSED - 10  
FAILED - 1  
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>test afterSignInPage</u>	2	1	1	0	20.046 s
2	<u>Crm login</u>	1	1	0	0	3.870 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>test afterSignInPage</u>	<u>test contacts page</u>	4	4	0	0	20.044 s
2	<u>test afterSignInPage</u>	<u>test deals page</u>	4	2	1	1	14.697 s
3	<u>Crm login</u>	<u>login into crm account</u>	4	4	0	0	3.870 s

**(F)- test afterSignInPage**



<b>FAILED</b>	<b>DURATION - 20.046 s</b>	Scenarios		Steps	
/ 11:25:28.642 p.m. // 11:25:48.688 p.m. /		Total - 2		Total - 8	
		Pass - 1		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

**(S)- test contacts page**


<div><div>PASSED</div><div>DURATION - 20.044 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 11:25:28.644 p.m. // 11:25:48.688 p.m. /</div>				
<div>test afterSignInPage</div>				

#	Step / Hook Details	Status	Duration
1	Given - Given user is already logged in	PASSED	13.129 s
	username		
	pratiksandhu6162@gmail.com		
	password		
	Pratik@123		
2	Given - Given user is on AfterSignInPage	PASSED	0.003 s
3	When - When user clicks on contacts	PASSED	6.046 s
4	Then - Then contacts page is opened	PASSED	0.026 s



**(S)- test deals page**


<b>FAILED</b>	<b>DURATION - 14.697 s</b>		<b>Steps</b> Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 11:25:28.645 p.m. // 11:25:43.342 p.m. /				
test afterSignInPage				
@Deals				

#	Step / Hook Details	Status	Duration	
1	Given - Given user is already logged in	PASSED	13.066 s	
	<table><tr><td>username</td><td>password</td></tr><tr><td>pratiksandhu6162@gmail.com</td><td>Pratik@123</td></tr></table>			username
username	password			
pratiksandhu6162@gmail.com	Pratik@123			
2	Given - Given user is on AfterSignInPage	PASSED	0.009 s	
3	When - When user clicks on deals	FAILED	0.032 s	
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Deas']} (Session info: headless chrome=116.0.5845.140) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MacBook-Pro.local', ip: 'fe80:0:0:0:4d3:10f9:ec91:c1d1%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.140, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/kl/x7sg3c3s7w5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54784}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9b326ee561ca89a19cb733090bec7364 *** Element info: {Using=xpath, value=//span[text()='Deas']}     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)     at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)     at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)</pre>			

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy21.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.click(Unknown Source) at com.pages.AfterSignInPage.deals(AfterSignInPage.java:26) at parallelExecution.AfterSignInStepDef.user_clicks_on_deals(AfterSignInStepDef.java:59) at ?.user clicks on deals(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn. feature:16) * Not displayable characters are replaced by '?'. </pre>		
4	Then - Then deals page is opened	SKIPPED	0.001 s
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.746 s
	test_deals_page		
			

**(F)- Crm login**

<b>PASSED</b>	<b>DURATION - 3.870 s</b>	Scenarios		Steps	
/ 11:25:28.648 p.m. // 11:25:32.518 p.m. /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**(S)- login into crm account**

#	Step / Hook Details	Status	Duration
1	Given - Given user is on home page	PASSED	0.745 s
2	When - When user clicks on LogIN	PASSED	2.095 s
3	When - When user enters username "Pratiksandhu6162@gmail.com" and password "Pratik@123" and clicks on login button	PASSED	0.189 s
4	Then - Then user is signed in and verify title.	PASSED	0.004 s

(Step) AFTER - parallelExecution.Hooks.  
tearDown(io.cucumber.java.Scenario)

(S) test deals page

(F) test afterSignInPage

The screenshot displays the COGMENTO CRM dashboard. The top navigation bar includes the logo, user name 'abc', and a search bar. The main content area is divided into several sections:

- Contacts activity stream:** A vertical timeline showing updates for four contacts: pratik sandhu, saman sandhu, kamal jalota, and guri kwatra, all updated on 04/20 and 04/27.
- Deals:** A section indicating 'No deal data is available.'
- Call Queue:** A section indicating 'Call Queue Empty.'
- Upcoming calls:** A table with columns 'Date' and 'Contact'.
- Twitter:** A section indicating 'Twitter not set up.'
- Today:** A calendar view showing the current date and time.

The interface is clean and modern, with a dark sidebar on the left containing navigation icons.