Cucumber Report

| Start : Sep. 07, 9:58:23.455 a.m.	End : Sep. 07, 9:58:44.824 a.m.	Duration : 21.369 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 9 FAILED - 2 SKIPPED - 1

Features: 2 — Pass % 50 %

Scenarios: 3 — Pass % 33 %

Steps: 12 — Pass % 75 %

#	Feature Name	T	P	F	S	Duration
1	test afterSignInPage	2	0	2	0	21.369 s
2	Crm login	1	1	0	0	4.941 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	test afterSignInPage	test deals page	4	2	1	1	15.024 s
2	test afterSignInPage	test contacts page	4	3	1	0	21.364 s
3	Crm login	login into crm account	4	4	0	0	4.941 s

(F)- test afterSignInPage

FAILED	DURATION - 21.369 s	Scenarios		Steps	
/ 9:58:23.455 a.m. // 9:58:44.824 a.m. /		Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Total - 8 Pass - 5 Fail - 2 Skip - 1	8

(S)- test deals page

FAILED	DURATION - 15.024 s		Steps	
/ 9:58:23.457 a.m. // 9:58:38.481 a.m. /			Total - 4 Pass - 2 Fail - 1 Skip - 1	4
test afterSignInPage				
@Deals				

#	Step / Hook Details	Status	Duration
1	Given - Given user is already logged in | username	password | |---|---| | pratiksandhu6162@gmail.com | Pratik@123 |	PASSED	13.127 s
2	Given - Given user is on AfterSignInPage	PASSED	0.004 s
3	When - When user clicks on deals	FAILED	0.026 s

	org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[text()='Deas'] For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MBP', ip: 'fe80:0:0:0:4d3:10f9:ec91:c1d1%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os. version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 117.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20230824132758, moz:geckodriverVersion: 0.33.0, moz:headless: true, moz:platformVersion: 22.6.0, moz:processID: 97824, moz:profile: /var/folders/kl/ x7sg3c3s7w5..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 162f181d-adc1-40d8-bb94-5c895e9336a7 *** Element info: {Using=xpath, value=//span[text()='Deas']}
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1(EventFiringWebDriver.java:105) at com.sun.proxy.$Proxy21.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.$Proxy24.click(Unknown Source) at com.pages.AfterSignInPage.deals(AfterSignInPage.java:26) at parallelExecution.AfterSignInStepDef.user_clicks_on_deals(AfterSignInStepDef.java:59) at ?.user clicks on deals(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn.feature:16) * Not displayable characters are replaced by '?'.		
4	Then - Then deals page is opened	SKIPPED	0.000 s
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario) test_deals_page 	PASSED	0.059 s

(S)- test contacts page

FAILED	DURATION - 21.364 s
/ 9:58:23.460 a.m. // 9:58:44.824 a.m. /	
test afterSignInPage	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given - Given user is already logged in	PASSED	13.149 s
	username / password pratiksandhu6162@gmail.com / Pratik@123		
2	Given - Given user is on AfterSignInPage	PASSED	0.003 s
3	When - When user clicks on contacts	PASSED	6.250 s
4	Then - Then contacts page is opened	FAILED	0.013 s

	org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[contains(text(),'Contacs')] For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MBP', ip: 'fe80:0:0:0:4d3:10f9:ec91:c1d1%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 117.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20230824132758, moz:geckodriverVersion: 0.33.0, moz:headless: true, moz:platformVersion: 22.6.0, moz:processID: 97825, moz:profile: /var/folders/kl/x7sg3c3s7w5..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: b6417ae5-4d65-4509-80c3-b7ebff161a13 *** Element info: {Using=xpath, value=//span[contains(text(),'Contacs')]}
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	    at org.openqa.selenium.By$ByXPath.findElement(By.java:353)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1(EventFiringWebDriver.java:105) at com.sun.proxy.$Proxy21.findElement(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElement(EventFiringWebDriver.java:194) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.$Proxy24.isDisplayed(Unknown Source) at com.pages.ContactsPage.verifyContactsPage(ContactsPage.java:20) at parallelExecution.AfterSignInStepDef.contacts_page_is_opened(AfterSignInStepDef.java:52) at ?.contacts page is opened(file:///Users/pratiksandhu/eclipse-workspace/BDDCucumberLatest/src/test/resources/parallelExecution/AfterSignIn.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario) test_contacts_page 	PASSED	0.133 s

(F)- Crm login

PASSED	DURATION - 4.941 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 9:58:23.461 a.m. // 9:58:28.402 a.m. /		Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- login into crm account

PASSED	DURATION - 4.941 s
/ 9:58:23.461 a.m. // 9:58:28.402 a.m. /	
Crm login	

Steps

Total - 4

Pass - 4

Fail - 0

Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given - Given user is on home page	PASSED	1.047 s
2	When - When user clicks on LogIN	PASSED	1.785 s
3	When - When user enters username "Pratiksandhu6162@gmail.com" and password "Pratik@123" and clicks on login button	PASSED	0.291 s
4	Then - Then user is signed in and verify title.	PASSED	0.002 s

(Step) AFTER - parallelExecution.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) test deals page

(F) test afterSignInPage

(Step) AFTER - parallelExecution.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) test contacts page

(F) test afterSignInPage