
Cucumber Report

Sep. 5, 2023, 7:43:59 a.m.




FEATURES SUMMARY

-- 2 --



#	Feature Name	T	P	F	S	Duration
1	test afterSignInPage	2	1	1	0	30.659 s
2	Crm login	1	1	0	0	14.342 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	test afterSignInPage	test deals page	4	2	1	1	25.164 s
2	test afterSignInPage	test contacts page	4	4	0	0	30.655 s
3	Crm login	login into crm account	4	4	0	0	14.342 s

DETAILED SECTION -- 4 --

(F)- test afterSignInPage

FAILED	DURATION - 30.659 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 7:43:28.305 a.n	n. // 7:43:58.964 a.m. /	Pass - 1	2	Pass - 6	8
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 1	

(S)- test deals page



#	Step / Hook Details	Status	Duration
1	Given - Given user is already logged in	PASSED	22.837 s
	usernamepasswordpratiksandhu6162@gmail.comPratik@123		
2	Given - Given user is on AfterSignInPage	PASSED	0.010 s
3	When - When user clicks on deals	FAILED	0.034 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Deas']"} (Session info: headless chrome=116.0.5845.140) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Pratiks-MacBook-Pro.local', ip: '2605:8d80:6a1:7a81:553f:51b5:38e6:3458%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.1', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.140, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880, userDataDir: /var/folders/kl/x7sg3c3s7w5}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56920}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.Http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:149) at org.openqa.selenium.remote.Http.CommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(PomoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.semote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.semote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke(NativeMethodAccessorImpLjava:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke(NativeMethodAc		
4	Then - Then deals page is opened	SKIPPED	0.001 s
	AFTER - parallelExecution.Hooks.tearDown(io.cucumber.java.Scenario) test_deals_page +	PASSED	0.753 s

(S)- test contacts page


PASSED DURATION - 30.655 s	Step	s
/ 7:43:28.309 a.m. // 7:43:58.964 a.m. /	20- 15-	1-4
77.43.26.369 a.m. // 7.43.36.964 a.m. /	10 Pass	s-4 4
test afterSignInPage	5 - Fail	0
	O - Skip	- 0
	1 2 3 4	

#	Step / Hook Details	Status	Duration
1	Given - Given user is already logged in	PASSED	23.033 s
	username password pratiksandhu6162@gmail.com Pratik@123		
2	Given - Given user is on AfterSignInPage	PASSED	0.003 s
3	When - When user clicks on contacts	PASSED	6.040 s
4	Then - Then contacts page is opened	PASSED	0.046 s

(F)- Crm login

PASSED	DURATION - 14.342 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 7:43:28.310 a.	m. // 7:43:42.652 a.m. /	Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- login into crm account



DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
1	Given - Given user is on home page	PASSED	6.971 s
2	When - When user clicks on LogIN	PASSED	5.674 s
3	When - When user enters username "Pratiksandhu6162@gmail.com" and password "Pratik@123" and clicks on login button	PASSED	0.164 s
4	Then - Then user is signed in and verify title.	PASSED	0.004 s

EXPANDED SECTION -- 8 --

