

```
<!DOCTYPE html>

<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Valentine 🌹 ❤️ ✨</title>
    <link href="https://fonts.googleapis.com/css2?family=Press+Start+2P&family=Patrick+Hand&display=swap" rel="stylesheet">
  <style>
    body{
      margin:0;
      font-family:'Press Start 2P', cursive;
      text-align:center;
      overflow:hidden;
      background:linear-gradient(135deg,#ffe6f0,#ffcccd9,#ffd9e6);
      height:100vh;
    }
    /* pages */
    .page{display:none;height:100vh;justify-content:center;align-items:center;flex-direction:column;}
    .show{display:flex;}
    h1{color:#b3003b;font-size:22px;}
    button{
      padding:12px 25px;
      font-size:18px;
      border:none;
      border-radius:10px;
      cursor:pointer;
      transition:0.3s;
      margin:10px;
      font-family:'Patrick Hand', cursive;
    }
    #yesBtn{background:#ff4d88;color:white;}
    #noBtn{background:#999;color:white;position:absolute;}
    .hearts{
      position:fixed;
      width:100%;
      height:100%;
      background-image:url('https://i.imgur.com/8QfQZ6F.png');
    }
  </style>

```

```
opacity:0.1;
```

```
z-index:-1;
```

```
}
```

```
/* envelope */
```

```
.envelope{
```

```
width:200px;
```

```
height:120px;
```

```
background:#ff4d88;
```

```
position:relative;
```

```
cursor:pointer;
```

```
margin-top:20px;
```

```
}
```

```
.envelope:before{
```

```
content:"";
```

```
position:absolute;
```

```
top:-60px;
```

```
left:0;
```

```
width:0;height:0;
```

```
border-left:100px solid transparent;
```

```
border-right:100px solid transparent;
```

```
border-bottom:60px solid #ff4d88;
```

```
}
```

```
.letter{
```

```
display:none;
```

```
margin-top:20px;
```

```
font-family:'Patrick Hand', cursive;
```

```
font-size:20px;
```

```
color:#800020;
```

```
}
```

```
img{width:120px;border-radius:12px;margin:6px;}
```

```
.panda{width:150px;margin-bottom:15px;}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="hearts"></div>
```

```
<!-- PAGE 1 -->
```

```
<div id="page1" class="page show">
```

```



<h1>Will you be my Valentine? 🎀 ❤️ 😍 </h1>

<div>

<button id="yesBtn">YES ❤️</button>

<button id="noBtn">NO 😱</button>

</div>

</div>

<!-- PAGE 2 -->

<div id="page2" class="page">

<h1>Thank youuu ❤️ 🎉 ✨ I love youuu ❤️ </h1>

<p style="color:maroon;font-family:'Patrick Hand',cursive;">

I have gifts for you 🎀 ❤️ Click below 🎁

</p>

<button onclick="goPage3()">Open Gifts ❤️ </button>

</div>

<!-- PAGE 3 -->

<div id="page3" class="page">

<h1>Open the envelopes ❤️ </h1>

<div class="envelope" onclick="openLetter()"></div>

<div class="letter" id="letter1">

Why I love you 🎀 ❤️ <br>

You are cute 🎉 ✨ <br>

You make me happy ❤️ <br>

You are my peace ❤️

<br><br>



</div>

<div class="envelope" onclick="openPhotos()"></div>

<div class="letter" id="photos">











</div>

</div>

<script>

```

```
let noBtn=document.getElementById("noBtn");

let yesBtn=document.getElementById("yesBtn");

let size=18;

noBtn.addEventListener("click",()=>{

let x=Math.random()*window.innerWidth;

let y=Math.random()*window.innerHeight;

noBtn.style.left=x+"px";

noBtn.style.top=y+"px";

size*=1.2;

yesBtn.style.fontSize=size+"px";

});

yesBtn.addEventListener("click",()=>{

document.getElementById("page1").classList.remove("show");

document.getElementById("page2").classList.add("show");

});

function goPage3(){

document.getElementById("page2").classList.remove("show");

document.getElementById("page3").classList.add("show");

}

function openLetter(){

document.getElementById("letter1").style.display="block";

}

function openPhotos(){

document.getElementById("photos").style.display="block";

}

</script>

</body>

</html>
```